A Role for Visual Memory in Vocabulary Development:**A Systematic Review and Meta-Analysis**

Hayley E. Pickering^{1*}, Jessica L. Peters¹, & Sheila G. Crewther¹

¹ Department of Psychology and Counselling, La Trobe University, Kingsbury Drive,
Melbourne VIC 3086, Australia

*Corresponding author

Author Note

Hayley E. Pickering <https://orcid.org/0000-0003-3384-6646>

This review was pre-registered with PROSPERO (registration no: CRD42019125132).

Data Available from <https://doi.org/10.26181/6125e5b438a49>

Data forming an earlier version of this paper was presented online at the 6th Pacific Rim Conference, Melbourne, Australia (July 2021) and will be presented online at the 1st International Developmental Language Disorder Research Conference (September 2021).

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors. The authors have no known conflicts of interest to disclose.

Correspondence concerning this article should be addressed to Hayley E Pickering, Department of Psychology and Counselling, La Trobe University, Kingsbury Drive, Melbourne VIC 3086, Australia. Email: h.pickering@latrobe.edu.au

Abstract

Literature examining the role of visual memory in vocabulary development during childhood is limited, despite it being well known that preverbal infants rely on their visual abilities to form memories and learn new words. Hence, this systematic review and meta-analysis utilised a cognitive neuroscience perspective to examine the association between visual memory and vocabulary development, including moderators such as age and task selection, in neurotypical children aged 2- to 12-years. Visual memory tasks were classified as spatio-temporal span tasks, visuo-perceptual or spatial concurrent array tasks, and executive judgment tasks. Visuo-perceptual concurrent array tasks expected to rely on ventral visual stream processing showed a moderate association with vocabulary, while tasks measuring spatio-temporal spans expected to be associated with dorsal visual stream processing, and executive judgments (central executive), showed only weak correlations with vocabulary. These findings have important implications for all health professionals and researchers interested in language, as they can support the development of more targeted language learning interventions that require ventral visual stream processing.

Keywords: Systematic Review; Meta-Analysis; Vocabulary; Visual Memory

A Role for Visual Memory in Vocabulary Development: A Systematic Review and Meta-Analysis

Each year in Australia, around 20% of children starting school are identified as having additional learning needs (Goldfeld et al., 2012; O'Connor et al., 2020) with approximately half of this cohort identified as showing speech or language difficulties (O'Connor et al., 2019). Importantly, language difficulties during childhood are known to increase the risk of poor social, emotional, academic, and occupational outcomes throughout the lifespan (Hentges et al., 2021; McKean et al., 2017; Whitehouse et al., 2009).

Language is multifaceted, but can best be defined as a system of shared signs, symbols, or semantically related sounds (usually verbalizable words termed vocabulary) for the purpose of communication or self-expression (Hoff, 2014; National Institute of Mental Health, 2018). Vocabulary, considered a core aspect of language, is a key marker of overall verbal language development and verbal intelligence, with typical schoolchildren (Grades 2-8) learning 10-20 new words each day (Anglin et al., 1993; Trautwein & Schroeder, 2017). Vocabulary encompasses both the words an individual can understand (receptive vocabulary) and the words they can produce and use (expressive vocabulary) (Conti-Ramsden & Durkin, 2012; Deldar et al., 2021). Whilst a range of psychosocial factors are known to influence verbal language and vocabulary development (e.g., male gender, maternal education, and maternal vocabulary; Bretherton et al., 2014; Mous et al., 2017), the cognitive skills that contribute to vocabulary development remain largely undefined (Samuelson, 2021).

Memory, particularly short-term memory (briefly holding information in mind; Baddeley, 2012) and working memory (online processing and manipulation of information; Adams et al., 2018), has long been the core cognitive skill implicated in supporting vocabulary development (Baddeley, 2003; Gathercole & Baddeley, 1989). Memory contributions to vocabulary development have been investigated in various ways, with the emphasis shifting

between developmental stages. For instance, research in infancy and early childhood (up to 3-years of age) has tended to focus on visual memory contributions into the early development of language and vocabulary (i.e., joint attention, visual working memory, and recall of spatial locations; Cetincelik et al., 2021; Mundy et al., 2003; Ortiz-Mantilla et al., 2008; Samuelson, 2021; Yu et al., 2019), whereas research into vocabulary development in pre-schoolers and school-aged children has instead focused almost exclusively on auditory-verbal contributions to ongoing vocabulary development (Baddeley, 2003; Baddeley et al., 1998; Bowey, 2001; Metsala, 1999; Rispen & Baker, 2012; Verhagen et al., 2019). Indeed, current literature regarding pre-schoolers and school-aged children has also largely ignored potential contributions of vision and visually-driven attention (Corbetta & Shulman, 2002) and working memory processes (D'Esposito & Postle, 2015) to vocabulary development, which is concerning given most tasks relating to receptive and expressive vocabulary use visual materials for assessment. In line with a neuroanatomical understanding of visual processing in the brain, we use the term 'visual memory' to refer to all memory tasks that require visual system input, whether predominately dorsal stream processing of visual-spatial information or ventral stream processing of visuo-perceptual information. The term 'visuospatial memory' is often used in the cognitive psychology literature to convey the same meaning. Hence, this review aimed to systematically investigate the association between visual memory and vocabulary across childhood (birth to 12-years), with a focus on how a neuroscientific knowledge of visual processing and memory in the brain may better inform understanding of this association.

As alluded to above, language research in infancy and early childhood highlights the importance of visual cognition and memory processes to later vocabulary development. For instance, a recent systematic review by Cetincelik et al. (2021) highlighted that an infant's ability to efficiently use and understand eye gaze is central to early social communication.

Eye-gaze efficiency, and associated measures of joint attention (shared focus between two individuals), enhances visual working memory, supports word-object mappings, and is predictive of vocabulary abilities at 12-18 months (Cetincelik et al., 2021; Gregory & Jackson, 2016). Additional visual processes, such as spatial and sustained attention, processing speed, and visual working memory, facilitate infants' language learning by supporting object recognition and processing of object-word mappings (Samuelson, 2021; Yu et al., 2019). Further, infant multisensory association skills (i.e., mapping a spoken word to a visual object) are linked with higher receptive and expressive vocabulary skills in toddlerhood (Cetincelik et al., 2021; Choudhury et al., 2007). Theoretically, these visual skills, and the ability to associate aspects of a visual scene with verbalisations, remain important for building vocabulary across the lifespan, yet are often not considered in vocabulary studies of older children.

In older children (4-years and above), research regarding vocabulary development has largely examined those with language delays or impairments. Such children, typically considered to have a Developmental Language Disorder (DLD), or previously Specific Language Impairment (SLI), have impaired development of their first language compared to neurotypical peers, despite adequate hearing and opportunity for language learning (Bishop et al., 2017). Children with DLD can present with impairment in a range of language domains, including grammar, syntax, and, of interest here, vocabulary (Bishop, 2006; McGregor et al., 2013), with around 7% of school-aged children meeting criteria for DLD (Norbury et al., 2016; Tomblin et al., 1997). Whilst there is consensus in the literature that children with DLD have impaired auditory-verbal short-term and working memory (relative to their neurotypical peers; Archibald & Gathercole, 2006a; Vugs et al., 2013), evidence regarding visual memory impairment is mixed. For instance, in a meta-analysis of visual memory impairment in children with DLD/SLI, Vugs et al. (2013) found moderate effect sizes for both visual storage

memory tasks (indexing short-term memory) and visual central executive memory tasks (indexing working memory), suggesting the DLD/SLI children performed worse than age-matched neurotypical peers on such tasks. However, heterogeneity analyses indicated substantial variability among the included effect sizes, which could not be accounted for by age or the level of language impairment, suggesting other factors may moderate whether DLD/SLI children show impairment on visual memory tasks. Further, in studies that have included both DLD and neurotypical children, correlations between visual memory tasks (including spatio-temporal block tapping tasks, spatial array recall tasks, and recall of visuo-perceptual details) and vocabulary range from very weak to moderate (e.g., Henry & Maclean, 2003; Lum et al., 2012; Vugs et al., 2017). Visual memory also appears to be more specifically associated with receptive vocabulary (as compared to expressive vocabulary; Nickisch & Von Kries, 2009). Such results suggest an association between visual memory and language/vocabulary in both DLD children and neurotypical children, however, the substantial variability in findings means understanding of how visual memory may be supporting vocabulary development remains unclear and requires further investigation.

To better understand how visual memory processes could support vocabulary development, it is important to first consider how visual and language information are processed in the brain. From birth, attention in all primates, including human infants, is primarily visually driven and directed by eye movements in response to incoming visual, auditory, or somatosensory information (Bullier, 2001; Mundinano et al., 2019). Visual attention and eye movements are primarily driven via the fastest retinal pathways to parietal cortex (Laycock et al., 2020) with aspects of the visual scene processed by the major dorsal and ventral cortical streams (Goodale & Milner, 1992). The dorsal occipito-parietal-frontal “vision for action” or “where” pathway is predominately associated with the rapid control and direction of visual attention and processing of spatial and temporal information (Corbetta &

Shulman, 2002; Kravitz et al., 2011), whereas the ventral occipito-temporal “vision for perception” or “what” pathway preferentially processes visuo-perceptual information (e.g., object, shape, colour) (Kravitz et al., 2013).

This differentiation between visuo-perceptual and spatial processing is relevant to visual memory examination, as neuroimaging evidence shows that these fundamental sensory processing pathways support the maintenance of information during working memory tasks (D'Esposito, 2007; Eriksson et al., 2015; Wager & Smith, 2003), while more cognitive working memory tasks support a distinction between the processing of different spatial and visuo-perceptual details (Pickering et al., 2001; Simmering et al., 2015). Additionally, brain imaging studies of language processing have demonstrated that occipitotemporal areas related to the ventral visual pathway (such as the temporal pole, inferior and superior temporal gyrus, and fusiform gyrus) also support language processes such as object naming and semantic association (i.e., word meanings; Binder et al., 2009; D'Esposito, 2007; Deldar et al., 2021; Ellis et al., 2006). This neuroanatomical division of visual functions highlights the close association between the processing of visuo-perceptual details and the processing of word meanings, as both involve key temporal cortical areas that likely support functional connectivity between visual memory and verbal language/vocabulary. Indeed, a recent review from Deldar et al. (2021) has demonstrated a significant overlap between core language areas of the brain and established working memory networks.

Further, application of this neural network approach to understanding visual processing reduces much of the variability found in past research relating to DLD children. For instance, most previous studies examining spatio-temporal block tapping tasks or spatial arrays (requiring dorsal visual stream processing) reported no differences between DLD children and neurotypical age-matched controls (Archibald & Gathercole, 2006b; Arslan et al., 2020; Botting et al., 2013; Briscoe & Rankin, 2009; Hutchinson et al., 2012; Lukács et al., 2016;

Lum et al., 2012; Petruccelli et al., 2012; Vugs et al., 2017; Williams et al., 2000; although see Bavin et al., 2005, and Hick et al., 2005a, 2005b for evidence of spatial memory impairment in DLD). In contrast, most studies examining visuo-perceptual memory tasks (requiring individuals to attend to on and recall specific visual details, such as colour, shape, or object, and requiring ventral visual stream processing) do report that DLD children perform worse than neurotypical peers, suggesting a deficit in visuo-perceptual memory (Bavin et al., 2005; Botting et al., 2013; Kleemans et al., 2012; Leclercq et al., 2012). Such visuo-perceptual tasks require ventral visual stream processing, which, as discussed above, is neuroanatomically associated with processing both visual and semantic details (Binder et al., 2009; D'Esposito, 2007; Ellis et al., 2006). Thus, when considering the existing literature from a brain processing perspective (i.e., distinguishing tasks more likely to require dorsal or ventral visual processing), the results become less variable and are more interpretable. Hence, we applied this cognitive neuroscience perspective to interpreting findings from the current review.

The Current Review

The aims of this systematic review were to evaluate the literature examining the association between visual memory and vocabulary in neurotypical children (aged birth to 12-years), and to explore in greater depth the potential impact of three important moderators: age, choice of visual memory task, and aspects of vocabulary measurement. Although a significant focus of the previous literature has been children with language difficulties, we chose to examine neurotypical children to better understand visual memory and vocabulary relations in normal development. We hypothesized that age is likely the most important moderating factor given the vast changes in brain and cognitive development from birth to 12 years (Courchesne et al., 2000; Shaw et al., 2008), and assessed this age relationship via meta-regression where possible. Secondly, as discussed above, we grouped studies according

to what aspect of visual memory was being assessed (i.e., spatial or visuo-perceptual aspects, as they relate to dorsal and ventral visual stream processing; Goodale & Milner, 1992), and further hypothesised, based on findings in DLD children, that visuo-perceptual memory tasks would be most closely related to vocabulary. Finally, as the association between visual memory and vocabulary may vary depending on the type of vocabulary assessed (i.e., receptive or expressive; Nickisch & Von Kries, 2009), and may be confounded by the frequent reliance on visual materials to assess vocabulary, we aimed to consider both vocabulary type (receptive or expressive) and modality of vocabulary assessment (visual or verbal) as potential moderators.

Method

This review was conducted and reported in accordance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines (see supplemental document Table S1 for PRISMA checklist; Moher et al., 2009; Page et al., 2021). Prior to commencing the review, a protocol was pre-specified and registered with PROSPERO (registration number CRD42019125132; initial registration dated 26/06/2019; Pickering et al., 2019). A summary of amendments made to the protocol are presented in the supplemental document (Table S2).

Information Sources and Search Strategy

Studies were identified through searching the following electronic databases: PsychINFO (Ovid, 1806 to present), Medline (Ovid, 1946 to present), EMBASE (Ovid, 1947 to present), PubMed, Scopus (Elsevier), Web of Science (ISI), ERIC (ProQuest), and Cochrane Library. The search strategy included both keywords and MeSH terms as appropriate. The initial database search was run on the 17th and 18th of April 2019, with an updated search conducted on the 1st of October 2020. In addition, hand searching was conducted from the reference lists of those studies that met inclusion criteria.

The search strategy was developed in consultation with an academic librarian and was designed to capture a broad array of studies that included measures of visual memory and vocabulary in a child sample (including studies where this was not the primary aim). An overview of the search strategy is presented below. The specific search strategy for all databases has been provided in the supplementary document (Table S3).

1. Visu* OR spati* OR “visu*spati*” OR “spati*visu*”
2. Memory OR “short term memory” OR “working memory” OR “complex memory” OR “declarative memory” OR “long term memory” OR STM OR WM OR LTM
3. 1 AND 2
4. Vocabulary OR lexicon OR “mental lexicon” OR “word knowledge” OR comprehension OR words
5. Child*
6. 3 AND 4 AND 5

Eligibility Criteria and Study Selection

Eligible studies were required to be peer-reviewed publications written in English, with no limits on year of publication. Other forms of publications, including conference abstracts, dissertations, book chapters, study protocols, and government reports were therefore excluded. Studies were required to include a sample of neurotypical children (defined as birth to 12-years, 11-months [12;11]), which included studies where the neurotypical children formed a control group (i.e., they were not the primary focus of the study). Studies that did not consider neurotypical children separately from clinical populations, or included participants 13-years and older (whether all or part of the total sample), were excluded. Additionally, given strong evidence that the language and memory abilities of bilingual children differ from monolingual children (see Grundy & Timmer, 2017, for a review),

participants were required to be monolingual, with no restrictions on primary language. Studies were included if they employed both a measure of visual memory and a cognitive measure of vocabulary (i.e., parental questionnaires of vocabulary knowledge were excluded). Longitudinal studies were included if the visual memory and vocabulary measures were completed at same timepoint, and, for consistency with single-timepoint studies, only data from the first study timepoint was included. Studies that included only a visual memory measure, only a vocabulary measure, or completed both measures but at different timepoints, were excluded.

Study eligibility was assessed independently by two authors (HP and JP) and one research assistant (LR) using the data management software Covidence (Veritas Health Innovation, 2019). The titles and abstracts of each identified record were screened independently by either HP and LR (initial search) or HP and JP (second search), to determine whether to reject the study or accept the study for further review. HP and JP then independently reviewed the method and results sections of each potentially relevant study to determine whether the study met the pre-specified inclusion/exclusion criteria. Disagreements were settled by consensus. The decision to reject a study was determined using a custom hierarchy of seven exclusion reasons:

1. Full-text document unable to be sourced,
2. Study not available in English,
3. Study design did not meet criteria (case-study, intervention study, longitudinal study with memory and vocabulary measures taken at different timepoints) or not a peer-reviewed publication (conference abstract, book chapter, thesis),
4. Population did not meet criteria (participants older than 12;11, no neurotypical group, bilingual or mixed sample),

5. Study did not include a measure of visual memory,
6. Study did not include a cognitive measure of vocabulary,
7. Study did not report required correlation statistic (a bivariate correlation between, visual memory and vocabulary in a neurotypical sample)

Quality Assessment

Quality assessment was completed at the study level using the Appraisal tool for Cross-Sectional Studies (AXIS tool; Downes et al., 2016). The AXIS tool assesses study quality with 20 items spanning five subsections: introduction, method, results, discussion, and miscellaneous (e.g., ethics). In order to compare quality across studies, outcomes were converted to a percentage, with a higher percentage representing a higher quality study. Percentages were calculated against the number of items applicable to the particular study (i.e., excluding items answered as “Not Applicable”). Ratings of 75% or higher represent a high study quality, values of 50-74% a moderate quality study, and scores below 50% a poor quality study. Only studies with a quality score of 50% or above were included in the review. Two additional quality measures specific to the current review were rated: 1) did the aim/s of the study match the aims of the current review, and 2) did the authors indicate why their particular visual memory task/s was chosen. These quality measures did not contribute to the overall quality percentage. These assessments (the AXIS tool and custom questions) were completed by the first author (HP), and 35% ($n = 9$) were randomly and independently reviewed by JP for quality assurance. The initial overall interrater reliability was 81% (ranging 73-95% for individual studies), with disagreements regarding the rating of individual items then settled by consensus.

Data Extraction and Synthesis

Data was extracted by the first author (HP). For each study, the following information was extracted: study details (authors, publication date, aims); participant information (sample size, age [M, SD, range], language spoken); measures (name, description, and procedure for visual memory and vocabulary measures); and outcomes (correlation coefficients, significance values). Where information was unclear or not available in the publications, attempts were made to contact the authors for additional information.

A task was considered to measure visual memory if the following conditions were met: 1) the study authors described the task as a measure of memory, and 2) the task description indicated that the content of information being processed and recalled was purely visual (i.e., visuo-perceptual details or spatial information) and did not additionally require processing or recall of non-visual information (i.e., auditory-verbal information). Vocabulary measures were defined as any language task that required participants to demonstrate their understanding of, or knowledge about, word meanings. Tasks were required to actively test participants knowledge (i.e., informant reports or checklists of known words were not included as a vocabulary task).

The primary outcome extracted was the bivariate correlation between a visual memory measure and a vocabulary measure. Where studies provided more than one correlation (i.e., from either multiple relevant participant groups or where there were multiple outcomes for visual memory and/or vocabulary measures), all correlation coefficients were extracted. Significance values were extracted where available for inclusion in relevant results tables.

To synthesise the data, the following categorisations were made by two authors (HP and SC) regarding the properties and procedures of the visual memory tasks:

1. Type of memory being measured (short-term memory, working memory, learning, or long-term memory),
2. Content of information to be remembered (spatial, visuo-perceptual, or both [visuospatial]),
3. Type of information processing (sequential/temporal or concurrent), and,
4. Response measure (sequential span, item recognition, item recall, change detection, or executive judgement).

Categorisations of each visual task used in the included studies were then independently reviewed by the second author (JP). Initial interrater reliability was 86%, with disagreements then settled by consensus. This information was then used to group visual memory tasks into categories for data analysis. Categorisations were made using the task description and procedure provided in the included studies, and by consultation with relevant task manuals. A summary of this information is presented in Table 1.

Similarly, for vocabulary, the following judgements were made by two authors (HP and SC) regarding the properties and procedures of the vocabulary tasks:

1. Vocabulary type (receptive or expressive), and
2. Modality of information presented (visual or verbal).

A summary of this information is presented in the supplemental documentation (Table S4). Where possible, this information was used for sub-group analyses.

Data Analysis

First, bivariate correlation coefficients from included studies were standardised to Fisher's z to account for differing sample sizes and enable comparisons between studies. Standard

errors were calculated using study sample sizes. Pooled correlation results were categorised as weak (.1-.3), moderate (.4-.6), or strong, (.7-.9) (Akoglu, 2018).

Studies were then grouped for analysis in two different ways. Initially, included studies were grouped according to vocabulary type (receptive or expressive), as this had been our original intention (as per the original protocol; Pickering et al., 2019). However, when extracting data from included studies it became apparent that most vocabulary tasks were visually based and most aimed to measure receptive vocabulary, which provided little variability and thus seemed unlikely to be driving the inconsistent results published to date. Therefore, to provide a more thorough and interpretable analysis of potential moderating factors, we instead grouped studies according to the type of visual memory task. This decision was made during the data extraction process and before any data analysis had been conducted. Where there were three or more correlation coefficients within a particular subgroup of visual memory measures, these were subjected to a meta-analysis. Other studies that did not meet this criterion are discussed in a narrative review (with results tabulated). Where possible, age and vocabulary type (receptive or expressive) were investigated as potential moderators. However, as this is only statistically viable when there are 10 or more datapoints within a given analysis (Deeks et al., 2020; Thompson & Higgins, 2002), such moderators could not be considered in most subgroups.

Statistical analyses were conducted using the JASP Meta-Analysis function (JASP Team, 2021). A random-effects model (restricted maximum likelihood, REML) was chosen *a priori*, as significant methodological variability between included studies was anticipated (Langan et al., 2019). The results are displayed in forest plots. Heterogeneity was quantified using the I^2 index, with values of 25%, 50%, and 75% considered to represent low, moderate, and high heterogeneity, respectively (Higgins & Thompson, 2002; Higgins et al., 2003). As mentioned above, where possible (i.e., where there were 10 or more datapoints within a subgroup),

meta-regression was used to investigate any heterogeneity (Deeks et al., 2020; Thompson & Higgins, 2002). To assess for possible publication bias, Egger's regression test, funnel plots, and Rosenthal's fail-safe N were presented (Egger et al., 1997; Rosenthal, 1979).

Results

Study Selection

The database search returned 10,151 records, of which 5,339 were unique records (see Table S3 for a breakdown of records per database). Hand-searching the reference lists of included studies returned an additional seven references. Following independent title and abstract screening, 463 records were accepted for full-text review, while 4,876 were excluded as they clearly did not meet inclusion criteria. Full-text review excluded a further 424 records that did not meet inclusion criteria. A further 10 studies were initially considered to meet inclusion criteria, however, on closer inspection they were excluded due to key methodological differences that prevented comparison with other included studies. Of these 10 'near-miss' studies: three reported only partial correlations (rather than bivariate correlations provided by the majority of included studies) (DeNigris & Brooks, 2018; Henry & Maclean, 2003; Rasmussen et al., 2009), two reported a composite memory score for analyses (where such composites comprised memory tasks that were judged to assess different aspects of visual memory, such as spatio-temporal span task and a visuo-perceptual array task) (Lum et al., 2012; Vukovic et al., 2014), two reported age-standardised scores (rather than raw scores) (Alloway & Elsworth, 2012; Metcalfe & Stratford, 1986), one used a mixed vocabulary task (assessing both receptive and expressive vocabulary) (Alloway & Passolunghi, 2011), one combined receptive and expressive vocabulary scores for analyses (Joseph et al., 2005), and one reported z-scores (rather than raw scores) (Hooper et al., 2011). Characteristics and results of these 10 'near miss' studies are provided in supplemental document (Table S5).

Thus, a total of 26 articles were identified for inclusion in the systematic review (see Figure 1). The corresponding authors of five studies were contacted to provide further information for data extraction and synthesis; of these, four authors were contacted regarding participant information (Evans et al., 2008; Montoya et al., 2019; Palombo & Cuadro, 2020; Wilson et al., 2018), and one author was contacted for additional detail regarding their chosen vocabulary measure (Yoo & Yim, 2018). Three authors responded and provided the requested information (Evans et al., 2008; Montoya et al., 2019; Palombo & Cuadro, 2020) and no response was received from the other two authors (Wilson et al., 2018; Yoo & Yim, 2018). Information regarding the vocabulary measures from Yoo and Yin (2018) was ultimately able to be sourced from other papers using the same measure. Details of the author correspondence is provided in the supplemental document (Table S6).

Quality Assessment and Risk of Bias

Quality assessment with the AXIS tool (Downes et al., 2016) was completed on the 26 included studies, and all studies were considered of sufficient quality to be included in the review and meta-analyses. When ratings were converted to percentages, scores ranged 60-88% (where a higher percentage represents a higher quality study; $M = 74\%$). All studies provided adequate introductory sections and justified conclusions (items 1, 2, and 17), whereas no study included a sample size justification (item 2). A summary of the quality assessment is presented below in Table 2, and a more detailed breakdown is provided in the supplemental document (Table S7).

In addition to the standardised quality assessment, two other quality measures were obtained (see Table 2). The first quality measure considered whether the aim of each included study matched the aim of the current review (i.e., examination of the association between visual memory and vocabulary and/or language abilities). Only seven of the 26 studies selected met this quality criteria which suggests a low risk of only including studies that have

published significant results given that 19/26 studies published a result that was relevant to our review, but not the primary focus of the original study. Given our specific interest in the types of visual memory tasks used, the second additional quality measure considered whether the authors of the included studies justified their choice of a particular visual memory tasks (e.g., reliability, validity, known association with other variables of interest, previous research, links to neuroscientific understanding of visual processing). Eleven studies provided a justification for their choice of visual memory task: three referenced previous research on a similar topic using the same visual memory task (Critten et al., 2018; Senese et al., 2020; Yoo & Yim, 2018), three referenced reliability and/or validity of their visual memory task in a relevant population (Barbosa et al., 2017; Evans et al., 2008; Palombo & Cuadro, 2020), two referenced manipulating aspects of their tasks, such as choosing colours that were easy or not easy to verbalise (Laws, 2002) or manipulating the memory load on a visual perception task (Williams et al., 1977), one referenced a known association with their outcome variable (Meneghetti et al., 2020), one designed a new task to be appropriate for their age-range (Stokes et al., 2017), and one referenced specifically assessing different aspects of memory (e.g., storage versus storage plus manipulation of information in working memory; Blom et al., 2014). No study provided a justification that related back to aspects of visual processing (e.g., why a spatial task was chosen over a visuo-perceptual task, or vice versa).

Study Characteristics and Data Synthesis

Of the 26 included studies, 19 studies contributed 28 datapoints that were grouped into three meta-analyses (based on categorisation of the visual memory tasks, see below for details). The remaining seven studies utilised visual memory tasks that were unable to be meaningfully grouped together, and thus the 13 datapoints from these studies were considered in a narrative synthesis. Characteristics of the 19 meta-analysis studies are

presented in Table 3, and characteristics and results of the remaining seven studies are presented in Table 4.

Participant Characteristics

The 26 included studies involved a total of 4,545 participants, with 3,570 of these contributing to the meta-analysis. Participant ages ranged from 2;0 to 12;11 years old, although most studies ($n = 16$) focused on younger children (2-6 years). This may have been partially influenced by study inclusion criteria, as studies where the age range extended past 12;11 were excluded, even though in some of those studies the majority of children may have been under 12;11.

Visual Memory Task Characteristics

Measurement of visual memory was highly variable, with 27 different tasks used across the 26 included studies. Only one task, the Corsi block tapping task (Corsi, 1972), was used in more than one study. Based on the categorisation of the visual memory tasks (see Table 1 for details), four clear subgroups emerged: spatio-temporal span tasks, concurrent array tasks (which can be further separated into concurrent spatial arrays and concurrent visuo-perceptual arrays), and executive judgement tasks. These categorisations are described in detail below. Examples of each subtype of visual memory task are provided in Figure 2.

Spatio-Temporal Span Tasks. Spatio-temporal span tasks (Figure 2a) are distinct in that the information-to-be-recalled is presented in a sequential-temporal fashion (i.e., one item at a time), with the participant asked to recall the position of the presented information in the correct temporal sequence. All temporal tasks included in the current review were spatio-temporal, in that the information-to-be-recalled was spatial (i.e., the location of blocks on a table). The majority (8/10) of studies used the Corsi block-tapping task (or variant thereof; see Table 1 for details; Corsi, 1972), and 8/10 studies using this style of task required participants to recall the presented information in forward sequence (i.e., the order it was

presented). Only two studies required participants to recall the information in reverse order. Because this instructional difference changes the theoretical interpretation of the task (as forward recall tasks are considered to measure short-term memory, whereas reverse recall tasks are considered to measure working memory; Lezak et al., 2012), results from these two studies are considered separately from the others.

Concurrent Array Tasks. Concurrent array tasks simultaneously present a visual array of to-be-recalled-information (i.e., all items at once) for a predetermined period of time (most commonly 5-seconds) and require either the spatial or visuo-perceptual details to be encoded. Following this, the participant is asked to either recall and reproduce the information, recognise the presented items from a second array (containing all the presented items and distractor items) or determine whether a second array differs from the first (change detection). Concurrent array tasks can be further categorised by the type of information to be remembered: spatial locations (Figure 2b) or visuo-perceptual details (Figure 2c).

Executive Judgment Tasks. Executive judgement tasks (Figure 2d) involve executive decision making in addition to processing a concurrent array, often whilst also recalling the presented information in sequence. For example, judging a series of shapes to determine an ‘odd-one-out’, and after several trials recalling (in sequence) the location of each shape that had been ‘odd-one-out’ (Alloway, 2007). Thus, executive judgement tasks are considered more complex than temporal span and concurrent array tasks, given the multiple task demands to be processed and recalled.

Vocabulary Task Characteristics

Regarding included vocabulary measures, 14 studies measured receptive vocabulary, 10 studies measured expressive vocabulary, and two studies measured both. Seventeen different tasks were used across the 26 included studies. Nine different tasks measured receptive vocabulary, of which 7/9 were visually-based tasks (e.g., choosing a picture to match a

spoken word), with one task (the Peabody Picture Vocabulary Test, PPVT; Dunn & Dunn, 2007) used in 7/16 studies. Similarly, of the eight tasks measuring expressive vocabulary, 6/8 were visually-based (e.g., picture naming), although the most common expressive vocabulary task (the Vocabulary subtest from the Wechsler intelligence scales; Wechsler, 2011a, 2011b, used in 3/12 studies) was verbally-based (defining words). Further descriptions and categorisations of the tasks are provided in the supplemental document (Table S4).

Results of Meta-Analyses

When Grouped by Vocabulary Task

As per the pre-registered protocol (Pickering et al., 2019), studies were initially grouped according to vocabulary type (receptive or expressive). For receptive vocabulary, results from 22 datapoints (15 studies) indicated a moderate, positive association with visual memory (pooled correlation = .36, 95% CI = .28-.45, $p < .001$, see supplemental document Figure S1). However, there was significant, moderate heterogeneity ($\tau^2 = .021$, $Q(21) = 47.46$, $p < .001$, $I^2 = 66\%$). We attempted to account for this by considering age (mean age entered as a continuous variable) and vocabulary modality (visual or verbal) as potential moderators in a meta-regression, however, the model was not significant, and heterogeneity remained significant ($p = .01$, $I^2 = 56\%$). Full results of these analyses are presented in the supplemental document (Table S8).

For expressive vocabulary, results from six datapoints (five studies) indicated a moderate, positive association with visual memory (pooled correlation = .31, 95% CI = .11-.51, $p = .002$). However, there was significant, very high heterogeneity ($\tau^2 = .051$, $Q(5) = 29.78$, $p < .001$, $I^2 = 84\%$). The small number of datapoints precluded using meta-regression to examine the heterogeneity, although inspection of the forest plot (see supplemental document Figure S2) suggests that results from one particular study (Stokes et al., 2017) were very different

from the others (influence measures indicated a high Cook's Distance, 1.1, yet weighting was equivalent to the other datapoints), and may potentially be driving the heterogeneity.

Given these inconclusive and heterogeneous results, we chose to reconsider our grouping method, in order to better understand what may be driving the variability. This was achieved by grouping studies according to the type of visual memory task used. Studies were collapsed across vocabulary types, with vocabulary type (receptive or expressive) considered as a moderator where possible. These results are described below.

When Grouped by Visual Memory Task

Spatio-Temporal Span Tasks. Of the 10 studies (contributing 11 datapoints) that used spatio-temporal span tasks, nine studies (contributing nine datapoints) were included in the meta-analysis, as they all used a forward variant of their respective tasks (indexing short-term memory). As only two studies (contributing two datapoints) used a backward variant of their span tasks (indexing working memory), their results were considered separately and, given the low number of studies, not pooled via meta-analysis.

Of the nine studies in the meta-analysis (forward variant of spatio-temporal span tasks), six studies used a physical block or box tapping task (Adams et al., 1999; Critten et al., 2018; Laws, 2002; Michas & Henry, 1994; Senese et al., 2020; van der Graaf et al., 2016), two studies used a comparable computerised/iPad tapping task (Cornu et al., 2018; Montoya et al., 2019), and one study (Meneghetti et al., 2020) showed a sequential pattern of squares in a matrix. Seven studies used a visually-based receptive vocabulary task, and the remaining two studies used expressive vocabulary tasks (one verbally-based and one visually-based). Additionally, the majority of studies (7/9) examined younger, mostly preschool age children (2-6 years), whereas the last two studies examined older children (6-11 years). Studies were of moderate to high quality (quality scores 60-87%, $M = 75\%$).

The results of the meta-analysis indicated a weak, positive association between spatio-temporal span memory tasks and vocabulary tasks (pooled correlation = .27, 95% CI = .20-.33, $p < .001$, see Figure 3). Heterogeneity was low ($\tau^2 = < .000$, $Q(8) = 6.64$, $p = .576$, $I^2 = 3\%$).

Egger's test indicated no publication bias ($p = .536$), and the funnel plot appeared symmetrical (see supplemental document Figure S3a). Fail-safe N suggested 180 non-significant or unpublished studies would be required to nullify the significant result. One study (Montoya et al., 2019) was flagged as having a high influence on the results (Cook's Distance = 1.19, weight = 40%), likely due to the large number of participants in this study ($n = 419$, next largest were Senese et al., 2020, $n = 142$, and Cornu et al., 2018, $n = 141$). However, when the analysis was re-run after removing this study (Montoya et al., 2019), there was little change in the result (pooled correlation = .23, 95% CI = .15-.32, $p < .001$).

The final two studies using spatio-temporal span tasks were not included in the above meta-analysis because they required participants to recall the spatio-temporal sequence in reverse order (rather than forward order, as was the case for all nine datapoints included in the meta-analysis). The first (Senese et al., 2020) used a backward block tapping task and a verbally-based expressive vocabulary task, whereas the second study (Studer-Luethi et al., 2016) used a backward colour recall task and a visually-based receptive vocabulary task. The studies were of moderate to high quality (71-75%). Participants in both studies were school-aged (average of 8-years-old). Both studies indicated a weak, non-significant association (Senese et al. Fisher's $z = .15$ [-.02, .32], Studer-Luethi et al. Fisher's $z r = .02$ [-.18, .22]).

Concurrent Array Tasks. Eleven studies contributed 14 datapoints to an analysis of concurrent array tasks. All studies used a different task (see Table 1 for details). Four studies (Adams et al., 1999; Blom et al., 2014; Meneghetti et al., 2020; Stokes et al., 2017) with five datapoints examined spatially-based concurrent array tasks, where the participant was

required to recall the spatial location of presented stimuli (e.g., which fish bowl contained fish). One study (Obeid & Brooks, 2018) required participants to recall both spatial and visuo-perceptual (colour) features of a presented array, and compare this to a second array (change detection). The remaining six studies (Critten et al., 2018; Evans et al., 2008; Laws, 2002; Palombo & Cuadro, 2020; Séguin et al., 2009; Williams et al., 1977) with eight datapoints examined visuo-perceptual concurrent array tasks, where the participant was required to recall perceptual details of the presented stimuli (e.g., different objects or colours). All eight tasks required participants to view an array with several perceptually different objects (or colours), and then recognise those items from a larger array (including distractors). One task (Critten et al., 2018, result b) additionally required participants to indicate the recognised series of objects in the order of presentation (e.g., which object was first in a presented line, which was second, etc). Nine of the eleven studies used a visually-based receptive vocabulary task, one study used a verbally-based expressive vocabulary task, and one study included both (visually-based) receptive and expressive tasks. The majority of studies (seven) examined younger, mostly preschool-aged children (2-6 years), with four studies examining predominately older children (5-11 years). Studies were of moderate to high quality (quality scores 66-88%, $M = 77\%$).

Initially, all eleven studies (14 datapoints) were examined in one meta-analysis, where the results indicated a moderate, positive association between concurrent array tasks and vocabulary tasks (pooled correlation = .46, 95% CI = .34-.58, $p < .001$, see Figure 4). However, there was significant, moderate heterogeneity ($\tau^2 = .032$, $Q(13) = 41.19$, $p < .001$, $I^2 = 73\%$). Egger's test indicated no publication bias ($p = .875$), and the funnel plot appeared symmetrical (see supplemental document Figure S3b). No studies were overly influential. Fail-safe N was 1,225.

Given the significant heterogeneity, additional analyses were undertaken. First, covariates were added into the initial model to determine if they could explain any of the heterogeneity. Both covariates – age (mean age of participants), and vocabulary type (receptive or expressive) – were non-significant (see supplemental document Table S9 for full results), and there was still significant, moderate heterogeneity ($\tau^2 = .021$, $Q(10) = 22.37$, $p = .013$, $I^2 = 54\%$). Therefore, subgroup analyses were conducted. Subgroup analyses considered the spatial and visuo-perceptual array tasks in two separate analyses (given these two types of information are processed in different brain networks; Goodale & Milner, 1992). One study (Obeid & Brooks, 2018) was not included in either subgroup analysis, as the visual memory task required recall of both spatial and visuo-perceptual information.

For the spatial concurrent array tasks, results revealed a moderate, positive association with vocabulary tasks (pooled correlation = .50, 95% CI = .24-.76, $p < .001$, see Figure 5a). Egger's test indicated no publication bias ($p = .097$), and the funnel plot appeared symmetrical (supplemental document Figure S3c). Fail-safe N was 15. However, there was significant, high heterogeneity ($\tau^2 = .068$, $Q(4) = .21.43$, $p < .001$, $I^2 = 80\%$). This was unlikely to be due to study quality, as all studies were of high quality (75-85%, $M = 80\%$). Visual inspection of the forest plot (Figure 5a) suggests that one particular study, Stokes et al. (2017), may be driving this variability (although weighting of those two datapoints was equivalent to the other studies). However, the small number of datapoints precluded analysing this statistically.

For visuo-perceptual concurrent array tasks, results revealed a moderate, positive association with vocabulary tasks (pooled correlation = .42, 95% CI = .29-.55, $p < .001$, see Figure 5b). Heterogeneity was moderate, but non-significant ($\tau^2 = .013$, $Q(7) = .11.95$, $p = .102$, $I^2 = 49\%$). Egger's test indicated no publication bias ($p = .395$), and the funnel plot

appeared symmetrical (supplemental document Figure S3d). Fail-safe N was 426. Study quality was overall moderate (61-88%, $M = 71\%$).

Executive Judgement Tasks. Three studies using executive judgement tasks were included in this analysis (Blom et al., 2014; Seigneuric et al., 2000; Vukovic & Lesaux, 2013). All studies used different executive judgment tasks and different types of vocabulary tasks (including a visually-based receptive vocabulary task, a visually-based expressive vocabulary task, and a verbally-based expressive vocabulary task; see Table 4 for details). Two studies had younger participants (5-6 years), and one study had older participants (8-10 years). The results of the meta-analysis indicated a weak, positive association between executive judgement tasks and vocabulary tasks (pooled correlation = .29, 95% CI = .14-.45, $p < .001$, see Figure 6). Heterogeneity was very low ($\tau^2 = .000$, $Q(2) = .181$, $p = .912$, $I^2 = 0\%$). Egger's test indicated no publication bias ($p = .738$), and the funnel plot appeared symmetrical (see supplemental document Figure S3e). No studies were flagged as being overly influential. Fail-safe N was 13. Study quality was moderate to high (63-87%, $M = 73\%$).

Narrative Synthesis

Seven additional studies were eligible for inclusion in the current systematic review, however the tasks employed did not map onto the three categories described above, and differences between these seven studies precluded meta-analysing them as a singular subgroup. Thus, they were not subjected to a meta-analysis, and are instead briefly summarised below. Study characteristics and results of these seven studies are presented in Table 4. Studies were of moderate to high quality (60-76%, $M = 72\%$).

Three studies (Bock et al., 2015; Malone et al., 2020; Veraksa et al., 2018) used tasks that involved multi-trial learning of visuospatial information. As one task (Location Memory, Bock et al., 2015) used an error score as the outcome, results across the three studies cannot

be directly compared. Correlations with expressive vocabulary tasks (verbally-based in Bock et al. and Malone et al., and visually-based in Veraksa et al.) overall showed no association. Two studies (Barbosa et al., 2017; Batnini & Uno, 2015) used visual memory tasks with a high load on visuo-motor skills (imitating hand movements and figure drawing), yet the results were variable and inconclusive. Wilson et al. (2018) used a complex visual search task, requiring spatial working memory and executive judgements. Although this shares some similarities with the category of executive judgment tasks, there was no requirement to recall the sequential presentation of the information, and the use of an error score again precluded comparison with other results. Better performance (less errors) was moderately correlated with expressive vocabulary. Finally, Yoo and Yim (2018) was the only study to use an n-back task, which requires continuous updating of task information in working memory. There were moderate, nonsignificant correlations with both receptive and expressive vocabulary.

Discussion

This systematic review and meta-analysis aimed to assess the literature examining the association between visual memory and vocabulary in neurotypical children. Although strong evidence from infant studies shows that early visual attention and memory processes support later language and vocabulary abilities (Cetincelik et al., 2021; Mundy et al., 2003; Ortiz-Mantilla et al., 2008), research in older children has been highly variable to date (e.g., Vugs et al., 2013). Hence, we aimed to consider and elucidate this variability in three ways, by considering age, aspects of visual memory tasks, and assumptions underlying vocabulary tasks. A total of 26 studies of moderate to high quality met inclusion criteria, and 19 studies ultimately contributed to three separate meta-analyses.

Developmental Factors

Age was an important factor to consider, given the large age range included in our meta-analysis (2- to 12-years). During this period, there is rapid and extensive brain growth and

development (Courchesne et al., 2000; Shaw et al., 2008), and previous literature suggests that the association between both auditory-verbal memory and vocabulary changes across childhood (Gathercole et al., 1992; Henry & Maclean, 2003; Rispen & Baker, 2012; Verhagen et al., 2019). Therefore, mean age was included as a continuous variable in the meta-regressions (although see below for limitations of this method). Further, as meta-regression can only be conducted when more than 10 datapoints are available (Deeks et al., 2020; Thompson & Higgins, 2002), it was not always possible to consider age with statistical methods. In the two analyses where age *was* included as a moderator (our initial grouping where all receptive vocabulary tasks were considered together, and the overall concurrent array analysis), the contribution of age was not significant. One additional analysis of spatial concurrent array tasks showed a potential age effect upon visual inspection of the forest plot, where the results from one study of younger children (Stokes et al., 2017, mean age 3;8) appeared different from those of three other studies of slightly older children (Adams et al., 1999; Blom et al., 2014; Meneghetti et al., 2020; mean ages 5;0-5;6). The small number of studies in this group precluded statistical analysis of this possible effect, while highlighting the probability that age-related effects likely occur, but were undetectable using current analysis methods. Thus, the exact impact of developmental factors requires further research with more appropriate study designs.

Important Aspects of Visual Memory Tasks

To understand the potential impact of memory task selection on the association between visual memory and vocabulary, we grouped studies according to neuroscientific evidence that incoming visuo-perceptual information is primarily processed by the ventral “vision for perception” pathway, whereas spatial and temporal information is predominantly processed by the dorsal “vision for action” pathway (Goodale & Milner, 1992; Kravitz et al., 2011; Kravitz et al., 2013). This distinction is supported by both neuroimaging and cognitive

studies of visual memory in children and adults (D'Esposito, 2007; Eriksson et al., 2015; Pickering et al., 2001; Simmering et al., 2015; Wager & Smith, 2003), and was also apparent within our results. For instance, spatio-temporal span tasks, which require sequential spatial processing likely supported by the dorsal visual stream, showed a weak association with vocabulary. For spatial concurrent array tasks, also related to the dorsal visual stream, results were variable (likely due to age factors discussed above). Further, consistent with our hypothesis, visuo-perceptual array tasks, theoretically associated with ventral visual stream processing, showed a moderate association with vocabulary. This is in line with neuroscientific understanding of both visuo-perceptual processing and semantics (word meanings), as both abilities are supported by the temporal cortex (Deldar et al., 2021). Notably, our findings highlight that the ability to perceive, process, and maintain in mind visuo-perceptual details of a given visual scene may support mapping the word to its meaning. This is consistent with recent models of early word learning in toddlers (Samuelson, 2021), and our results support the idea that this association may continue to be relevant in older children. As our findings did differ across the different types of visual memory tasks, and particularly between spatial and visuo-perceptual processing, they demonstrate that this distinction can alter research findings and that future research needs to consider these fundamental visual processing networks when assessing any visual cognitive ability.

Further, consideration of the existing research from the viewpoint of spatial versus visuo-perceptual processing assists in better understanding of the apparent variability in the existing literature examining visual memory abilities in children with Developmental Language Disorder (DLD). For instance, one of the most consistent findings is that DLD children perform comparatively to (and, in some cases, above) their age-matched neurotypical peers on spatio-temporal span tasks, such as Corsi-style block tapping tasks (Archibald &

Gathercole, 2006b, 2007; Arslan et al., 2020; Botting et al., 2013; Briscoe & Rankin, 2009; Hutchinson et al., 2012; Lukács et al., 2016; Lum et al., 2012; Petruccelli et al., 2012; Williams et al., 2000; although see Bavin et al., 2005, and Jackson et al., 2020, for contrary evidence). Results regarding spatial array tasks are less clear, with some studies finding DLD children are impaired on such tasks (recalling the locations of sharks presented on a grid) relative to age-matched neurotypical peers (a deficit which appears to widen over time; Hick et al., 2005a, 2005b), yet others finding that DLD children perform comparatively to their peers on two different spatial array tasks (recalling locations of dots in a grid, and recalling paths through a maze; Hutchinson et al., 2012; Lum et al., 2012; Vugs et al., 2017). This variability reported in past DLD research is also in line with our spatial array results.

Regarding visuo-perceptual tasks, the evidence base is smaller but consistent in finding that DLD children are impaired (relative to age- and/or language-matched neurotypical controls) on tasks of abstract pattern recognition, pattern recall, and visual detail recall (particularly simple visuo-perceptual details) (Bavin et al., 2005; Botting et al., 2013; Kleemans et al., 2012; Leclercq et al., 2012). This result appears consistent with our finding that visuo-perceptual tasks are most clearly related to vocabulary abilities. Whilst more research is needed to specifically compare the performance of DLD children on the different types of visual memory tasks, considering the inherent differences in how visual information is processed in the brain is an important step to better understanding how such visual memory processes may support vocabulary development.

Several other kinds of visual memory tasks were considered in the current review, including executive judgment tasks, multi-trial learning, visuo-motor memory tasks, and dynamic updating tasks (e.g., n-back tasks). Broadly speaking, none of these areas showed any clear association with vocabulary abilities, although this is based on a small number of

studies ($n = 1-3$ per subtype). More research is needed in these areas to better understand potential relations with visual memory, in both neurotypical and DLD children.

Consideration of Vocabulary Tasks

In addition to examining types of visual memory tasks, it is important to consider common aspects of vocabulary assessment. Of most relevance to the current review is the fact that most standardised measures of vocabulary (receptive or expressive) are visually based. This was the case for 13/17 vocabulary tasks considered in the current review. Using visual information to assist in the assessment of vocabulary and verbal language skills inherently implies that the child has the ability to process and understand the supporting visual information in order to demonstrate their vocabulary knowledge. For instance, in most visually-based receptive vocabulary tasks, the child hears a spoken word and must match it to one of three or four pictures – thus, they must understand the semantic meaning of the verbally-presented word, process the details of each picture, make a semantic decision about what each picture represents, and then compare this back to their understanding of what the spoken word means. This relies heavily on visuo-perceptual processing, which may have contributed to our primary finding (that visuo-perceptual memory tasks were moderately associated with vocabulary). Similarly, visually supported expressive vocabulary tasks, which typically ask the child to name or describe a picture or visual scene, require the child to be able to accurately process the picture/scene and then use language to explain their understanding; in this instance, accurate visuo-perceptual and semantic processing must be intact in order for the child to provide an accurate verbal description. The ability to hold the visual information in mind, and access long-term knowledge of that information (i.e., visual short-term, working, and long-term memory) would be required to support completion of such tasks. By considering vocabulary assessment tasks in this wholistic way (i.e., the visual and language demands of the tasks), we can better understand the various cognitive and

developmental processes that support the target skills (i.e., understanding and using vocabulary appropriately), and ultimately better support individuals with weaknesses in these areas. However, more research using non-visual vocabulary tasks (see Table S4 in the supplemental document for examples) is required to elucidate the associations between visual memory and vocabulary without the confound of visual processing in vocabulary assessment.

Moreover, the aspects of vocabulary under examination are also important. Evidence indicates that visually based abilities, such as visuo-perceptual short-term memory and broader visual intelligence, have been specifically associated with receptive language impairment and not expressive language impairment (Nickisch & Von Kries, 2009; Saar et al., 2018). As this demonstrates differences between receptive and expressive vocabulary, considering both vocabulary types is necessary. However, given few included studies considered expressive vocabulary, and the confound of visually based assessment discussed above, more research is needed in this area.

Limitations and Future Directions

This review has several limitations which need to be considered. Firstly, the results analysed were correlational. We chose to use correlational data as our primary interest was the association between visual memory and vocabulary, but this choice means that more research is needed to determine the exact nature of the association between visual memory (or types thereof) and vocabulary. Further, only bivariate correlations were used; whilst this was necessary to ensure consistency across the statistics being compared, it does not control for potential confounds, such as age. Whilst we attempted to account for age-related factors, this is difficult in meta-analyses where the included studies often each have a wide age range (as was the case for most studies included in our review). Of the two options available, including the mean age of participants as a continuous variable or creating a dichotomous variable of ‘younger’ and ‘older’ participants, we chose the former as the literature does not

suggest a clear cut-point for grouping participants. It is important to acknowledge, however, that mean age may not be wholly representative of the sample in each study, and may not fully account for age-related variance, which may contribute to why significant age effects were not found. Further research better designed to answer age and developmental questions (such as cohort and longitudinal studies) would therefore be useful in furthering our understanding the developmental course of visual memory and vocabulary relations.

This review is also limited by the kinds of visual memory tasks available in the current literature. This restricted both the power of analyses (as some subtypes of visual memory tasks contained only a few studies) and may also constrain theoretical interpretations in some instances. For example, the majority of tasks used in the literature are traditional working memory span tasks, predominantly based largely on the prominent multicomponent view of working memory (Baddeley, 2012; Baddeley & Hitch, 1974). However, more contemporary views of working memory are rejecting span and capacity-based models in favour of more attention-driven models that highlight the importance of flexibility and executive control, and incorporate neuroscientific understanding of dynamic working memory processes in the brain (e.g., Adams et al., 2018; Burgoyne et al., 2019; D'Esposito & Postle, 2015; Engle, 2018). Thus, moving forward, it will be important for research considering visual working memory and vocabulary to use tasks that best represent current theoretical understanding of relevant memory constructs and the neural networks that underpin their function.

Finally, as discussed above, future research into vocabulary (and broader language) development, and associations with visual memory, needs to carefully consider how particular vocabulary and memory tasks are chosen, as this may impact results. Whilst our primary consideration of visual memory tasks was differentiating aspects of visual processing (e.g., spatial versus visuo-perceptual), more work considering how this may interact with other aspects of memory processing (e.g., working versus long-term memory) may be useful.

Additionally, the current review focussed on vocabulary development, which is only one aspect of verbal language. We chose to focus only on vocabulary because most of the previous work examining how memory (visual or auditory-verbal) may support language development has focused on vocabulary specifically, but future research should attempt to extend understanding of how visual memory (and visual cognition) supports language abilities more generally. Further, applying findings from the current review to children with DLD specifically would be beneficial.

Conclusions and Implications

In summary, the current systematic review and meta-analysis sought to better understand the association between visual memory abilities and vocabulary in neurotypical children (up to 12 years). Meta-analyses revealed that visuo-perceptual array memory tasks were moderately associated with vocabulary, suggesting that children with a greater ability to process, hold in mind, and recall specific details of a presented visual scene (such as specific colours or objects) also have greater vocabulary skills (receptive vocabulary). In contrast, spatio-temporal and executive judgement tasks had only a weak association with vocabulary. Other aspects of visual memory, including spatial concurrent array tasks, visuomotor memory tasks, multi-trial visuospatial learning, and dynamic visual memory, were inconclusive and require more research. From the available literature, other factors that may moderate this association, such as age or variation in vocabulary task, also require further investigation.

From a clinical practice perspective, these results highlight the need to assess visual cognition in children presenting with language difficulties, as they may have co-occurring difficulties in this area (both visuospatial memory impairment as identified in the current review, and potentially reduced non-verbal intellectual functioning, see Gallinat & Spaulding, 2014). Such assessments would typically fall to neuropsychologists, who routinely assess non-verbal intelligence and visual memory (Lezak et al., 2012). Indeed, this would be in line

with recent calls to consider DLD and language impairments from a broader neuropsychological perspective (rather than a narrow focus on speech/language deficits; Tomas & Vissers, 2019), although consideration of visual memory and cognition remains notably absent from such accounts. Further, given that interventions and supports for vocabulary development are often visually-based (Steele & Mills, 2011), understanding a child's visual cognition is vital to ensuring these supports are appropriately implemented.

Additionally, from a research perspective, this review also highlights the importance of understanding the different ways that visual memory can be measured, and the need for researchers to carefully consider their choice of visual memory task. In the current review, the only task included in more than one study was the Corsi block tapping task (Corsi, 1972), yet this type of task had only a weak association with vocabulary. Task choice, therefore, may have a considerable impact on the results, and the theoretical and clinical implications that stem from such findings. This is equally important for considering how vocabulary (and broader language abilities) are assessed. Thus, future research into both children with language impairment and vocabulary development more broadly should pay close attention to the various ways that visual information can be presented and encoded into memory, while ensuring that task selection accurately reflects the aspects of the visual memory system most related to the research question at hand. Ultimately, this will allow for a more detailed understanding of how memory abilities may support vocabulary development, and guide successful, targeted, and wholistic interventions for children with vocabulary and verbal language difficulties.

Acknowledgements. We thank our wonderful research assistant, Ms Roman, for her assistance with initial screening of abstracts for this review. We also thank Dr Murphy for methodological and statistical assistance.

References

- Adams, A. M., Bourke, L., & Willis, C. (1999). Working memory and spoken language comprehension in young children. *International Journal of Psychology*, 34(5-6), 364-373. <https://doi.org/10.1080/002075999399701>
- Adams, E., Nguyen, A., & Cowan, N. (2018). Theories of working memory: differences in definition, degree of modularity, role of attention, and purpose. *Language Speech and Hearing Services in Schools*, 49. https://doi.org/10.1044/2018_lshss-17-0114
- Akoglu, H. (2018). User's guide to correlation coefficients. *Turkish journal of emergency medicine*, 18(3), 91-93. <https://doi.org/10.1016/j.tjem.2018.08.001>
- Alloway, T. P. (2007). *Automated Working Memory Assessment (AWMA)*. Pearson.
- Alloway, T. P., & Elsworth, M. (2012). An investigation of cognitive skills and behavior in high ability students. *Learning and Individual Differences*, 22(6), 891-895. <https://doi.org/10.1016/j.lindif.2012.02.001>
- Alloway, T. P., & Passolunghi, M. C. (2011). The relationship between working memory, IQ, and mathematical skills in children. *Learning and Individual Differences*, 21(1), 133-137. <https://doi.org/10.1016/j.lindif.2010.09.013>
- Anglin, J. M., Miller, G. A., & Wakefield, P. C. (1993). Vocabulary development: A morphological analysis. *Monographs of the Society for Research in Child Development*, 58(10), 1-186. <https://doi.org/10.2307/1166112>
- Archibald, L. M., & Gathercole, S. E. (2006a). Short-term and working memory in specific language impairment. *International Journal of Language & Communication Disorders*, 41(6), 675-693. <https://doi.org/10.1080/13682820500442602>
- Archibald, L. M., & Gathercole, S. E. (2006b). Visuospatial immediate memory in specific language impairment. *Journal of Speech, Language, and Hearing Research*, 49(2), 265-277. [https://doi.org/10.1044/1092-4388\(2006/022\)](https://doi.org/10.1044/1092-4388(2006/022))

- Archibald, L. M., & Gathercole, S. E. (2007). The complexities of complex memory span: Storage and processing deficits in specific language impairment. *Journal of Memory and Language*, 57(2), 177-194. <https://doi.org/10.1016/j.jml.2006.11.004>
- Arslan, S., Broc, L., Olive, T., & Mathy, F. (2020). Reduced deficits observed in children and adolescents with developmental language disorder using proper nonverbalizable span tasks. *Research in Developmental Disabilities*, 96. <https://doi.org/10.1016/j.ridd.2019.103522>
- Baddeley, A. (2003). Working memory and language: An overview. *Journal of Communication Disorders*, 36, 189-208. [https://doi.org/10.1016/S0021-9924\(03\)00019-4](https://doi.org/10.1016/S0021-9924(03)00019-4)
- Baddeley, A. (2012). Working memory: Theories, models, and controversies. *Annual Review of Psychology*, 63(1), 1-29. <https://doi.org/10.1146/annurev-psych-120710-100422>
- Baddeley, A., Gathercole, S. E., & Papagno, C. (1998). The phonological loop as a language learning device. *Psychological Review*, 105(1), 158-173. <https://doi.org/10.1037/0033-295X.105.1.158>
- Baddeley, A., & Hitch, G. (1974). Working memory. In *Psychology of Learning and Motivation - Advances in Research and Theory* (Vol. 8, pp. 47-89). [https://doi.org/10.1016/S0079-7421\(08\)60452-1](https://doi.org/10.1016/S0079-7421(08)60452-1)
- Barbosa, P. G., Jiang, Z., & Nicoladis, E. (2017). The role of working and short-term memory in predicting receptive vocabulary in monolingual and sequential bilingual children. *International Journal of Bilingual Education and Bilingualism*, 1-17. <https://doi.org/10.1080/13670050.2017.1314445>
- Batnini, S., & Uno, A. (2015). Investigation of basic cognitive predictors of reading and spelling abilities in Tunisian third-grade primary school children. *Brain and Development*, 37(6), 579-591. <https://doi.org/10.1016/j.braindev.2014.09.010>

- Bavin, E. L., Wilson, P. H., Maruff, P., & Sleeman, F. (2005). Spatio-visual memory of children with specific language impairment: Evidence for generalized processing problems. *International Journal of Language and Communication Disorders*, 40(3), 319-332. <https://doi.org/10.1080/13682820400027750>
- Binder, J. R., Desai, R. H., Graves, W. W., & Conant, L. L. (2009). Where is the semantic system? A critical review and meta-analysis of 120 functional neuroimaging studies. *Cerebral Cortex*, 19(12), 2767-2796. <https://doi.org/10.1093/cercor/bhp055>
- Bishop, D. V. M. (2006). What causes specific language impairment in children? *Current Directions in Psychological Science*, 15(5), 217-221. <https://doi.org/10.1111/j.1467-8721.2006.00439.x>
- Bishop, D. V. M., Snowling, M. J., Thompson, P. A., Greenhalgh, T., & the CATALISE-2 consortium. (2017). Phase 2 of CATALISE: a multinational and multidisciplinary Delphi consensus study of problems with language development: Terminology. *Journal of Child Psychology and Psychiatry*, 58(10), 1068-1080. <https://doi.org/10.1111/jcpp.12721>
- Blom, E., Küntay, A. C., Messer, M., Verhagen, J., & Leseman, P. (2014). The benefits of being bilingual: Working memory in bilingual Turkish–Dutch children. *Journal of Experimental Child Psychology*, 128, 105-119. <https://doi.org/10.1016/j.jecp.2014.06.007>
- Bock, A. M., Gallaway, K. C., & Hund, A. M. (2015). Specifying links between executive functioning and theory of mind during middle childhood: Cognitive flexibility predicts social understanding. *Journal of Cognition and Development*, 16(3), 509-521. <https://doi.org/10.1080/15248372.2014.888350>
- Botting, N., Psarou, P., Caplin, T., & Nevin, L. (2013). Short-term memory skills in children with specific language impairment: the effect of verbal and nonverbal task content.

Topics in Language Disorders, 33(4), 313-327.

<https://doi.org/10.1097/01.TLD.0000437940.01237.51>

Bowey, J. A. (2001). Nonword repetition and young children's receptive vocabulary: A longitudinal study. *Applied Psycholinguistics*, 22(3), 441-469.

<https://doi.org/10.1017/S0142716401003083>

Bretherton, L., Prior, M., Bavin, E., Cini, E., Eadie, P., & Reilly, S. (2014). Developing relationships between language and behaviour in preschool children from the Early Language in Victoria Study: Implications for intervention. *Emotional and Behavioural Difficulties*, 19(1), 7-27. <https://doi.org/10.1080/13632752.2013.854956>

Briscoe, J., & Rankin, P. M. (2009). Exploration of a 'double-jeopardy' hypothesis within working memory profiles for children with specific language impairment. *International Journal of Language & Communication Disorders*, 44(2), 236-250.

<https://doi.org/10.1080/13682820802028760>

Bullier, J. (2001). Integrated model of visual processing. *Brain Research Reviews*, 36(2-3), 96-107. [https://doi.org/10.1016/s0165-0173\(01\)00085-6](https://doi.org/10.1016/s0165-0173(01)00085-6)

Burgoyne, A. P., Hambrick, D. Z., & Altmann, E. M. (2019). Is working memory capacity a causal factor in fluid intelligence? *Psychonomic Bulletin & Review*, 26(4), 1333-1339. <https://doi.org/10.3758/s13423-019-01606-9>

Cambridge Cognition. (2006). *CANTAB test administration guide*. Cambridge Cognition Limited.

Cetincelik, M., Rowland, C. F., & Snijders, T. M. (2021). Do the eyes have it? A systematic review on the role of eye gaze in infant language development. *Frontiers in Psychology*, 11, 16. <https://doi.org/10.3389/fpsyg.2020.589096>

Choudhury, N., Leppanen, P. H. T., Leevers, H. J., & Benasich, A. A. (2007). Infant information processing and family history of specific language impairment:

- converging evidence for RAP deficits from two paradigms. *Developmental Science*, 10(2), 213-236. <https://doi.org/10.1111/j.1467-7687.2007.00546.x>
- Cohen, M. (1997). *Children's Memory Scale*. Harcourt Brace & Company.
- Conti-Ramsden, G., & Durkin, K. (2012). Language development and assessment in the preschool period. *Neuropsychology Review*, 22(4), 384-401. <https://doi.org/10.1007/s11065-012-9208-z>
- Corbetta, M., & Shulman, G. L. (2002). Control of goal-directed and stimulus-driven attention in the brain. *Nature Reviews Neuroscience*, 3(3), 201-215. <https://doi.org/10.1038/nrn755>
- Cornu, V., Schiltz, C., Martin, R., & Hornung, C. (2018). Visuo-spatial abilities are key for young children's verbal number skills. *Journal of Experimental Child Psychology*, 166, 604-620. <https://doi.org/10.1016/j.jecp.2017.09.006>
- Corsi, P. (1972). Human memory and the medial temporal region of the brain. *Dissertation Abstracts International*, 34, 819B.
- Courchesne, E., Chisum, H. J., Townsend, J., Cowles, A., Covington, J., Egaas, B., Harwood, M., Hinds, S., & Press, G. A. (2000). Normal brain development and aging: Quantitative analysis at *in vivo* MR imaging in healthy volunteers. *Radiology*, 216(3), 672-682. <https://doi.org/10.1148/radiology.216.3.r00au37672>
- Cowan, N., Aubuchon, A. M., Gilchrist, A. L., Ricker, T. J., & Sauls, J. S. (2011). Age differences in visual working memory capacity: Not based on encoding limitations. *Developmental Science*, 14(5), 1066-1074. <https://doi.org/10.1111/j.1467-7687.2011.01060.x>
- Critten, V., Campbell, E., Farran, E., & Messer, D. (2018). Visual perception, visual-spatial cognition and mathematics: Associations and predictions in children with cerebral

- palsy. *Research in Developmental Disabilities*, 80, 180-191.
<https://doi.org/10.1016/j.ridd.2018.06.007>
- D'Esposito, M. (2007). From cognitive to neural models of working memory. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 362(1481), 761-772.
<https://doi.org/10.1098/rstb.2007.2086>
- D'Esposito, M., & Postle, B. R. (2015). The cognitive neuroscience of working memory. *Annual Review of Psychology*, 66, 115-142. <https://doi.org/10.1146/annurev-psych-010814-015031>
- Deeks, J. J., Higgins, J. P., & Altman, D. G. (2020). Chapter 10: Analysing data and undertaking meta-analyses. In J. P. Higgins & J. Thomas (Eds.), *Cochrane Handbook for Systematic Reviews of Interventions, Version 6.1*.
- Deldar, Z., Gevers-Montoro, C., Khatibi, A., & Ghaz-Saidi, L. (2021). The interaction between language and working memory: A systematic review of fMRI studies in the past two decades. *AIMS Neuroscience*, 8(1), 1-32.
<https://doi.org/10.3934/Neuroscience.2021001>
- DeNigris, D., & Brooks, P. J. (2018). The role of language in temporal cognition in 6- to 10-year-old children. *Journal of Cognition and Development*, 19(4), 431-455.
<https://doi.org/10.1080/15248372.2018.1483372>
- Downes, M. J., Brennan, M. L., Williams, H. C., & Dean, R. S. (2016). Development of a critical appraisal tool to assess the quality of cross-sectional studies (AXIS). *BMJ Open*, 6(12), e011458. <https://doi.org/10.1136/bmjopen-2016-011458>
- Dunn, L. M., & Dunn, D. M. (2007). *Peabody Picture Vocabulary Test* (4th ed.). Pearson.
- Egger, M., Smith, G. D., Schneider, M., & Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *BMJ*, 315(7109), 629-634.
<https://doi.org/10.1136/bmj.315.7109.629>

- Elliott, C. D. (1983). *British ability scales*. Psychological Corporation.
- Ellis, A. W., Burani, C., Izura, C., Bromiley, A., & Venneri, A. (2006). Traces of vocabulary acquisition in the brain: Evidence from covert object naming. *Neuroimage*, 33(3), 958-968. <https://doi.org/10.1016/j.neuroimage.2006.07.040>
- Engle, R. W. (2018). Working memory and executive attention: A Revisit. *Perspectives on Psychological Science*, 13(2), 190-193. <https://doi.org/10.1177/1745691617720478>
- Eriksson, J., Vogel, Edward k., Lansner, A., Bergström, F., & Nyberg, L. (2015). Neurocognitive architecture of working memory. *Neuron*, 88(1), 33-46. <https://doi.org/10.1016/j.neuron.2015.09.020>
- Evans, M. A., Williamson, K., & Pursoo, T. (2008). Preschoolers' attention to print during shared book reading. *Scientific Studies of Reading*, 12(1), 106-129. <https://doi.org/10.1080/10888430701773884>
- Gallinat, E., & Spaulding, T. J. (2014). Differences in the performance of children with specific language impairment and their typically developing peers on nonverbal cognitive tests: a meta-analysis. *Journal of Speech, Language, and Hearing Research*, 57(4), 1363-1382. https://doi.org/10.1044/2014_JSLHR-L-12-0363
- Gangopadhyay, I., Davidson, M. M., Weismer, S. E., & Kaushanskaya, M. (2016). The role of nonverbal working memory in morphosyntactic processing by school-aged monolingual and bilingual children. *Journal of Experimental Child Psychology*, 142, 171-194. <https://doi.org/10.1016/j.jecp.2015.09.025>
- Gathercole, S. E., & Baddeley, A. (1989). Evaluation of the role of phonological STM in the development of vocabulary in children: A longitudinal study. *Journal of Memory and Language*, 28(2), 200-213. [https://doi.org/10.1016/0749-596X\(89\)90044-2](https://doi.org/10.1016/0749-596X(89)90044-2)
- Gathercole, S. E., Willis, C. S., Emslie, H., & Baddeley, A. (1992). Phonological memory and vocabulary development during the early school years: A longitudinal study.

- Developmental Psychology*, 28(5), 887-898. <https://doi.org/10.1037/0012-1649.28.5.887>
- Goldfeld, S., O'Connor, M., Sayers, M., Moore, T., & Oberklaid, F. (2012). Prevalence and correlates of special health care needs in a population cohort of Australian children at school entry. *Journal of Developmental & Behavioral Pediatrics*, 33(4), 319-327. <https://doi.org/10.1097/DBP.0b013e31824a7b8e>
- Goodale, M. A., & Milner, A. D. (1992). Separate visual pathways for perception and action. *Trends in Neurosciences*, 15(1), 20-25. [https://doi.org/10.1016/0166-2236\(92\)90344-8](https://doi.org/10.1016/0166-2236(92)90344-8)
- Gregory, S., & Jackson, M. (2016). Joint attention enhances visual working memory. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 43, 237-249. <https://doi.org/10.1037/xlm0000294>
- Grundy, J. G., & Timmer, K. (2017). Bilingualism and working memory capacity: A comprehensive meta-analysis. *Second Language Research*, 33(3), 325-340. <https://doi.org/10.1177/0267658316678286>
- Henry, L., & Maclean, M. (2003). Relationships between working memory, expressive vocabulary and arithmetical reasoning in children with and without intellectual disabilities. *Educational and Child Psychology*, 20.
- Hentges, R. F., Devereux, C., Graham, S. A., & Madigan, S. (2021). Child Language Difficulties and Internalizing and Externalizing Symptoms: A Meta-Analysis. *Child Development*. <https://doi.org/10.1111/cdev.13540>
- Hick, R., Botting, N., & Conti-Ramsden, G. (2005a). Cognitive abilities in children with specific language impairment: consideration of visuo-spatial skills. *International Journal of Language & Communication Disorders*, 40(2), 137-149. <https://doi.org/10.1080/13682820400011507>

- Hick, R., Botting, N., & Conti-Ramsden, G. (2005b). Short-term memory and vocabulary development in children with Down Syndrome and children with Specific Language Impairment. *Developmental Medicine and Child Neurology*, 47(8), 532-538.
<https://doi.org/10.1111/j.1469-8749.2005.tb01187.x>
- Higgins, J. P., & Thompson, S. G. (2002). Quantifying heterogeneity in a meta-analysis. *Statistics in Medicine*, 21(11), 1539-1558. <https://doi.org/10.1002/sim.1186>
- Higgins, J. P., Thompson, S. G., Deeks, J. J., & Altman, D. G. (2003). Measuring inconsistency in meta-analyses. *BMJ*, 327(7414), 557-560.
<https://doi.org/10.1136/bmj.327.7414.557>
- Hoff, E. (2014). *Language Development* (5th ed.). Cengage Learning.
- Hooper, S. R., Costa, L.-J., McBee, M., Anderson, K. L., Yerby, D. C., Knuth, S. B., & Childress, A. (2011). Concurrent and longitudinal neuropsychological contributors to written language expression in first and second grade students. *Reading and Writing*, 24(2), 221-252. <https://doi.org/10.1007/s11145-010-9263-x>
- Hutchinson, E., Bavin, E. L., Efron, D., & Sciberras, E. (2012). A comparison of working memory profiles in school-aged children with Specific Language Impairment, Attention Deficit/Hyperactivity Disorder, comorbid SLI and ADHD and their typically developing peers. *Child Neuropsychology*, 18(2), 190-207.
<https://doi.org/10.1080/09297049.2011.601288>
- Jackson, E., Leitão, S., Claessen, M., & Boyes, M. (2020). Working, declarative, and procedural memory in children with Developmental Language Disorder. *Journal of Speech, Language, and Hearing Research*, 63(12), 4162-4178.
https://doi.org/doi:10.1044/2020_JSLHR-20-00135

- Jaeggi, S., Buschkuhl, M., Perrig, W., & Meier, B. (2010). The concurrent validity of the N - back task as a working memory measure. *Memory*, 18, 394-412.
[https://doi.org/10.1352/0895-8017\(2004\)109<456:VAVWMD>2.0.CO;2](https://doi.org/10.1352/0895-8017(2004)109<456:VAVWMD>2.0.CO;2)
- JASP Team. (2021). *JASP* (Version 0.14.1.0) [Computer software]. JASP. <https://jasp-stats.org/>
- Joseph, R. M., McGrath, L. M., & Tager-Flusberg, H. (2005). Executive dysfunction and its relation to language ability in verbal school-age children with autism. *Developmental Neuropsychology*, 27(3), 361-378. https://doi.org/10.1207/s15326942dn2703_4
- Kirk, S. A., & McCarthy, J. J. (1961). The Illinois test of psycholinguistic abilities--an approach to differential diagnosis. *American journal of mental deficiency*, 66, 399-412.
- Kleemans, T., Segers, E., & Verhoeven, L. (2012). Naming speed as a clinical marker in predicting basic calculation skills in children with specific language impairment. *Research in Developmental Disabilities*, 33(3), 882-889.
<https://doi.org/10.1016/j.ridd.2011.12.007>
- Korkman, M., Kirk, U., & Kemp, S. (2007). *NEPSY - Second Edition (NEPSY-II)*. Harcourt Assessment.
- Kravitz, D. J., Saleem, K. S., Baker, C. I., & Mishkin, M. (2011). A new neural framework for visuospatial processing. *Nature Reviews Neuroscience*, 12(4), 217-230.
<https://doi.org/10.1038/nrn3008>
- Kravitz, D. J., Saleem, K. S., Baker, C. I., Ungerleider, L. G., & Mishkin, M. (2013). The ventral visual pathway: an expanded neural framework for the processing of object quality. *Trends in Cognitive Sciences*, 17(1), 26-49.
<https://doi.org/10.1016/j.tics.2012.10.011>

- Lanfranchi, S., Cornoldi, C., & Vianello, R. (2004). Verbal and visuospatial working memory deficits in children with down syndrome. *American Journal of Mental Retardation*, 109, 456-466. [https://doi.org/10.1352/0895-8017\(2004\)109<456:VAVWMD>2.0.CO;2](https://doi.org/10.1352/0895-8017(2004)109<456:VAVWMD>2.0.CO;2)
- Laws, G. (2002). Working memory in children and adolescents with Down syndrome: evidence from a colour memory experiment. *Journal of Child Psychology and Psychiatry*, 43(3), 353-364. <https://doi.org/10.1111/1469-7610.00026>
- Laycock, R., Crewther, S. G., & Chouinard, P. A. (2020). Blink and you will miss it: A core role for fast and dynamic visual processing in social impairments in Autism Spectrum Disorder. *Current Developmental Disorders Reports*, 7(4), 237-248. <https://doi.org/10.1007/s40474-020-00220-y>
- Leclercq, A.-L., Maillart, C., Pauquay, S., & Majerus, S. (2012). The impact of visual complexity on visual short-term memory in children with specific language impairment. *Journal of the International Neuropsychological Society*, 18(3), 501-510. <https://doi.org/10.1017/S1355617712000021>
- Lezak, M. D., Howieson, D. B., Bigler, E. D., & Tranel, D. (2012). *Neuropsychological Assessment* (5th ed.). Oxford University Press, Inc.
- Lukács, Á., Ladányi, E., Fazekas, K., & Kemény, F. (2016). Executive functions and the contribution of short-term memory span in children with specific language impairment. *Neuropsychology*, 30(3), 296-303. <https://doi.org/10.1037/neu0000232>
- Lum, J. A. G., Conti-Ramsden, G., Page, D., & Ullman, M. T. (2012). Working, declarative and procedural memory in specific language impairment. *Cortex*, 48(9), 1138-1154. <https://doi.org/10.1016/j.cortex.2011.06.001>

- Malone, S. A., Burgoyne, K., & Hulme, C. (2020). Number knowledge and the approximate number system are two critical foundations for early arithmetic development. *Journal of Educational Psychology*, 112(6), 1167-1182. <https://doi.org/10.1037/edu0000426>
- Martin, N. (2006). *The test of visual-perceptual skills-3 (non-motor) - Revised*. Psychological and Educational Publications.
- McGregor, K. K., Oleson, J., Bahnsen, A., & Duff, D. (2013). Children with developmental language impairment have vocabulary deficits characterized by limited breadth and depth. *International Journal of Language & Communication Disorders*, 48(3), 307-319. <https://doi.org/doi.org/10.1111/1460-6984.12008>
- McKean, C., Reilly, S., Bavin, E. L., Bretherton, L., Cini, E., Conway, L., Cook, F., Eadie, P., Prior, M., Wake, M., & Mensah, F. (2017). Language outcomes at 7 years: Early predictors and co-occurring difficulties. *Pediatrics*, 139(3). <https://doi.org/10.1542/peds.2016-1684>
- Meneghetti, C., Toffalini, E., Lanfranchi, S., & Carretti, B. (2020). Path learning in individuals with down syndrome: The floor matrix task and the role of individual visuo-spatial measures. *Frontiers in Human Neuroscience*, 14, 107-107. <https://doi.org/10.3389/fnhum.2020.00107>
- Metcalf, J. A., & Stratford, B. (1986). Development of perception and cognitive abilities among nonhandicapped children and children with Down Syndrome. *Australia and New Zealand Journal of Developmental Disabilities*, 12(1), 65-78. <https://doi.org/10.3109/13668258609084070>
- Metsala, J. L. (1999). Young children's phonological awareness and nonword repetition as a function of vocabulary. *Journal of Educational Psychology*, 91(1), 3-19. <https://doi.org/10.1037/0022-0663.91.1.3>

- Michas, I. C., & Henry, L. A. (1994). The link between phonological memory and vocabulary acquisition. *British Journal of Developmental Psychology*, 12(2), 147-163.
<https://doi.org/10.1111/j.2044-835X.1994.tb00625.x>
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & The, P. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *PLOS Medicine*, 6(7), e1000097. <https://doi.org/10.1371/journal.pmed.1000097>
- Montoya, M. F., Susperreguy, M. I., Dinarte, L., Morrison, F. J., San Martín, E., Rojas-Barahona, C. A., & Förster, C. E. (2019). Executive function in Chilean preschool children: Do short-term memory, working memory, and response inhibition contribute differentially to early academic skills? *Early Childhood Research Quarterly*, 46, 187-200. <https://doi.org/10.1016/j.ecresq.2018.02.009>
- Mous, S. E., Schoemaker, N. K., Blanken, L. M. E., Thijssen, S., van der Ende, J., Polderman, T. J. C., Jaddoe, V. W. V., Hofman, A., Verhulst, F. C., Tiemeier, H., & White, T. (2017). The association of gender, age, and intelligence with neuropsychological functioning in young typically developing children: The Generation R study. *Applied Neuropsychology: Child*, 6(1), 22-40.
<https://doi.org/10.1080/21622965.2015.1067214>
- Mundinano, I. C., Kwan, W. C., & Bourne, J. A. (2019). Retinotopic specializations of cortical and thalamic inputs to area MT. *Proceedings of the National Academy of Sciences of the United States of America*, 116(46), 23326-23331.
<https://doi.org/10.1073/pnas.1909799116>
- Mundy, P., Fox, N., & Card, J. (2003). EEG coherence, joint attention and language development in the second year. *Developmental Science*, 6(1), 48-54.
<https://doi.org/10.1111/1467-7687.00253>

- National Institute of Mental Health. (2018). *Definitions of the RDoC Domains and Constructs*. National Institute of Mental Health. www.nimh.nih.gov/research-priorities/rdoc/definitions-of-the-rdoc-domains-and-constructs.shtml
- Nickisch, A., & Von Kries, R. (2009). Short-term memory (STM) constraints in children with Specific Language Impairment (SLI): Are there differences between receptive and expressive SLI? *Journal of Speech, Language, and Hearing Research*, 52(3), 578-595. [https://doi.org/10.1044/1092-4388\(2008/07-0150\)](https://doi.org/10.1044/1092-4388(2008/07-0150))
- Norbury, C. F., Gooch, D., Wray, C., Baird, G., Charman, T., Simonoff, E., Vamvakas, G., & Pickles, A. (2016). The impact of nonverbal ability on prevalence and clinical presentation of language disorder: evidence from a population study. *Journal of Child Psychology and Psychiatry*, 57(11), 1247-1257. <https://doi.org/10.1111/jcpp.12573>
- O'Connor, M., O'Connor, E., Quach, J., Vashishtha, R., & Goldfeld, S. (2019). Trends in the prevalence and distribution of teacher-identified special health-care needs across three successive population cohorts. *Journal of Paediatrics and Child Health*, 55(3), 312-319. <https://doi.org/10.1111/jpc.14192>
- O'Connor, M., Quach, J., & Goldfeld, S. (2020). Children on the edge: Starting school with additional health and developmental needs. In R. Midford, G. Nutton, B. Hyndman, & S. Silburn (Eds.), *Health and Education Interdependence: Thriving from Birth to Adulthood* (pp. 75-89). Springer Singapore. https://doi.org/10.1007/978-981-15-3959-6_5
- Obeid, R., & Brooks, P. J. (2018). Associations between manual dexterity and language ability in school-age children. *Language, Speech, and Hearing Services in Schools*, 49(4), 982-994. https://doi.org/10.1044/2018_lshss-17-0124

- Ortiz-Mantilla, S., Choudhury, N., Leever, H., & Benasich, A. A. (2008). Understanding language and cognitive deficits in very low birth weight children. *Developmental Psychobiology*, 50(2), 107-126. <https://doi.org/10.1002/dev.20278>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., & Moher, D. (2021). Updating guidance for reporting systematic reviews: Development of the PRISMA 2020 statement. *Journal of Clinical Epidemiology*, 134, 103-112. <https://doi.org/10.1016/j.jclinepi.2021.02.003>
- Palombo, A.-L., & Cuadro, A. (2020). The incidence of visual-motor processes in the acquisition of orthographic representations in Spanish-speaking schoolchildren (La incidencia de los procesos perceptivo-motrices en la adquisición de las representaciones ortográficas en escolares hispanoparlante). *Estudios de psicología*, 41(3), 490-509. <https://doi.org/10.1080/02109395.2020.1794718>
- Petrucelli, N., Bavin, E. L., & Bretherton, L. (2012). Children with specific language impairment and resolved late talkers: Working memory profiles at 5 years. *Journal of Speech, Language, and Hearing Research*, 55(6), 1690-1703. [https://doi.org/10.1044/1092-4388\(2012/11-0288\)](https://doi.org/10.1044/1092-4388(2012/11-0288))
- Pickering, H. E., Peters, J. L., & Crewther, S. G. (2019). *A systematic review of the relationship between visual memory and vocabulary during childhood (0-12-years)* PROSPERO International Prospective Register of Systematic Reviews. Available from https://www.crd.york.ac.uk/prospero/display_record.php?ID=CRD42019125132
- Pickering, S. J., & Gathercole, S. E. (2001). *Working Memory Test Battery for Children (WMTB-C)*. Psychological Corporation.
- Pickering, S. J., Gathercole, S. E., Hall, M., & Lloyd, S. A. (2001). Development of memory for pattern and path: Further evidence for the fractionation of visuo-spatial memory.

The Quarterly Journal of Experimental Psychology Section A, 54(2), 397-420.

<https://doi.org/10.1080/713755973>

Rasmussen, C., Wyper, K., & Talwar, V. (2009). The relation between theory of mind and executive functions in children with fetal alcohol spectrum disorders. *The Canadian journal of clinical pharmacology = Journal canadien de pharmacologie clinique*, 16, e370-380.

Rey, A., & Osterrieth, P. A. (1993). Translations of excerpts from André Rey's "Psychological examination of traumatic encephalopathy" and P. A. Osterrieth's "The complex figure copy test" (J. Corwin & F. W. Bylsma, Trans.). *The Clinical Neuropsychologist*, 7, 3-21. (Original works published in 1941 and 1944, respectively)

Rispens, J., & Baker, A. (2012). Nonword repetition: the relative contributions of phonological short-term memory and phonological representations in children with language and reading impairment. *Journal of Speech, Language, and Hearing Research*, 55(3), 683-694. [https://doi.org/10.1044/1092-4388\(2011/10-0263\)](https://doi.org/10.1044/1092-4388(2011/10-0263))

Rosenthal, R. (1979). The file drawer problem and tolerance for null results. *Psychological Bulletin*, 86(3), 638-641. <https://doi.org/10.1037/0033-2909.86.3.638>

Saar, V., Levänen, S., & Komulainen, E. (2018). Cognitive profiles of Finnish preschool children with expressive and receptive language impairment. *Journal of Speech, Language, and Hearing Research*, 61(2), 386-397. https://doi.org/10.1044/2017_JSLHR-L-16-0365

Samuelson, L. K. (2021). Toward a precision science of word learning: Understanding individual vocabulary pathways. *Child Development Perspectives*, 15(2), 117-124. <https://doi.org/https://doi.org/10.1111/cdep.12408>

- Schmid, C., Zoelch, C., & Roebbers, C. M. (2008). Das arbeitsgedächtnis von 4- bis 5-jährigen kindern: Theoretische und empirische analyse seiner funktionen. [Working memory in 4- to 5-year-old children: Theoretical issues and empirical findings.]. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie*, 40(1), 2-12.
<https://doi.org/10.1026/0049-8637.40.1.2>
- Séguin, J. R., Parent, S., Tremblay, R. E., & Zelazo, P. D. (2009). Different neurocognitive functions regulating physical aggression and hyperactivity in early childhood. *Journal of Child Psychology and Psychiatry*, 50(6), 679-687. <https://doi.org/10.1111/j.1469-7610.2008.02030.x>
- Seigneuric, A., Ehrlich, M.-F., Oakhill, J., & Yuill, N. (2000). Working memory resources and children's reading comprehension. *Reading and Writing*, 13, 81-103.
<https://doi.org/10.1023/A:1008088230941>
- Senese, V. P., Zappullo, I., Baiano, C., Zoccolotti, P., Monaco, M., & Conson, M. (2020). Identifying neuropsychological predictors of drawing skills in elementary school children. *Child Neuropsychology*, 26(3), 345-361.
<https://doi.org/10.1080/09297049.2019.1651834>
- Shaw, P., Kabani, N. J., Lerch, J. P., Eckstrand, K., Lenroot, R., Gogtay, N., Greenstein, D., Clasen, L., Evans, A., Rapoport, J. L., Giedd, J. N., & Wise, S. P. (2008). Neurodevelopmental trajectories of the human cerebral cortex. *J Neurosci*, 28(14), 3586-3594. <https://doi.org/10.1523/jneurosci.5309-07.2008>
- Simmering, V. R., Miller, H. E., & Bohache, K. (2015). Different developmental trajectories across feature types support a dynamic field model of visual working memory development. *Attention, Perception, & Psychophysics*, 77(4), 1170-1188.
<https://doi.org/10.3758/s13414-015-0832-6>

- Steele, S. C., & Mills, M. T. (2011). Vocabulary intervention for school-age children with language impairment: A review of evidence and good practice. *Child Language Teaching and Therapy*, 27(3), 354-370. <https://doi.org/10.1177/0265659011412247>
- Stokes, S. F., Klee, T., Kornisch, M., & Furlong, L. (2017). Visuospatial and verbal short-term memory correlates of vocabulary ability in preschool children. *Journal of Speech, Language, and Hearing Research*, 60(8), 2249-2258. https://doi.org/10.1044/2017_JSLHR-L-16-0285
- Studer-Luethi, B., Bauer, C., & Perrig, W. J. (2016). Working memory training in children: Effectiveness depends on temperament. *Memory & Cognition*, 44(2), 171-186. <https://doi.org/10.3758/s13421-015-0548-9>
- Swanson, H. L. (1996). *Swanson Cognitive Processing Test*. Pro-Ed.
- Thompson, S. G., & Higgins, J. P. T. (2002). How should meta-regression analyses be undertaken and interpreted? *Statistics in Medicine*, 21(11), 1559-1573. <https://doi.org/10.1002/sim.1187>
- Tomas, E., & Vissers, C. (2019). Behind the scenes of developmental language disorder: Time to call neuropsychology back on stage. *Frontiers in Human Neuroscience*, 12(517). <https://doi.org/10.3389/fnhum.2018.00517>
- Tomblin, J. B., Records, N. L., Buckwalter, P., Zhang, X., Smith, E., & O'Brien, M. (1997). Prevalence of specific language impairment in kindergarten children. *Journal of Speech, Language, and Hearing Research*, 40(6), 1245-1260. <https://doi.org/doi:10.1044/jslhr.4006.1245>
- Trautwein, J., & Schroeder, S. (2017). How many words do children know? A corpus-based estimation of children's total vocabulary size. *Language Testing*, 34. <https://doi.org/10.1177/0265532216641152>

- van der Graaf, J., Segers, E., & Verhoeven, L. (2016). Scientific reasoning in kindergarten: Cognitive factors in experimentation and evidence evaluation. *Learning and Individual Differences*, 49, 190-200. <https://doi.org/10.1016/j.lindif.2016.06.006>
- Veraksa, A., Bukhalenkova, D., & Kovyazina, M. (2018). Language proficiency in preschool children with different levels of executive function. *Psychology in Russia: State of the Art*, 11, 115-129. <https://doi.org/10.11621/pir.2018.0408>
- Verhagen, J., Boom, J., Mulder, H., de Bree, E., & Leseman, P. (2019). Reciprocal relationships between nonword repetition and vocabulary during the preschool years. *Developmental Psychology*, 55(6), 1125-1137. <https://doi.org/10.1037/dev0000702>
- Veritas Health Innovation. (2019). *Covidence Systematic Review Software*.
www.covidence.org
- Vugs, B., Cuperus, J., Hendriks, M., & Verhoeven, L. (2013). Visuospatial working memory in specific language impairment: A meta-analysis. *Research in Developmental Disabilities*, 34(9), 2586-2597. <https://doi.org/10.1016/j.ridd.2013.05.014>
- Vugs, B., Hendriks, M., Cuperus, J., Knoors, H., & Verhoeven, L. (2017). Developmental associations between working memory and language in children with specific language impairment: A longitudinal study. *Journal of Speech, Language, and Hearing Research*, 60(11), 3284-3294. https://doi.org/10.1044/2017_JSLHR-L-17-0042
- Vukovic, R. K., Fuchs, L. S., Geary, D. C., Jordan, N. C., Gersten, R., & Siegler, R. S. (2014). Sources of individual differences in children's understanding of fractions. *Child Development*, 85(4), 1461-1476. <https://doi.org/10.1111/cdev.12218>
- Vukovic, R. K., & Lesaux, N. K. (2013). The language of mathematics: Investigating the ways language counts for children's mathematical development. *Journal of*

Experimental Child Psychology, 115(2), 227-244.

<https://doi.org/10.1016/j.jecp.2013.02.002>

Wager, T. D., & Smith, E. E. (2003). Neuroimaging studies of working memory: a meta-analysis. *Cognitive, Affective, & Behavioral Neuroscience*, 3(4), 255-274.

<https://doi.org/10.3758/CABN.3.4.255>

Wechsler, D. (2011a). *Escala de Inteligencia de Wechsler para Niños IV (WISC IV)*. Paidós.

Wechsler, D. (2011b). *Wechsler Abbreviated Scale of Intelligence - Second Edition (WASI-II)*. Pearson.

Wechsler, D. (2013). *WMS-IV Escala de Memoria de Wechsler-IV*. Pearson.

Whitehouse, A. J., Watt, H. J., Line, E. A., & Bishop, D. V. M. (2009). Adult psychosocial outcomes of children with specific language impairment, pragmatic language impairment and autism. *International Journal of Language & Communication Disorders*, 44(4), 511-528. <https://doi.org/10.1080/13682820802708098>

Williams, A. M., Marks, C. J., & Bialer, I. (1977). Validity of the Peabody Picture Vocabulary Test as a measure of hearing vocabulary in mentally retarded and normal children. *Journal of Speech and Hearing Research*, 20(2), 205-211. <https://doi.org/doi:10.1044/jshr.2002.205>

Williams, D., Stott, C. M., Goodyer, I. M., & Sahakian, B. J. (2000). Specific Language Impairment with or without hyperactivity: Neuropsychological evidence for frontostriatal dysfunction. *Developmental Medicine and Child Neurology*, 42(6), 368-375. <https://doi.org/10.1111/j.1469-8749.2000.tb00114.x>

Wilson, J., Andrews, G., Hogan, C., Wang, S., & Shum, D. H. K. (2018). Executive function in middle childhood and the relationship with theory of mind. *Developmental Neuropsychology*, 43(3), 163-182. <https://doi.org/10.1080/87565641.2018.1440296>

- Wilson, J. L., Scott, J. H., & Power, K. G. (1987). Developmental differences in the span of visual memory for pattern. *British Journal of Developmental Psychology*, 5(3), 249-255. <https://doi.org/10.1111/j.2044-835X.1987.tb01060.x>
- Xu, C., & Lefevre, J.-A. (2016). Training young children on sequential relations among numbers and spatial decomposition: differential transfer to number line and mental transformation tasks. *Developmental Psychology*, 52(6), 854-866. <https://doi.org/10.1037/dev0000124>
- Yoo, J., & Yim, D. (2018). Relationship among executive functions, vocabulary and reading skills in school-aged children with and without poor vocabulary. *Communication Sciences & Disorders*, 23(3), 570-583. <https://doi.org/10.12963/csd.18523>
- Yu, C., Suanda, S. H., & Smith, L. B. (2019). Infant sustained attention but not joint attention to objects at 9 months predicts vocabulary at 12 and 15 months. *Developmental Science*, 22(1), e12735. <https://doi.org/10.1111/desc.12735>
- Zelazo, P. D., Jacques, S., Burack, J. A., & Frye, D. (2002). The relation between theory of mind and rule use: evidence from persons with autism-spectrum disorders. *Infant and Child Development*, 11(2), 171-195. <https://doi.org/10.1002/icd.304>

Table 1*Summary of Visual Memory Tasks and Categorisation for Data Synthesis*

Task Name; Citation	Task Description	Type of Memory	Content of Information	Type of Processing	Response Measure	In MA?	Citation/s in Review
Block Recall (WMTB-C); Pickering and Gathercole (2001)	Participants are shown a board on which nine identical cubes (blocks) are fixed in a random arrangement. The experimenter taps out a sequence on the blocks, and the participant is required to tap the blocks back in the same sequence.	STM	Spatial	Sequential	Span	Y – TS	Critten et al. (2018)
Box Span Task; Michas and Henry (1994)	Participants are shown a set of nine boxes placed randomly on a sheet of paper. The experimenter points to sequences of boxes, and the participant is asked to point to the same boxes in the same sequence.	STM	Spatial	Sequential	Span	Y – TS	Michas and Henry (1994)
Colour Memory (focal and non-focal) ^a ; Laws (2002)	Participants are shown a series of coloured tiles (1-8) for 5-seconds, and must then identify the tiles from a response set (containing distractors). One version uses focal colours (common chromatic colours, e.g., blue, green), and a second version uses non-focal colours (hues between common colours, e.g., turquoise, aqua).	STM	Visuo-Perceptual	Concurrent	Item Recognition	Y – CA (V)	Laws (2002)
Colour Recall; Schmid et al. (2008)	Participants are presented with a sequence of coloured discs on a computer screen and asked to recall the sequence in reverse order. Presentation time for each disc is one second.	WM	Visuo-Perceptual	Sequential	Span	Y – TS	Studer-Luethi et al. (2016)
Corsi Blocks; Corsi (1972)	Participants are presented with a series of nine randomly spaced blocks mounted on a wooden board. The experimenter taps a sequence of blocks, and the participant is required to reproduce the same tapped	Forward: STM	Spatial	Sequential	Span	Y – TS	Adams et al. (1999); Cornu et al. (2018); Laws (2002); Senese

	sequence. In a computerised adaptation (Cornu et al., 2018), boxes appear on a computer screen and change colour (from white to blue) for two seconds in a sequence. The participant responds by pointing to the boxes in the same sequence (Forward; STM), or in reverse sequence (Backward; WM).	Backward: WM						et al. (2020); van der Graaf et al. (2016)
Corsi Blocks [adapted]; Xu and Lefevre (2016)	Between two and nine green circles are presented on an iPad screen. A sequence of circles is lit up for about 200ms each, and the participant is asked to reproduce the sequence by touching the locations in the same order.	STM	Spatial	Sequential	Span	Y – TS		Montoya et al. (2019)
Dot Locations (CMS); Cohen (1997)	Participants are presented with a 4x3 grid containing six blue dots for five seconds, and are asked to then replicate the array on a blank grid. This is repeated three times (with the same array each time). A distractor array of six red dots is then presented for five seconds (which they must recreate), following which they must again create the initial array of blue dots a final time. Scores are summed across all trials.	Multi-trial learning	Spatial	Concurrent	Item Recall	N		Malone et al. (2020)
Dot Matrix (AWMA); Alloway (2007)	Participants are shown a series of 4x4 matrices, containing between one and seven red dots, for two seconds. Then, they are shown a blank matrix and must recall the position/s of the dots.	STM	Spatial	Concurrent	Item Recall	Y – CA (S)		Blom et al. (2014)
Fish Visual Patterns Test (ViP); Stokes et al. (2017)	Participants are presented with 2-5 fish in fishbowls (up to 10 fishbowls) for five seconds. Then, they are shown the same number of empty fishbowls and asked to indicate where the fish had been located.	STM	Spatial	Concurrent	Item Recall	Y – CA (S)		Stokes et al. (2017)
Hand Position Imitation (NEPSY-II) [adapted]; Korkman et al. (2007)	Participants are presented with a progressively complex sequence of 18 hand/finger positions on a computer screen, and asked to imitate each one.	STM	Visuospatial	Sequential	Item Recall (visuo-motor)	N		Barbosa et al. (2017)

Location Memory; Bock et al. (2015)	Participants are presented with a square box divided into four regions. They watch the researcher place 20 objects on marked locations in the box; the objects are then removed and the participants is asked to place them back one at a time in random order. This is repeated until the child can correctly place all objects on the same trial. Then, the markers and boundaries are removed, and the child attempts to place all items a final time. Errors are used a score (measured as the distance between where each item was placed and where it should have been).	Multi-trial learning	Visuospatial	Sequential & Concurrent	Item Recall	N	Bock et al. (2015)
Memory for Designs (NEPSY-II); Korkman et al. (2007)	Participants are presented with a picture of a 4x4 grid containing a number of designs (4-8) and given 10-seconds to memorise the designs and their locations. Then, they are presented with a grid and cards (with one card for each correct design and one distractor card per design), and asked to recreate the original array. This is repeated over four trials, with new designs occasionally added to the array. Points are awarded for having the correct design on the grid ("content" score), having a design in the correct location ("spatial" score), and a "bonus" score for having the correct design in the correct location. Score are summed across the four trials ("total" score).	Multi-trial learning	Visuospatial	Concurrent	Item Recall & Recognition	N	Veraksa et al. (2018)
n-back (shapes); Gangopadhyay et al. (2016); Jaeggi et al. (2010)	Participants are shown a series of shapes on a computer screen and asked to indicate (with a button press) when a shape matches that shown one shape before (i.e., when the same shape appears twice in a row).	WM	Visuo-Perceptual	Sequential	Item Recognition & Executive Judgment	N	Yoo and Yim (2018)
Odd One Out (AWMA);	Participants are presented with three shapes in a row of boxes for two seconds. First, participants must identify the 'odd-one-out' shape. At the end of each trial,	WM	Visuospatial	Concurrent & Sequential	Executive Judgment &	Y - EJ	Blom et al. (2014)

Alloway (2007)	participants are presented with three empty boxes and asked to indicate, in sequence, the location of each odd-one-out shape. The number of items to be recalled (in sequence) increases progressively over successive blocks (with up to six trials per block).	Item Recall					
One-Shape Array Memory Task; Cowan et al. (2011)	Participants are shown a 3x4 grid where 2-6 coloured circles will appear for 500ms. After a 500ms break, the grid reappears with only 1 circle remaining, and the child must decide between: 1) no change (the circle is the same colour and in the same square as the original array), 2) spatial change (the colour appeared on the original array but has moved locations; the child must then indicate where it originally appeared), and, 3) colour change (a new colour that was not present in the original array).	STM	Visuospatial	Concurrent	Change Detection	Y – CA (VS)	Obeid and Brooks (2018)
Rey-Osterrieth Complex Figure Test (ROCFT); Rey and Osterrieth (1993)	Participants are initially presented with a complex visuospatial figure and asked to draw the figure on a separate page (whilst the figure remains in view). Then, after an immediate (2-3-minute, STM) and long (20-30-minute, LTM) delay, participants are asked to draw the figure again (without the figure in view).	Immediate : STM Long: LTM	Visuospatial	Concurrent	Item Recall	N	Batnini and Uno (2015)
Spatial Working Memory (CANTAB); Cambridge Cognition (2006)	Participants are presented with a number of coloured boxes on a screen. They must 'search' the boxes (by selecting them) to find special tokens hidden in the boxes. Once a token is found under a box, a new token is placed under in a difference box, and participants must keep searching until a predetermined number of tokens are found. Once a token is found in one box, it will not be found there again within the same trial. Errors (re-searching previous boxes) are used as a score.	WM	Spatial	Concurrent	Executive Judgement & Item Recognition	N	Wilson et al. (2018)

Symbol Span (WMS-IV); Wechsler (2013)	Participants are presented with an array of symbols for 5-seconds. Then, they are shown a second array and are asked to identify the items from the first array in the same order (left-right).	STM	Visuospatial	Concurrent	Item Recognition & Span	Y	Palombo and Cuadro (2020)
Visual Matrix, Swanson Cognitive Processing Test; Swanson (1996)	Participants are presented with a series of dots in a matrix for 5-seconds. The matrix is then removed, and the participant is asked a 'process question' (e.g., how many dots in the first column?). After answering this question, the participant is asked to draw the dots in the correct boxes on a blank matrix. Matrices range from 4 squares and 2 dots to 45 squares and 12 dots.	WM	Spatial	Concurrent	Executive Judgement & Item Recall	Y - EJ	Vukovic and Lesaux (2013)
Visual Memory (TVPS-3(R)); Martin (2006)	Participants are shown 1 shape on a page for 5-seconds. On the next page, they have to identify that same shape on a set of 4 shapes.	STM	Visuo-Perceptual	Concurrent	Item Recognition	Y – CA (V)	Critten et al. (2018)
Visual Pattern Span; Wilson et al. (1987)	Participants are presented with a series of matrices in which half the cells are randomly filled. Participants are asked to recall the filled-in cells by recreating each design on a blank matrix. The number of filled cells to recall starts at two (on a 2x2) matrix and gradually increases.	STM	Spatial	Concurrent	Item Recall	Y – CA (S)	Adams et al. (1999)
Visual Sequential Memory (TVPS-3(R)); Martin (2006)	Participants are shown a specific shape (or set of shapes) on a page for 5-seconds. On the next page, the must identify the shape/set of shapes from 4 sets.	STM	Visuo-Perceptual	Concurrent	Item Recognition	Y – CA (V)	Critten et al. (2018)
Visual Reception (ITPA); Kirk and McCarthy (1961)	Participants are shown a stimulus picture for 5-seconds. The picture is removed, and participants must select a matching picture from a set of similar pictures.	STM	Visuo-Perceptual	Concurrent	Item Recognition	Y – CA (V)	Williams et al. (1977)
Visual Recognition	Participants are shown a black-and-white drawing of one or more objects for 5-seconds. They are then asked	STM	Visuo-Perceptual	Concurrent	Item Recognition	Y – CA (V)	Evans et al. (2008)

Test (BAS); Elliott (1983)	to recognise those object/s from a new group (containing distractors).							
Visually Cued Recall; (Zelazo et al., 2002)	Participants are shown an array of 12 representational drawings, and a puppet indicates which of the picture/s it prefers. The array is hidden for 2-seconds, and then the participant must identify the preferred pictures.	STM	Visuo-Perceptual	Concurrent & Sequential	Item Recognition	Y – CA (V)	Séguin et al. (2009)	
Working Memory – Lines; Seigneuric et al. (2000)	Participants are presented with a series of 3x3 matrices containing two coloured dots. First, participants are asked to point to the correct square to make a ‘winning’ line, whilst trying to remember the colour and position of the completed line. After each set of matrices has been presented, participants are presented with a blank matrix and the colours and asked to place (in sequence) all the lines.	WM	Visuospatial	Concurrent & Sequential	Executive Judgement & Item Recognition	Y - EJ	Seigneuric et al. (2000)	
Working Memory Matrices – Sequential & Simultaneous; Lanfranchi et al. (2004)	Sequential: participants are presented with a 3x3 or 4x4 matrix, and the experimenter shows a frog making a path through the matrix (“jumping” between cells, one cell per second). Participants are then asked to reproduce the sequence in order Simultaneous: participants are shown either a 2x2 or 4x4 matrix, with some cells filled green, for 8-seconds, and then asked to reproduce the green cells on a blank matrix.	STM	Spatial	Sequential Concurrent	Span Item Recall	Y - TS Y – CA (S)	Meneghetti et al. (2020)	

Note. MA = Meta-analysis; WMTB-C = Working Memory Test Battery for Children; STM = Short-Term Memory; TS = Temporal Span; CA = Concurrent Array; V = Visuo-Perceptual; WM = Working Memory; CMS = Children’s Memory Scale; AWMA = Automated Working Memory Assessment; S = Spatial; NEPSY-II = NEuroPSYchological Assessment of the School-Aged Child; EJ = Executive Judgement; VS = Visuospatial; LTM = Long-Term Memory; CANTAB = Cambridge Neuropsychological Test Automated Battery; WMS-IV = Wechsler Memory Scale; TVPS-3(R) = Test of Visual Perception Skills; ITPA = Illinois Test of Psycholinguistic Abilities; BAS = British Ability Scales.

^a Focal colours are common chromatic colours (e.g., blue, green), and non-focal colours are hues between common colours (e.g., turquoise, aqua).

Table 2*Risk of Bias for Included Studies*

Study Details				AXIS Criteria					
#	Citation	Aim Related to Review?	Justified Memory Task Choice?	Introductio n	Metho d	Results	Discussio n	Other	Total
1	Adams et al. (1999)	Y	N						75%
2	Barbosa et al. (2017)	Y	Y						76%
3	Batnini and Uno (2015)	N	N						76%
4	Blom et al. (2014)	N	Y						78%
5	Bock et al. (2015)	N	N						60%
6	Cornu et al. (2018)	N	N						75%
7	Critten et al. (2018)	N	Y						74%
8	Evans et al. (2008)	N	Y						76%
9	Laws (2002)	N	Y						66%
10	Malone et al. (2020)	N	N						68%
11	Meneghetti et al. (2020)	N	Y						84%
12	Michas and Henry (1994)	N	N						60%
13	Montoya et al. (2019)	Y	N						87%
14	Obeid and Brooks (2018)	N	N						84%
15	Palombo and Cuadro (2020)	N	Y						66%

16	Séguin et al. (2009)	N	N						88%
17	Seigneuric et al. (2000)	N	N						63%
18	Senese et al. (2020)	N	Y						76%
19	Stokes et al. (2017)	Y	Y						82%
20	Studer-Luethi et al. (2016)	N	N						71%
21	van der Graaf et al. (2016)	N	N						76%
22	Veraksa et al. (2018)	Y	N						76%
23	Vukovic and Lesaux (2013)	N	N						78%
24	Williams et al. (1977)	Y	Y						61%
25	Wilson et al. (2018)	N	N						76%
26	Yoo and Yim (2018)	Y	Y						74%

Note. AXIS = Appraisal tool for Cross-Sectional Studies. Green = all questions in that section answered yes. Orange = questions in that sections were answered with a mix of yes, no, and/or unclear. Red = all questions in that section answered no. See Supplemental Table S7 for details.

Table 3*Characteristics of Studies Included in Meta-Analyses*

Study Details			Participants		Measures		Outcomes	
#	Citation	Language	N	Age M (SD); Range	Memory Task/s	Vocabulary Task/s	Meta-Analysis Category	Fishers' z [95% CI]
1	Adams et al. (1999)	English	66	5.05 (0.25); 4.5-5.5	1. Corsi Blocks 2. Visual Pattern Span	BPVT	1. Temporal Span 2. Concurrent Array (V)	0.28 [0.03, 0.53] 0.19 [-0.06, 0.44]
2	Blom et al. (2014) ^a	Dutch	52	5.14 (0.18)	1. AWMA Dot Matrix 2. AWMA Odd One Out	TT & TAK	1. Concurrent Array (S) 2. Executive Judgement	0.40 [0.12, 0.68] 0.30 [0.02, 0.58]
3	Cornu et al. (2018)	Luxembourgish	141	5.94 (0.44); 5-6	Corsi Blocks	Picture Naming Task	Temporal Span	0.21 [0.04, 0.38]
4	Critten et al. (2018)	English	32	8.5 (1.5); 6.17- 11.58	1. WMTB-C Block Recall 2. TVP Visual Memory 3. TVP Visual Sequential Memory	BPVT	1. Temporal Span 2. Concurrent Array (V) 2. Concurrent Array (V)	0.50 [0.14, 0.86] 0.43 [0.07, 0.79] 0.58 [0.35, 0.81]
5	Evans et al. (2008)	English	76	4.44 (0.79); 3.0-6.08	BAS Visual Recognition Test	PPVT-III	Concurrent Array (V)	0.58 [0.35, 0.81]

6	Laws (2002)	English	16	4.54 (1.12); 2.17-6.92	1. Corsi Blocks 2. Colour Memory (Focal Colours) ^b 3. Colour Memory (Non-Focal Colours) ^b	BPVT-II	1. Temporal Span 2. Concurrent Array (V) 3. Concurrent Array (V)	0.59 [0.05, 1.13] 0.91 [0.37, 1.45] 0.33 [-0.21, 0.87]
7	Meneghetti et al. (2020)	Italian	30	5.49 (0.23); 5.17-6.00	1. WM Matrices - Sequential 2. WM Matrices – Simultaneous	PPVT-R	1. Temporal Span 2. Concurrent Array (S)	0.26 [-0.12, 0.64] .026 [-0.12, 0.64]
8	Michas and Henry (1994)	English	44	5.5; 5.17-6.17	Box Span Task	BPVS (short form)	Temporal Span	0.21 [-0.10, 0.52]
9	Montoya et al. (2019)	Spanish	419	4.4; 3.4-5.5	Corsi Blocks [adapted]	PPVT-R	Temporal Span	0.32 [0.22, 0.42]
10	Obeid and Brooks (2018)	English	63	8.17 (1.25); 6.0-10.67	One-Shape Array Memory Task	PPVT	Concurrent Array (VS)	0.41 [0.16, 0.66]
11	Palombo and Cuadro (2020)	Spanish	97	9.76 (0.26); 9-12	WMS-IV Symbol Span	WISC-IV Vocabulary	Concurrent Array (V)	0.19 [-0.01, 0.39]

12	Séguin et al. (2009)	English & French	1,693	3.38 (.05);	Visually-Cued Recall	PPVT-R	Concurrent Array (V)	0.39 [0.34, 0.44]
13	Seigneuric et al. (2000)	French	48	9.75; 8.67-10.58	Working Memory – Lines	Synonym Subtest of the California Test	Executive Judgement	0.76 [0.55, 0.97]
14	Senese et al. (2020)	Italian	142	8.8 (1.1); 7-11	Corsi Blocks (Forward)	WISC-IV	Temporal Span	0.20 [0.03, 0.37]
					Corsi Blocks (Forward)	Vocabulary	Temporal Span	0.15 [-0.02, 0.32]
15	Stokes et al. (2017)	English	92	3.67 (.85); 2.0-5.25	Visual Patterns Test (ViP)	ROWPVT EOWPVT	Concurrent Array (S)	0.76 [0.55, 0.97] 0.81 [0.60, 1.02]
16	Studer-Luethi et al. (2016)	German	99	8.25 (.50);	Backward Colour Recall	Wortschataztest (Culture Fair Intelligence Test)	Temporal Span	0.02 [-0.18, 0.22]
17	van der Graaf et al. (2016)	Dutch	100	4.5; 4.0-5.17	Corsi Blocks	Verbal Meaning Test	Temporal Span	0.15 [-0.05, 0.35]
18	Vukovic and Lesaux (2013) ^c	English	75	6.83 (.41);	Visual Matrix (S-CPT)	WJ-III Picture Vocabulary	Executive Judgement	0.32 [0.09, 0.55]

19	Williams et al. (1977)	English	24	7.0; 5.16-8.91	ITPA Visual Reception Subtest	PPVT	Concurrent Array (V)	0.27 [-.016, 0.70]
----	------------------------	---------	----	----------------	-------------------------------	------	----------------------	--------------------

Note. BPVS = British Picture Vocabulary Test; V = Visuo-Perpetual; AWMA = Automated Working Memory Assessment; TT = Toets Tweetaligheid (Test for Bilingualism); TAK = Taaltoets Alle Kinderen (Language Test for All Children); S = Spatial; WMTB-C = Working Memory Test Battery for Children; TVP = Test of Visual Perception; BAS = British Ability Scales; PPVT = Peabody Picture Vocabulary Test; WM = Working Memory; VS = Visuospatial; WMS-IV = Wechsler Memory Scale; WISC-IV = Wechsler Intelligence Scale for Children; ROWPVT = Receptive One-Word Vocabulary Test; EOWPVT = Expressive One-Word Vocabulary Test; S-CPT = Swanson Cognitive Processing Test; WJ-III = Woodcock-Johnson III; ITPA = Illinois Test of Psycholinguistic Abilities.

^a Used Wave 2 data. ^b Focal colours are common chromatic colours (e.g., blue, green), and non-focal colours are hues between common colours (e.g., turquoise, aqua). ^c Used Grade 1 data.

Table 4*Characteristics and Results of Studies Included in Narrative Synthesis*

Study Details			Participants		Measures		Results	
#	Citation	Language	<i>N</i>	Age M (SD); Range	Memory Task/s	Vocabulary Task/s	Correlation, <i>p</i>	Fishers' <i>z</i> [95% CI]
1	Barbosa et al. (2017) ^a	English	40	5.11 (0.54); 3.91-6.16	NEPSY-II Hand Position	PPVT-III	<i>r</i> = .420, < .001	0.45 [0.12, 0.77]
		Mandarin	38	5.24 (0.66); 4.0-6.16	Imitation [adapted]		<i>r</i> = .216, <i>ns</i>	0.22 [-0.11, .055]
2	Batnini and Uno (2015)	Arabic	116	7.93 (0.43); 7-9	ROCFT Immediate Recall	ACTWA	<i>r</i> = -.046, <i>ns</i>	.05 [-0.14, 0.23]
					ROCFT Delayed Recall		<i>r</i> = -.008, <i>ns</i>	-0.01 [-0.19, 0.18]
3	Bock et al. (2015)	English	104	8.92 (1.42); 7-12	Location Memory	Vocabulary Definitions	<i>r</i> = .02 ^b , <i>ns</i>	0.02 [-0.18, 0.22]
4	Malone et al. (2020) ^c	English	569	5.32 (0.36); 4.5-6.83	CMS Dot Locations	CELF-4 Expressive Vocabulary	<i>r</i> = .13, < .01	0.13 [0.05, 0.21]
5	Veraksa et al. (2018)	Russian	279	5.6; 5-6	NEPSY-II Memory for Designs	WPPSI Picture Naming	Content <i>r_s</i> = .110, <i>ns</i>	0.11 [-0.01, 0.23]
							Spatial <i>r_s</i> = .012, <i>ns</i>	0.01 [-0.11, 0.13]
							Bonus <i>r_s</i> = .029, <i>ns</i>	0.03 [-0.09, 0.15]
							Total <i>r_s</i> = .054, <i>ns</i>	0.05 [-0.06, 0.17]

6	Wilson et al. (2018)	English	126	5.42-12.92	CANTAB Spatial Working Memory	WASI Vocabulary	$r = -.64^b, < .01$	-0.76 [-0.93, -0.58]
7	Yoo and Yim (2018)	Korean	20	8.23 (0.70); 7.0-9.5	n-back (1-back)	REVT	Receptive $r_s = .20$, <i>ns</i> Expressive $r_s = .18$, <i>ns</i>	0.20 [-0.27, 0.68] 0.18 [-0.29, 0.66]

Note. NEPSY-II = NEuroPSYchological Assessment of the School-Aged Child; PPVT = Peabody Picture Vocabulary Test; ROCFT = Rey-Osterrieth Complex Figure Test; ACTWA = Arabic Comprehension Test of Abstract Words; CMS = Children's Memory Scale; CELF = Clinical Evaluation of Language Fundamentals; WPPSI = Wechsler Preschool and Primary Scale of Intelligence; CANTAB = Cambridge Neuropsychological Test Automated Battery; WASI = Weschler Abbreviated Scale of Intelligence; REVT = Receptive & Expressive Vocabulary Test.

^a Included two monolingual groups. ^b Memory score was an error score. ^c Used T1 data

Figure 1

PRISMA flow diagram depicting how articles were selected for review

Figure 2*Example of each subtype of Visual Memory Task*

Note. Panel A: Example spatio-temporal span task. Squares (green) are highlighted one at a time (1 per second), and the participant must then re-create the temporal sequence. Panel B: Example spatial concurrent array task. A spatial display (left) is presented for a predetermined time (5-seconds), after which the participant must recall (recreate) the spatial display from a blank grid (right). Panel C: Example visuo-perceptual concurrent array task. An array of shapes (left) is presented for a predetermined time (5-seconds), after which the response array (right) is presented, and participants indicate which shapes they recognise from the original (first) array. Panel D: Example executive judgment task. Participants are first presented with a series of decisions to make (top row; pick which is the odd/different shape). After making all the decisions, they then must recall the location of each odd shape in the original order (i.e., triangle, then circle).

Figure 3

Forest Plot Showing Pooled Correlations (Fisher's Z) for Spatio-Temporal Span Tasks

Note. RE = Random Effects.

Figure 4

Forest Plot Showing Pooled Correlations (Fisher's Z) for Concurrent Array Tasks (all)

Note. RE = Random Effects

Figure 5

Forest Plots Showing Pooled Correlations (Fisher's Z) for Concurrent Array Task Subgroups

A – Spatial Concurrent Array

B – Visuo-Perceptual Concurrent Array

Note. Random Effects. Panel A: Forest plot for spatial concurrent array tasks. Panel B: Forest plot for visuo-perceptual concurrent array tasks.

Figure 6

Forest Plot Showing Pooled Correlations (Fisher's Z) for Executive Judgement Tasks

Note. RE = Random Effects.