Visuo-Locomotive Update in the Wild

The Role of (Un)Familiarity in Choice of Navigation Strategy, and its Application in Computational Spatial Design

Vasiliki KONDYLI, Mehul BHATT

Örebro University, Sweden

CoDesign Lab > Cognitive Vision / www.codesign-lab.org/cognitive-vision

The DesignSpace Group / www.design-space.org

Abstract

We study active human visuo-locomotive experience in everyday navigation from the viewpoints of environmental familiarity, embodied reorientation, and (sensorimotor) spatial update. Following a naturalistic, in situ, embodied multimodal behaviour analysis method, we conclude that familiar users rely on environmental cues as a navigation-aid and exhibit proactive decision-making, whereas unfamiliar users rely on manifest cues, are late in decision-making, and show no sign of sensorimotor spatial update. Qualitative analysis reveals that both groups are able to sketch-map their route and consider path integration: i.e., conscious spatial representation updating was possible but not preferred during active navigation. Overall, the experimental task did not trigger automatic or reflex-like spatial updating, as subjects preferred strategies involving memory of perceptual cues and available manifest cues instead of relying on motor simulation and continuous spatial update. Rooted in the behavioural outcomes, we also position applications in computational modelling of navigation within cognitive technologies for architectural design synthesis.

Keywords: spatial update; familiarity; rotation; navigation; visuospatial cognition; naturalistic perception

MOTIVATION

Visuospatial cognitive processes underlying human navigation have been an object of inquiry from several standpoints (Montello, 2005; Weisman, 1981; Tversky, 2003). Studies investigating human (cognitive) strategies for navigation in diverse circumstances are abound; of key interest to this paper are spatial update and reorientation with spatial representations and/or external cues (Farrell & Robertson, 1998; Chen et al., 2017; Wang, 2017).

▷ **Embodied Multimodal Interaction** Naturalistic “in-the-wild” settings pose methodological difficulties typically not encountered in lab-based or clinical real/virtual environments. However, from an ecological viewpoint, the naturalistic method allows for investigating the multimodal confluence of environmental and individual characteristics in everyday activities at a level of embodied specificity and immersion that is not achievable in lab formats. This aspect is especially important for navigation tasks where the effect of physical movement on spatial updating as a result of sensorimotor representations and embodied interaction with the environment have been demonstrated (Santoro et al., 2017; Avraamides, 2003). We conduct a multimodal analysis in a real-world setting to provide a better representation of how different attributes influencing embodied navigation interact and affect visuo-locomotive strategies and decision-making.

▷ **Spatial Knowledge Acquisition and Update** The embodied visuo-locomotive experience of humans in large-scale

built-up spaces, e.g., during a wayfinding task, encompasses a range of aspects including people’s visual perception, their decision-making procedures & intentions, the affordances of the environment. A key aspect of visuo-locomotive experience relates to translational and rotational locomotion. Humans update their spatial representations, or use external cues for reorientation when needed. Spatial update strategies depend on situational factors, such as the availability of external sources of information, the familiarity with the environment, the cognitive demand involved etc. (Foo et al., 2005; Byrne & Crawford, 2010; Zhang et al., 2011; Li & Klippel, 2014). Extensive translation and rotation in the navigation path affects visuo-locomotive experience and resulting navigation performance (Presson & Montello, 1994; Kondyli & Bhatt, 2018).

▷ **Experimental Focus –and– Key Contributions** Our research investigates the role of spatial updating paradigms and models for interpreting navigation strategies in large-scale built-up environments in urban settings. We examine how different navigation strategies may be employed from users, and how these may change during the course of a navigation task in the real-world context. In particular, we focus on strategy adopted in relation to the familiarity (level) with the environment, as well as the difficulty of the task articulated via a *rotation metric* encapsulating a measure of the visuo-locomotive changes encountered during a route, as well as the role of external visuospatial cues in spatial updating. The central questions addressed are: **Q1.** How does familiarity affect navigation strategies during active navigation?; **Q2.** How do environmental characteristics, namely rotational morphology of the path, turn direction, and visuospatial cues (environmental and manifest), influence the choice of navigation strategies and spatial update? **Q3.** How do navigation strategies mutually interact in a given context?

The broad-based agenda of this research culminates at the intersection of cognitive psychology, design, and engineering; this confluence, we posit and demonstrate, is necessary to translate basic behavioural outcomes into practical tools for the design and analysis of large-scale built-up spaces.

METHOD

We investigate the role of the environmental structure, the rotational locomotion involved in a path, and interaction with aspects influencing navigators’ performance:

▷ **Context / Rotation. Train-Station.** The experimental setting consists of a (typical) train-station in Germany. Each subjects performs an everyday navigation task (lasting

Figure 1: **Experimental Context.** Navigation path from the Entrance Lobby of the start train-station (City A) to the destination city (B), and back. The departure route is common for all participants, while the arrival route differs in the rotation locomotion involved (180° or 360°).

50 mins to an hour) including determining a train to take (City A), reaching the platform, embarking on the train, proceeding to a target destination (City B), and after a short de-tour outside the destination train-station, likewise returning to the start location (City A) (Fig. 1). Of specific interest is the part of the route from the point of disembarking from the train (Fig. 2a - A) during the return trip to the intersection/decision point (Fig. 2a - E) where participants have to decide to either *turn left or right* in order to return to the starting point at the entrance lobby. We define **Part P1** of the route as the part from disembarking from the train, then onto the platform, until reaching the staircase (i.e., A-C); and **Part P2** as the part from the beginning of the staircase until reaching the final intersection/decision point and making a turn at the underground passage (i.e., C-E). Both Parts P1-P2 have a number of navigation-aids similarly distributed and accessible to all participants. Additional cues of the dynamic scene known to attract attention in naturalistic tasks (Foulsham et al., 2010; Fotios et al., 2015), e.g., unexpected events involving people, are not considered in this analysis and only those data-points have been considered where such factors do not exist.

► **Experimental Setup** Post quality control etc, we analyse data of 20 adult participants: 11 female and 9 male, with ages in range 19-56. All participants have normal vision, were tested individually, and did not participate in more than one study. Participants are divided into two groups: **familiar** and **unfamiliar**; within each group, participants are equally distributed to follow one of two routes differing in an ego-rotation angle of either 180° or 360° (Fig. 1). A *between-subjects* design for analysing familiarity levels and the range of rotational locomotion is used. Protocol ensured is: (1). sessions are performed during (summer) daytime with uniform lighting and other conditions; (2). timing and overall duration sessions was the same across participants lasting approx. one hour, and starting from the entrance lobby few minutes before the departure time of the train in both directions to ensure uniform conditions, environmental exposure; (3). participants conducted non-relevant outdoor task at the destination city aiming to divert attention from the navigation inside the

train-station and maintain engagement; and (4). the experimenter never distracts/assists participants.

► **Multimodal Behaviour Analysis** The multimodal analysis combines behavioural (e.g. gaze patterns, visual range, Areas of interest - AOIs) and objective measures (e.g. number of fixations, duration of fixations, 1st fixation on AOI) on visual attention through the mobile eye-tracking that participants wear, together with the results of the post questionnaire and the sketch map on spatial updating and navigation strategies, and finally, notable insights from qualitative data. Approximately, four hours of video recordings from the ego-centric video and the eye-tracking were fully annotated and analysed focusing on the navigation path (departure and arrival) inside the train station in city A (Fig. 1). Visuospatial cues where annotated and categorised into manifest cues (e.g. shop sign, exit sign, city direction sign, map, attention triangle sign, destination info sign) and environmental cues (e.g. elevator, brick facade, glass facade, staircase, platforms, outdoors, rails, shops) for the two parts of the route (P1, P2). Confusion events –(e.g. re-route, ask for help, multiple head movements, hesitation, stop)– were annotated based on head movements, changes in direction, speed and audio cues. The experimenter, non-invasively following each participant for the entire run, also records observations concerning confusion events. A post experiment questionnaires and a sketch-map task are also performed in order to evaluate navigation strategies used and participant’s memory of visuospatial cues used as navigation aid. We integrate qualitative and quantitative analysis of user’s visuo-locomotive experience (encompassing gaze behaviour, signage and landmarks detection, visual attention distribution at key locations, route-trace and movement, walking pace, head rotation) with the analysis of the dynamic scene of the urban environment (visibility analysis, attention on designated AOIs).

RESULTS

Results based on a multimodal analysis of subject behaviour are as follows (R1–R4):

Figure 2: (Un)Familiarity and Attention to Cues (Path Parts P1-P2): (a) Number/duration of fixations on cues along the experimental route coded over time; (b) Distribution of fixation duration on environmental and manifest cues; (c) Fixation duration for the cues in P1 & P2.

R1. (Un)Familiarity vis-a-vis cue selection

- Familiar navigators rely on environmental cues whereas unfamiliar navigators utilise manifest cues instead during active locomotion.

Familiar participants spend more time fixating on environmental cues than on manifest cues, whereas unfamiliar participants exhibit an opposite pattern (Fig. 2c). The frequency of fixations does not differ significantly between the two groups. These results coincide with the outcome of the questionnaires concerning the navigation strategies that the two groups reported to use: 65% of familiar participants use environmental cues as navigation strategy, and 70% of unfamiliar participants reported manifest cues instead. However, this difference between the two groups is not so distinctive in Part P2 of the route closer to the decision point (Fig. 2a). For instance, the fixation duration at manifest cues at P2 shows no significant difference among the familiarity groups [$F(1, 15) = 0.65$, $p = 0.433$] (Fig. 2b). Moreover, familiar users report that they combine manifest and environmental cues. For instance, many familiar participants use the descending platform numbers as an indication of the direction towards the station's entrance lobby. This is in accordance with the adaptive combination theory (Newcombe & Huttenlocher, 2007) suggesting tendency to combine available features, in this case the structure of the building, the platform's enumeration and the signs, however this was not the case for unfamiliar participants.

R2. (Un)Familiarity wrt. choice & timing of navigation strategy

- Familiarity influences the choice and timing navigation strategy application. Familiar navigators are proactive in detecting visuospatial cues before reaching the decision point thereby avoiding confusion at the decision point; unfamiliar users detect cues relatively closer to the decision point. This difference is also reflected in the navigation strategies the two groups employ.

Even though 80% of familiar and 100% of unfamiliar participants responded that they did not know the correct direction during disembarking from the train (showing failure in automatic, or reflexlike spatial update), familiar participants seem to have deployed a successful navigation strategy before reaching the key decision point, while this was not the case for the vast majority of unfamiliar navigators. We recorded 40% fewer confusion events (e.g. stop, look around) for familiar than for unfamiliar users at the key decision point (Fig. 2a – Point D). Specifically, 80% of familiar participants reported having performed consciously spatial updating after disembarking, either by using the available external visuospatial cues, or by combining them with an enduring representation (e.g. egocentric snapshot, structural representation) in an egocentric-update and reload strategy in Part P1 of the route. The other 20% of familiar participants were unable to explain their strategy that might imply an unconscious spatial updating (e.g. automatic). Unfamiliar participants reported conscious decision making using manifest cues as a navigation strategy (90%).

Figure 3: **(a-b)** Cumulative probability of signs S1 and S2 to be fixated over time in relation to (un)familiarity; **(c)** Estimated marginal means of fixations duration in relation to the direction of movement at decision point (scene is divided into three AOIs: left, middle, and right).

The gaze analysis during Part P2 of the path close to the key decision point confirms the proactive behaviour of familiar navigators. Specifically, on Part P2 —defined from the staircase to the key decision point— participants have visual access towards two main signs one after the other at the centre of the scene along their path; one above the staircase – S1 (Fig. 2a point C), and a second in front of the elevator which is visible at the end of the staircase –S2 (Fig. 2a point D). By measuring the time when the participants first detect the sign, if they do, in relation to the moment when the sign first appears in the scene, we predict how likely it is for the sign to get detected according to the familiarity level and when (Fig. 3a-3b). The cumulative probability shows that it is more likely for familiar navigators to detect quicker the signs, while the unfamiliar ones are more likely to detect the sign in due time as they are approaching the decision point. Specifically, concerning the sign at the elevator (S2), it is more likely for the familiar navigators to detect it in the first 2 secs when it first appears, but it is more likely overall that the unfamiliar ones will fixate on it. The cumulative probability also shows that both signs are probable to be detected by familiar participants quickly while unfamiliar ones tend to have a more exploratory gaze behaviour until reaching the key decision point. However, we note that gaze analysis shows that 40% of familiar participants fixated on the sign S1, even if they did not report to use it as a strategy, while 20% of familiar participants did not fixate on S2 but they reported using it. This shows that gaze patterns do not always correspond to the reported answers concerning the navigation strategies. We hypothesise that familiar navigators could be either utilising their peripheral views, or using signs for verification purposes (without reporting the same in the qualitative study); this is an aspect requiring further investigation.

R3. Direction of movement vis-a-vis gaze behaviour

- Direction of movement at a decision point guides gaze behaviour despite the familiarity level of the navigators. Closer to the decision point, navigators gaze towards the direction they will follow; turning left attracts more intensive attention.

Analysing gaze behaviour in Part P2 of the path close to the decision point, we notice that familiarity does not have a prominent role in gaze allocation at this part, while the direction of movement at the decision point, meaning the direction that people turn (left, or right turn) at the intersection, seems to be the most important impact factor. We divide the symmetrical scene while approaching the decision point of the intersection using the vertical axis in the middle of the elevator to define right and left, and the width of the elevator to define the middle part containing sign S2 (Fig. 3c). Duration of fixations in each of these areas is measured in relation to the direction of movement (turning left or right) by the participant at the decision point. A repeated measures MANOVA test reveals a correlation between the direction of movement and the fixation duration patterns [$F(1,16)=4.14$, $p=0.035$], but no significant between the familiarity levels [$F(1,16) = 0.59$, $p = 0.561$]. The results support previous studies suggesting a systematic bias of gaze towards the direction that people imminently follow (Wiener et al., 2012). Moreover, participants who turned left had in overall a greater duration of fixations before they turn, than participants who turned right (Fig. 3c). Taking into consideration the existence of a rightward attentional bias for extrapersonal stimuli (Robertson et al., 2015), we can conclude that it is more natural for the participants to turn right, while participants who had to turn left needed more focused attention beforehand.

R4. Rotational locomotion and its effect on spatial updating

- Extensive rotations in the navigation path aggravate spatial updating performance.

Previous studies suggest that rotational locomotion aggravates the navigation performance (Kelly et al., 2008; Presson & Montello, 1994). The behavioural analysis of our study shows no significant interaction between the navigation performance and the angle of the rotational locomotion. However, the effect of rotational locomotion was prominent on the sketch map task, where updating of spatial knowledge representations was required. Participants who performed 360 degrees ego-rotation (instead of 180 degrees ego-rotation) recorded 30% more errors when asked to reproduce an accurate map of their route, regardless of their familiarity level. We suggest that the reason for no significant effect of the rotational locomotion on active navigation performance is that even if participants do not effectively update their spatial representations, they switch from path integration strategies to strategies that incorporate external visuospatial cues to mitigate the loss of orientation, and successfully cope with the navigation task.

DISCUSSION AND RELATED WORK

We discuss key results (R1–R4) vis-a-vis the state of the art on the influence of (un)familiarity on spatial update from the viewpoints of (embodied) active task performance, reorientation, and rotational location:

► **Active Task Performance** Past research suggests that navigators are able to perform spatial update using path integration, static (e.g. allocentric cognitive map, egocentric snapshots) or dynamic representations (e.g. egocentric updating) (McNamara, 2017; Wang, 2017). When physical movements and sensorimotor encoding are present, humans can also perform effortless automatic spatial update (Avraamides, 2003). However, the current study shows that *during active locomotion* in a naturalistic everyday navigation task where a full-range of combined perceptual and cognitive processes are involved, subjects do not demonstrate spatial updating strategies based on path integration, or enduring spatial representations, instead explicitly relying on external visuospatial cues. However, note that: (1). people are still able to perform well in spatial updating when they are explicitly asked to (in the sketch map task); and (2) some familiar users do perform an egocentric-update and reload strategy with an enduring egocentric or allocentric component (e.g. structure and enumeration of platforms).

Relevant research work from neuroscience shows that the increasing demand of resources needed for both the cognitive and motor systems, resulting in Cognitive-Motor Interference (CMI) and can undermine a cognitive task as for example the impact of walking on the parallel processing of visual stimuli (Nenna et al., 2020). Additionally when the task gets more difficult, e.g., as a result of rotations in the path, a symmetri-

cal environment or even lack of familiarity, the confluence of these attributes is reflected on the preferred navigation strategies from participants. We conclude that automatic strategies and enduring mental representation strategies for update are indeed possible, but undermined by the reality of everyday tasks and the limits of working memory, especially when environmental visuospatial complexity is high.

► **Reorientation** This study confirms previous findings, e.g., (Li & Klippel, 2014; Weisman, 1981), on the significance of familiarity on navigation performance and its predominant role on spatial knowledge update, particularly that navigators with different familiarity levels employ different navigation strategies, detect and use different visuospatial cues in different parts of the route. Waller & Hodgson (2006) suggests familiarity reduces the effect of disorientation on egocentric updating process, as long as spatial representations can be retrieved from long-term memory. In our study, familiarity did not prevent disorientation during active locomotion, and also, even if spatial representations could be retrieved for the sketch map task they were not used as a navigation strategy by familiar users. However, familiar participants performed better at navigation with less confusion events as they were able to address their disorientation before reaching the decision point.

► **Rotational Locomotion** Although familiarity enhances navigation performance even if spatial reorientation is needed, in our study familiarity did not mitigate the effect of extensive (visuospatial) complexity of the navigation path—as introduced by the *rotation metric* factor—shown in the sketch map task performance of familiar participants. This result is in line with previous work on the impact of ego-rotations on human orientation, and its importance for navigation performance (Kelly et al., 2008; Presson & Montello, 1994). Specifically, experiments on relative precision of transient and enduring representations show that switching between representations does not require disorientation, but can also be produced by self-rotations as small as 135° (Waller & Hodgson, 2006). These examples show that people are able to use motor simulation strategies, and perform continuous transformations on spatial representation for spatial updating where rotations are involved and if the task affords it (Zacks, 2008), meaning that spatial updating does not necessarily operate holistically, and it can be unreliable as a result of a cumulative rotational angle of the path.

APPLICATION / DESIGN COMPUTING

Behavioural outcomes pertaining to spatial cognition need to be integrated within assistive design technologies aimed at empowering specialists, e.g., in space planning, computer-aided design, post-occupancy analysis based re-design (Bhatt & Freksa, 2015). Driven by this need for the real-world applicability of behavioural outcomes, ongoing work aims to develop a general methodology to formalise and

Figure 4: **Behavioural Heuristic Driven Visuo-Locomotive Experience Planning.** Path simplification by parametric optimisation of heuristics pertaining to decision points and the cumulative rotational angle of the overall route.

integrate heuristics pertaining to human-behavioural precedents –e.g., as interpreted from results such as **R1–R4**– within computer-aided architecture design (CAAD) systems. Figure 4 illustrates an implemented concept of this line of work in the context of Parametric CAAD systems (Woodbury, 2010): diverse human behavioural heuristics deriving from the current behavioural study are translated to a formal semantic representation, and subsequently geometrically interpreted via a set of high-level operations corresponding to the interface of a parametric system. This in-turn (generatively) results in diverse morphologies (e.g., S_1 – S_n ; Fig. 4) corresponding to prototypical design instances that become candidate solutions meriting further analysis by a (human) designer.

OUTLOOK / BEHAVIOURAL CONTEXTS

Supplementary studies —with a similarly naturalistic setting and multimodal analysis method— are necessary (and planned) to further expand the scope of presently obtained results. We believe that hospitals, airports and other large-scale public spaces would be ideal test-beds; our own research pursues hospitals and museums as a next step. More broadly, our outlook is motivated by the fact that a majority of research in human navigation is typically conducted in highly controlled lab-based or virtual reality settings. We posit that there is a need in spatial cognition research, and navigation studies in particular, to operate under ecologically valid naturalistic conditions, and establish corresponding open datasets and experimental benchmarks for ensuring the technological uptake and real-world application of evidence-based studies.

References

- Avraamides, M. N. (2003). Spatial updating of environments described in texts. *Cognitive Psychology*, 47(4), 402–431.
- Bhatt, M., & Freksa, C. (2015). Spatial computing for design—an artificial intelligence perspective. In J. S. Gero (Ed.), *Studying visual and spatial reasoning for design creativity* (pp. 109–127). Dordrecht: Springer Netherlands.
- Byrne, P., & Crawford, J. (2010). Cue reliability and a landmark stability heuristic determine relative weighting between egocentric and allocentric visual information in memory-guided reach. *J. of Neurophysiology*, 103, 54–69.
- Chen, X., McNamara, T. P., Kelly, J. W., & Wolbers, T. (2017). Cue combination in human spatial navigation. *Cognitive Psychology*, 95, 105–144.
- Farrell, M. J., & Robertson, I. H. (1998). Mental rotation and automatic updating of body-centered spatial relationships. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 24(1), 227–233.
- Foo, P., Warren, W. H., Duchon, A., & Tarr, M. J. (2005). Do humans integrate routes into a cognitive map? map-versus landmark-based navigation of novel shortcuts. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 31(22), 95–215.
- Fotios, S., Uttley, J., & Yang, B. (2015). Using eye-tracking to identify pedestrians' critical visual tasks. part2. fixation on pedestrians. *Lighting Research & Technology*, 47(2).
- Foulsham, T., Cheng, J. T., Tracy, J. L., Henrich, J., & Kingstone, A. (2010). Gaze allocation in a dynamic situation: Effects of social status and speaking. *Cognition*, 117(3).
- Kelly, J., McNamara, T., Bodenheimer, B., Carr, T., & Rieser, J. (2008, 11). The shape of human navigation: How environmental geometry is used in maintenance of spatial orientation. *Cognition*, 109, 281–6.
- Kondyli, V., & Bhatt, M. (2018). Rotational locomotion in large-scale environments: A survey and implications for evidence-based design practice. *Built Environment*, 44(2), 241–258.
- Li, R., & Klippel, A. (2014). Wayfinding behaviors in complex buildings: The impact of environmental legibility and familiarity. *Environment and Behavior*, 48(3), 482–510.

- McNamara, T. P. (2017). Spatial memory and navigation. In J. Byrne (Ed.), *Learning and memory: A comprehensive reference* (p. 337 - 355). Oxford: Academic Press.
- Montello, D. R. (2005). Navigation. In P. Shah & A. Miyake (Eds.), *The cambridge handbook of visuospatial thinking* (pp. 257–294). Cambridge University Press.
- Nenna, F., Do, C. T., Protzak, J., & Gramann, K. (2020). Alteration of brain dynamics during dual-task overground walking. *European Journal of Neuroscience*.
- Newcombe, N. S., & Huttenlocher, J. (2007). Development of spatial cognition. In *Handbook of child psychology* (chap. 17). American Cancer Society.
- Presson, C. C., & Montello, D. R. (1994). Updating after rotational and translational body movements: coordinate structure of perspective space. *Perception*, 23, 1447–1455.
- Robertson, J. S., Forte, J. D., & Nicholls, M. E. R. (2015). Deviating to the right: Using eyetracking to study the role of attention in navigation asymmetries. *Attention, Perception, & Psychophysics*, 77(3), 830–843.
- Santoro, I., Murgia, M., Sors, F., & Agostini, T. (2017). Walking reduces the gap between encoding and sensorimotor alignment effects in spatial updating of described environments. *Q. J. of Exp. Psychology*, 70(4), 750-760.
- Tversky, B. (2003). Navigating by mind and by body. In *Spatial cognition iii* (pp. 1–10). Springer Berlin Heidelberg.
- Waller, D., & Hodgson, E. (2006, Jul). Transient and enduring spatial representations under disorientation and self-rotation. *J Exp Psychol Learn Mem Cogn*, 32(4), 867–882.
- Wang, R. F. (2017). Spatial updating and common misinterpretations of spatial reference frames. *Spatial Cognition & Computation*, 17(3), 222-249.
- Weisman, J. (1981). Evaluating architectural legibility: Way-finding in the built environment. *Environment and Behavior*, 13(2), 189-204.
- Wiener, J. M., Holscher, C., Buchner, S., & Konieczny, L. (2012). Gaze behaviour during space perception and spatial decision making. *Psych. Research*, 76, 713-729.
- Woodbury, R. (2010). *Elements of parametric design*. London: Routledge.
- Zacks, J. (2008, 02). Neuroimaging studies of mental rotation: A meta-analysis and review. *Journal of cognitive neuroscience*, 20, 1-19.
- Zhang, H., Mou, W., & McNamara, T. P. (2011). Spatial updating according to a fixed reference direction of a briefly viewed layout. *Cognition*, 119(3), 419 - 429.