Substrates of Human Prediction Error

Title: Substrates of Human Prediction Error for Incentives, Perception, Cognition, and Action

Corlett, P.R.^{1^}, Mollick, J.A.^{1^}, Kober, H.¹

1. Yale University, Department of Psychiatry, New Haven, CT.

[^] These authors contributed equally

Correspondence: philip.corlett@yale.edu, Jessica.mollick@yale.edu, hedy.kober@yale.edu

Abstract: Prediction errors (PEs) are a keystone for computational neuroscience. Their association with midbrain neural firing has been confirmed across species and has inspired the construction of artificial intelligence that can outperform humans. However, there is still much to learn. Here, we leverage the wealth of human PE data acquired in the functional neuroimaging setting in service of a deeper understanding, using meta-analysis. Across 264 PE studies that have focused on reward, punishment, action, cognition, and perception, consistent with domain-general theoretical models of prediction error we found midbrain PE signals during cognitive and reward learning tasks, and an insula PE signal for perceptual, social, cognitive, and reward prediction errors. There was evidence for domain specific error signals – in the visual hierarchy during visual perception, and the dorsomedial prefrontal cortex during social inference. This organization of computation by region will be invaluable in building and testing models of cognitive function and dysfunction in machines, humans, and other animals.

Summary of Significance

We report the largest meta-analysis of functional neuroimaging studies of prediction error (PE) to date. Domain-general PEs were instantiated in the striatum, and insula. These signals were present across all task types, and they appear to reflect the existence of a core circuit, which sustains a more diverse range of predictive modeling capacities. More difficult inferences, which require prospection and counterfactual thinking, engaged this core circuit as well as dlPFC. Social PEs were primarily handled by the domain-general precision-weighted PE circuit, but they also engaged dmPFC. Perceptual PEs engaged the core insula-striatal circuit, while also engaging the visual perceptual hierarchy. And finally, instrumental PEs – requiring agency attribution – engaged this core circuit as well as parietal cortex – damage to which can lead to denial of agency. Establishing how these domain-general and domain-specific PE signals interact – with bespoke tasks, connectivity analyses, animal, and computational models – will be key to understanding perception, cognition, comportment, and their perturbation in psychiatric and neurological illnesses.

INTRODUCTION

The reward prediction error (PE) signal recorded in area A10 of the primate midbrain codes a mismatch between expected and experienced reward. This signal updates value expectations, drives action selection (Schultz et al., 1997), and conforms to the tenets of reinforcement learning theory. It has been measured with invasive recordings in rodents (Pan et al., 2005; Cohen et al., 2012), primates (Schultz et al., 1997) and humans (Zaghloul et al., 2009), and studied extensively with non-invasive functional magnetic resonance imaging (fMRI) in humans (Garrison et al., 2013).

Recently the scope of PE has broadened beyond incentive learning, to predictive coding schemes for perceptual inference and learning (Iglesias et al., 2013), social learning (Behrens et al., 2008), language (Brown and Kuperberg, 2015), and causal beliefs (Corlett et al., 2004). Here perception, cognition, and action are cast in terms of PE driven inference. These broader applications have also been the focus of numerous fMRI studies.

We conducted a quantitative meta-analysis of studies of reward PE and PE cast more broadly.

With meta-analysis of fMRI data we integrate findings from multiple independent studies reporting activation associated with a particular cognitive process (Kober and Wager, 2010), in this case PE. Since functional imaging studies can be expensive, sample sizes are often limited, which severely limits the statistical power to detect true responses. Overall, this has undermined confidence in the venture of cognitive neuroscience (Kober and Wager, 2010). Our solution involves statistically summarizing across reported coordinates that represent PE signals across tasks while weighting the contribution of each study by its quality and sample size (Kober and Wager, 2010), in order to learn how and where varieties of PE are instantiated in the human brain. Specifically, we sought to discern whether there are domain-

general PE or outcome-specific nodes and circuits, and, when considered in aggregate, the burgeoning literature on human reward PE might yield insights into the relevance of PE theory across tasks with increasing cognitive and perceptual complexity.

METHODS

Search strategy and study selection. The Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) system guided our search and selection process (see Figure 1). We conducted several searches on Google Scholar, with the following search terms: (1) “predic* AND error* AND (fMRI OR imaging OR neuroimaging) AND (learning OR conditioning)”, and (2) “reinforcement AND (fMRI OR imaging OR neuroimaging) AND (learning OR conditioning).” Searches were conducted for each year separately between 1999-2018, with publication date restricted to December 2018 at the latest. We first reviewed abstracts, and excluded those that were deemed irrelevant (e.g., animal data only, reviews, etc). Full text papers were then read by two authors (JAM & PRC) to determine final inclusion/exclusion. Once we had determined inclusion for the identified papers, we selected 13 of the most highly-cited included papers, searched for papers that cited them (i.e., forward search) and examined those papers for inclusion. We also searched through reference sections of previously published meta-analyses, reviews, and papers identified by searching Neurosynth (Neurosynth.org) for the terms (“prediction AND error” and “reinforcement AND learning”). Across all of these searches, 38,831 abstracts were identified, including 26,106 from the searches and 12,725 from other sources. After removing duplicates, 24,751 abstracts were reviewed, and 574 full-text papers were evaluated for inclusion. Of those, 263 papers were included in analyses, contributing 464 independent contrasts, and representing 6,454 participants.

Only published, peer-reviewed, original research articles were considered for inclusion. Studies that were included met the following criteria: (1) They enrolled human adult participants 18-65; (2) They

Substrates of Human Prediction Error

measured cerebral blood flow using BOLD-fMRI; (3) They provided standard Talairach or Montreal Neurologic Institute (MNI) coordinates; (5) They used the image subtraction/contrast methodology or parametric modeling (using computational model parameters) to determine activation foci; and (6) They reported activation foci corresponding to PEs. Activation foci were deemed to be PEs if they (a) corresponded to the PE parameter of a computational model, or, (b) captured the effects of unpredicted reward/punishment, unexpected perceptual/motor occurrences, violations of beliefs, or unexpected feedback.

In the absence of PE data, we excluded studies that focused on the anticipation of reward or punishment, extinction, effects of reward pleasantness, subjective value, reward modality, reward magnitude, or correlations with the value parameter or learning rate of a computational model. We also excluded any data that included clinical groups; we did include data from healthy participants enrolled in such studies if it was reported separately. We excluded studies that included drug administration, including placebo conditions, given that placebo effects may be mediated by PEs (Schenk et al., 2017). Finally, we excluded studies focused on genetic polymorphisms and their effects on PE processing.

Data extraction and reduction. For each study we included, the following information was extracted: N (number of participants contributing to each reported coordinate), xyz coordinate for each significant reported activation, coordinate system (Talairach or MNI), whether the coordinates were derived from a region of interest (ROI) or whole brain analyses, and whether statistical analyses were conducted with a random/mixed or fixed effects model. Further, we coded several fields of meta-data, including: (1) whether PE was engendered by a primary or secondary reward; (2) the specific type of outcome (e.g., social, money, points, feedback); (3) the type of computational model (e.g., Bayesian, temporal difference); (4) whether PE was positive (corresponding to an unexpected occurrence of reward or punishment), or negative (corresponding to an unexpected omission of reward or punishment); (4)

Substrates of Human Prediction Error

whether PE was signed or unsigned; (5) whether PE was calculated at the time of the cue or during the outcome; (6) whether the task involved instrumental or Pavlovian conditioning; (7) whether the study involved an appetitive, positively-valenced reward, or an aversive, negatively-valenced punishment; (8a) PE type, capturing whether it was a typical reward prediction error, or an atypical prediction error capturing a violation of beliefs; and (8b) atypical PEs were further coded as: cognitive (if expectations based on beliefs were violated, but not beliefs about rewards), effort (if expectations based on physical or cognitive effort were violated), fictive (if PE was in regards to an event that could have but did not occur or a choice that was not taken), risk (PE regarding the reward variance or its square root, standard deviation), and perceptual PEs (generated by unexpected perceptual events without explicit reward or punishment). All information was entered by one researcher and checked by the second researcher; any disagreements were discussed and resolved. Coordinates reported in Talairach space were converted to MNI space using the Tal2MNI algorithm implemented in Matlab (<http://imaging.mrc-cbu.cam.ac.uk/imaging/MniTalairach>).

Statistical analysis: We used Multilevel Kernel Density Analysis (MKDA) to analyze the distribution of peak coordinates from included studies (Kober and Wager, 2010). This method has been used in numerous published meta-analyses (e.g., Bartra et al., 2013; Mende-Siedlecki et al., 2013; Lindquist et al., 2016), including our own prior work (e.g., Kober et al., 2008; Buhle et al., 2014). Coordinates from each included contrast were plotted on the standard brain, then convolved with a 10mm spherical kernel to create a map of voxels within 10mm of the peak reported for that contrast. This resulted in a “Contrast Indicator Map” (CIM), which marked a value of 1 for voxels within the kernel, indicating activation near this voxel, or a value of 0 for voxels outside of the kernel, indicating no activation near this voxel. Next, a density map was obtained across all contrasts by taking a weighted average of the CIMs, whereby weights are the square root of the sample size for each contrast, weighing larger studies

more heavily. Studies that used fixed effects analyses were down-weighted (.75). This created an interpretable meta-analytic statistic (P) at each voxel, representing the weighed proportion of contrasts that activate within 10mm of each voxel. These results were then thresholded using Monte-Carlo (MC) simulation: we compared the meta-analytic statistic (P) with a null-hypothesis density (P_0) estimated via simulation. The null hypothesis was a uniform random distribution of peaks within each contrast in the gray-matter mask of the standard brain. For each CIM, we identified contiguous activation clusters of suprathreshold voxels. In each of 5000 MC iterations, the spatial location of the activation clusters was selected at random within a gray-matter mask. Shape of the activation blobs was held constant. After each MC iteration, the maximum cross-density statistic (P) over the whole brain was saved. To threshold the images, we then derived a critical Familywise Error (FWE) rate by determining the weighted cross-density statistic (P) that exceeds the whole brain maximum in 95% of the MC maps, controlling for the chance of seeing false positives at $p < .05$ corrected. After each MC iteration, the largest cluster of contiguous voxels was saved, and we set a cluster extent threshold at the 95% percentile across iterations, following “cluster extent-based” multiple comparison correction (Friston et al., 1994). The results in the paper represent (1) Meta analysis across all included studies; (2) Meta-analyses across subsets of included contrasts (e.g., those coded as [signed PEs]); (3) Meta-contrasts that compare subsets of contrasts (e.g., [appetitive > aversive]); and (4) formal conjunctions of separate meta-analytic maps (e.g., [signed and unsigned prediction error]; see below for additional information). Identical thresholding procedures were applied across these analyses: first, images were thresholded at a voxel-wise threshold of $p < .001$, and then we thresholded them with a cluster-extent threshold at a level of $p < .05$, FWE, determined with the MC procedure described above.

We created conjunction images using the minimum statistic method (Friston et al., 1999) with the weighted cross-density statistic (P). Each individual map contributing to the conjunction was

independently thresholded at a level of $p < .05$, FWE using bootstrapping. Then, we calculated a formal conjunction across independently thresholded images. That is, voxels were included in the conjunction image only if activity exceeded the corrected threshold in all of the contributing maps. The conjunction map was thresholded with the minimum cluster threshold that exceeded $p < .05$, FWE.

RESULTS

Overall, we included data from 464 contrasts from 263 papers, representing 6,454 participants.

Omnibus Contrast

Across all 464 contrasts from 263 included papers encompassing reward, punishment, cognition, perception, and actions, we found consistent PE related signals in the midbrain, dorsal and ventral striatum, thalamus, amygdala, insula, claustrum, dorsolateral prefrontal cortex (dlPFC), ventrolateral PFC (vlPFC), parietal cortex, precuneus, orbitofrontal and medial prefrontal cortex, occipital cortex, and posterior and anterior cingulate (Fig. 1, Table S1), consistent with neural recording in rodents and primates.

We delineate the shared and distinct correlates of reward PE and PE for other dimensions (like perception, cognition, and action) through conjunctions (shared processing) and contrasts (distinct processing), although of course we are unable to make assertions about individual neurons, as voxels and brain regions are our units of analysis.

Primary versus Secondary Rewards

Substrates of Human Prediction Error

We examined PEs for primary reinforcers (like juice, Fig. 2A, Table S2A) compared to secondary reinforcers (like money, Fig 2B, Table S2B). To the extent that these are coded relative to some ‘common currency’ value function, they ought to share processing loci (Levy and Glimcher, 2012). On the other hand, other relevant features like motivational state and degree of experience with the reinforcer may generate differential brain representation of primary versus secondary rewards. Formal conjunction analysis revealed that PE for both primary and secondary rewards engaged both dorsal and ventral striatum, midbrain, and insula and vIPFC (Fig. 2D, Table S2E). This is consistent with a “common currency” account.

However, when we compared them, primary rewards more consistently induced PEs in the dorsal striatum, amygdala, parahippocampal gyrus, claustrum and insula, anterior cingulate, vIPFC, dmPFC, and supplementary motor area than secondary (Fig. 2C, Table S2C). Secondary rewards more consistently engaged the ventral striatum and subgenual cingulate (Fig. 2C, Table S2D).

Further, comparing regions that were engaged more with points than money revealed PEs for points more commonly engaged the ventral striatum, thalamus, medial PFC, and subgenual cingulate (Figure S4, Table S11A), while regions that were more engaged with money than points included the subgenual cingulate extending into OFC, and distinct regions of dorsal and ventral striatum (Fig. S4, Table S11B).

Appetitive and Aversive

There are other observations from basic pre-clinical work that contradict a strict value interpretation of dopamine PE signaling. For example, the same neurons respond to unpredictability in the absence of reward. There may be differential downstream processing of value versus salience or surprise (Bromberg-Martin et al., 2010). Our analyses are sensitive to this possibility.

Indeed, dopamine neurons encode PEs for aversive events. Some dopamine neurons respond to both unexpected punishments and rewards (Matsumoto and Hikosaka, 2009). However, dopamine neurons are suppressed by aversive events, regardless of whether the punishment was predicted (Fiorillo, 2013). We delineate the common and unique computational architectures of aversive and reward PEs in human fMRI studies, in order to shed light on these issues.

Brain regions encoding appetitive PE included vIPFC, both dorsal and ventral striatum, amygdala, thalamus, midbrain, bilateral insula, medial PFC (mPFC), anterior and posterior cingulate, and vIPFC (Fig. 3A, Table S3A). Aversive PEs were encoded in insula, claustrum, vIPFC, supplementary motor area, dorsomedial PFC (dmPFC), precuneus, both dorsal and ventral striatum, midbrain, amygdala, parahippocampal gyrus, thalamus, and subgenual cingulate (Fig. 3B, Table S3B).

Formal conjunction analysis revealed both appetitive and aversive PEs engaged the midbrain and dorsal and ventral striatum, amygdala, parahippocampal gyrus, insula, cingulate, claustrum, and vIPFC (Fig. 3D, Table S3E). However, contrasting appetitive with aversive PE, we found more consistent appetitive PE responses in dmPFC, mPFC, subgenual cingulate, posterior cingulate, parietal lobe, and both dorsal and ventral striatum (Fig 3C, Table S3C). There was more activity for aversive vs. appetitive PEs in the vIPFC, insula, claustrum, dmPFC, anterior cingulate, a more posterior region of the midbrain, as well as distinct regions of dorsal and ventral striatum, amygdala, hippocampus, and thalamus. (Fig. 3C, Table S3D).

Perceptual and Cognitive Prediction Error

Substrates of Human Prediction Error

We delineated the intersection between neural implementations of these perceptual and cognitive PEs and tested whether regions of the dopamine system – considered to mediate canonical reward computations – likewise underpin learning about perceptual and cognitive states.

Computing a conjunction across typical reward, perceptual, and cognitive PEs revealed PE signals in the ventral striatum, dorsal striatum, pallidum, insula, and vIPFC (Fig. 4D, Table S4D).

Predictive processing models of the mind and brain posit a cost function not for value but for state transitions. Recent preclinical work suggests that dopamine neurons also encode decision confidence in a perceptual task (Lak et al., 2017). Under predictive processing, sensory hierarchies, like the visual system, ought to compute and exhibit PEs. Indeed, this is what we observe, when perceptual PE studies (largely visual due to the sound energy generated by the MRI scanning procedure) are considered alone; PEs span the visual cortical hierarchy (Fig. 4D, Table S4B). However, it is unclear whether reward and perceptual prediction errors are computed by the same systems. Some theories suggest they are identical (Friston et al., 2012). To test for such overlap, we computed a formal conjunction of perceptual and typical reward PEs (Figure S3A, Table S4D). This revealed overlapping activity in the dorsal and ventral striatum, thalamus, and insula.

Instrumental and Pavlovian Prediction Error

Organisms learn passively from the environment (Pavlovian), and actively from the consequences of their actions (Instrumental) (Dickinson, 2002). We computed meta-analytic contrasts for the neural correlates of Instrumental and Pavlovian PEs separately, compared them, and assessed their intersection.

Substrates of Human Prediction Error

Instrumental PEs engaged the dorsal and ventral striatum, insula, midbrain, and frontal regions including vIPFC, dmPFC, mPFC, anterior and posterior cingulate, parietal regions, and occipital gyrus (Fig. 5A, Table S5A). Pavlovian PEs engaged dorsal and ventral striatum, midbrain, anterior cingulate, amygdala, thalamus, insula, and vIPFC extending into OFC (Fig 5B, Table S5B). The contrast of instrumental PEs vs. Pavlovian PEs revealed that instrumental PEs were associated with activity in dorsal and ventral striatum, anterior cingulate, posterior cingulate, dorsomedial PFC, frontal eye field and parietal cortex (Fig. 5C, Table S6C). Pavlovian PEs were more likely to be associated with activity in amygdala, parahippocampal gyrus, putamen, insula, thalamus, dlPFC, dmPFC, precentral gyrus, a distinct region of cingulate gyrus, and temporal and occipital regions (Fig. 5C, Table S5D). A conjunction revealed dorsal and ventral striatum, pallidum, midbrain and insula (Fig. 5D, Table S5E).

Formal conjunction confirmed substantial overlap between Instrumental versus Pavlovian learning and appetitive versus aversive PEs (Supplementary Fig 5, Table S12). This may speak to the relative importance of positive versus negative reinforcement in action selection. However, we favor a more mundane explanation: human functional neuroimaging studies of instrumental learning rarely employ negative outcomes. Pavlovian conditioning studies in human participants often employ aversive outcomes (in order to explore translation from rodents to humans). The apparent similarity between instrumental and appetitive PEs with Pavlovian and aversive PEs may be a function of prevailing study designs and experimental trends. Using a chi-squared test, we found that valence labels (appetitive and aversive) were differentially related to the instrumental and Pavlovian labels ($\chi^2=11.77$, $p = .0006$). Specifically, the odds of Instrumental studies being appetitive compared to Pavlovian studies were 3.48 to 1 [95% CI=1.72,7.10; relative risk: 1.55, 95% CI=1.16,2.08].

Active Inference?

Substrates of Human Prediction Error

Some predictive coding accounts posit a PE minimization mechanism for one's actions and their impact upon perception. Active inference accounts suggest that actions that minimize PEs are selected (Friston, 2009). The conjunction of Pavlovian, Instrumental, and Perceptual PE thus defines possible common circuits for active inference – the process through which PEs are minimized and actions are selected. This analysis revealed claustrum, bilateral insula extending into OFC, and dorsal and ventral striatum (Fig. S1, Table S9).

Precision-Weighted and Social Prediction Error

Some accounts center on the precision of PE – formally its inverse variance or uncertainty weighting – PEs contribute to learning to the extent that they are reliable. We compare and contrast the circuits underlying PEs with and without precision-weighting (Fig S2). In formal associative learning theory, there are models that track signed PEs – PEs that have a positive or negative sign – and others that track unsigned PEs. The latter type come in at least two flavors; models where the unsigned error increases cue processing, associability, and learning (Pearce and Hall, 1980), and those where it decreases them (Mackintosh, 1975). None of the papers in our meta-analysis fell in this latter category. All the papers that employed unsigned PE modeled errors to increase learning rates; thus, we consider them precision-weighted PE in the sense of predictive processing accounts (i.e., that they weight the impact of PE by its variability).

Signed and unsigned (precision-weighted) PE signals overlapped in human fMRI data. Both signed and unsigned PEs were associated with consistent activity in the midbrain, dorsal and ventral striatum, insula, supplementary motor area, and frontal eye field (Fig. S2D, Table S8E). However, comparing signed to unsigned PEs revealed more activity in dorsal and ventral striatum, pallidum, medial PFC, and anterior and posterior cingulate for signed PEs, while unsigned PEs were associated with more

Substrates of Human Prediction Error

consistent activations in cerebellum, dlPFC, dmPFC and a distinct cingulate region, supplementary motor area, supramarginal gyrus, parietal regions, middle temporal gyrus, claustrum, and disparate regions of insula compared to signed PEs (Fig. S2C, Table S8C).

These findings may also inform the mechanisms of social inference. At issue is whether there are dedicated, informationally encapsulated, social modules in the mind and brain (Adolphs, 1999). Alternatively, social inference may, through phylogeny, have co-opted precision-weighted inference mechanisms and turned them towards the difficult and ill-posed problem of social inference. We computed the intersection between regions evincing PEs during social tasks, and those reflecting non-social PEs, and in particular precision-weighted PEs. We found extensive overlap (Fig. 6D, Table S6C). Dorsal and ventral striatum, pallidum, vlPFC, orbitofrontal cortex, and insula appeared in the intersection between social and precision-weighted non-social PEs.

We also found relatively more activation for social PEs than other reward PEs in subgenual cingulate, dmPFC, insula, ventrolateral PFC, parietal lobe, and ventromedial and orbitofrontal PFC (Figure 6C). Notably, these regions are not unique to social processes or to social PEs (Zaki et al., 2016; Lockwood et al., 2020), although recent single-unit recordings in human dmPFC during performance of a ‘theory of mind’ task did show selectivity for prediction errors about others’ beliefs, there were neurons that were selective for sensory PEs and neurons sensitive both to violations of others’ belief states and sensory states too (Jamali et al., 2021). In our analyses, a contrast comparing reward PEs to social PEs showed regions including dorsal and ventral striatum, anterior and posterior cingulate, orbitofrontal cortex, a distinct region of mPFC, thalamus, parietal lobe, midbrain, and parahippocampal gyrus were more engaged for reward PE.

Midbrain PEs

Like many functional imaging studies, and fMRI meta-analysis, we employed FWE cluster extent thresholding. It affords sensitivity to weak and diffuse signals, but has poor spatial specificity, which is problematic for smaller regions, like the midbrain. We did observe midbrain PE signals in our omnibus analysis, as well as for reward PE, and cognitive PE, even with this thresholding approach. However, we wanted to explore the extent to which midbrain PE was present across task domains. When we focus on the midbrain and relax the cluster extent threshold, we observe midbrain PE responses for perceptual and social tasks as well (Fig S6A, Fig S7A).

Regions of Interest vs. Whole Brain Analyses

Limiting analyses to *a-priori* regions of interest (ROIs) is a common practice in functional neuroimaging. In PE studies, masking often focuses on striatal and midbrain regions. There is nothing erroneous about this approach, however, it runs the risk of the *Drunkards Search Principle* – people search where it is easiest to look (e.g., reasonably, where others have looked, or where theoretically plausible). The anecdote is as follows: a policeman encounters a drunk man in the dark, searching for his lost keys. When asked why he is searching under the lamp-post for the keys, the drunk man responds, “*Because that is where the light is*”. Whilst there is a wealth of *a-priori* preclinical data to support searching for reward PEs in the striatum, doing so may have led our field to ignore other sources of reward PE in the human brain. To explore this possibility, we compared activations from contrasts that employed *a-priori* ROIs with those that did not. Results from whole-brain contrasts consistently reported PE signals in the dlPFC, mPFC, parietal, and visual cortices more so than studies that employed ROI masks that were often limited to the basal ganglia and midbrain (Fig. 7A, Fig. 7B). A contrast comparing PEs from whole brain compared to ROI analyses showed widespread cortical and subcortical regions, including medial

and lateral PFC, insula, parietal regions, and temporal and occipital cortex (Figure 7C). This has important methodological and functional implications.

DISCUSSION

We conducted the most comprehensive meta-analysis of fMRI studies of PE to date. Previous meta-analyses examined signed and unsigned PEs (Fouragnan et al., 2018), Pavlovian and instrumental learning (Garrison et al., 2013; Chase et al., 2015; D’Astolfo and Rief, 2017), as well as outcome type and valence (Garrison et al., 2013; Chase et al., 2015). However, we consider all of these tasks concurrently, and span a broader time-period.

Domain General Prediction Error

Considering all of our conjunction analyses (Figs. 2D, 3D, 4D, 5D, 6D, purple), it appears there is a core circuit that processes prediction errors across domains incorporating dorsal and ventral striatum, and insula. We conceptually replicate Sharpe and colleagues (Sharpe et al., 2017), wherein midbrain dopamine neurons respond to violations of causal and perceptual expectation. We observed these signals in the striatum, particularly when we examined the intersection between Pavlovian, Instrumental and perceptual PE signals. Such shared mechanisms have long been hypothesized (Barlow, 1990). Our findings further cement the associations between PEs, learning and perception.

Domain Specific Prediction Error

Consistent with predictive processing accounts of vision (Rao and Ballard, 1999; Friston, 2005) – we observed perceptual PE signals spanning the visual processing hierarchy.

Outcome Domains

There appeared to be regionally compartmentalized PEs for primary and secondary rewards. Primary rewards elicited PEs in the dorsal striatum and amygdala, while secondary reward more frequently induced PEs in the ventral striatum. This is consistent with the representational transition within the basal ganglia that occurs with learning (Haber et al., 2000). Indeed, secondary rewards like money are conditioned reinforcers, they are only worth what we believe they are worth from their association with primary reinforcers.

We also found separable PEs for valence domains: caudal regions of the caudate-putamen, rather than ventral striatum, are involved in the learning of safety signals and avoidance learning (Josselyn et al., 2005; Rogan et al., 2005; Menegas et al., 2018), more anterior striatum is selective for rewards, while more posterior is selective for losses (Seymour et al., 2007). We found posterior midbrain aversive PE, consistent with preclinical findings that dopamine neurons – which respond to negative valence – are located more posteriorly in the midbrain and project to medial prefrontal regions (Lammel et al., 2012). Additionally, we found both appetitive and aversive PEs in the amygdala, consistent with animal studies (Belova et al., 2007). The presence of both appetitive and aversive PE signals in the amygdala is consistent with its expanding role regulating learning based on surprise and uncertainty (Roesch et al., 2010) rather than fear per se.

Agency

The core PE circuit, in service of homeostasis (Barrett and Simmons, 2015; Dohmatob et al., 2020), may be generating predictions from a model of self-state, which might contribute to the computation of agency for outcomes - perhaps mediated by the parietal cortex PE signals we report (Buchholz et al., 2019). The more surprising the consequences of an action, the less likely one will perceive agency for it

(Frith, 2005). Parietal PEs are consistent with its role in credit assignment in rodents and in humans (Ohata et al., 2020). Experimental manipulations and clinical damage to parietal cortex perturb the sense of bodily agency (Ritterband-Rosenbaum et al., 2014; Khalighinejad and Haggard, 2015) and ownership (Sirigu et al., 1999). In addition, the cerebellum is held to be a generator of internal or forward models for motor control and the attribution of agency (Ito, 2008). The cerebellum is notable in one of our findings. We found that the cerebellum encodes unsigned PEs, aligning with direct neural recordings (Wagner et al., 2017).

Precision weighting of PE has been increasingly emphasized, wherein PEs are accommodated or assimilated depending on their inverse variance. The core PE circuit seems to deal in precision-weighted as well as signed PE (Fig. 7B, Fig. S2). The human insula has consistently been implicated in precision weighting of reward (Preuschoff and Bossaerts, 2007; Schultz et al., 2008; Preuschoff et al., 2013) and perceptual PEs (Powers et al., 2017). We confirmed these associations.

A Social Domain?

The extensive overlap between precision weighted PEs (across domains) and social PEs (a specific domain, Fig. 7D) is consistent with the idea that social and non-social inferences share underlying cognitive and neural machinery. Indeed, that the social vs. other reward PE contrast revealed regions that were more engaged by social PEs, but also somewhat engaged by reward PEs more broadly (Fig. 7C), is instructive. To establish specificity of social functions, Lockwood et al argue: "*For a process to be socially specific, there must be dissociation between social and non-social in algorithm or implementation, and domain-general processes must be ruled out*" (Lockwood et al., 2020). Here, we found domain-general precision-weighting had algorithmic and implementational overlap with social inference, consistent with the idea that social inferences tax the general inference machinery, rather

than engaging a separate social processing module. We did, however, find greater responses to social than non-social PE in the dmPFC (Fig. 7C), consistent with the engagement of this region during theory of mind tasks (Gallagher and Frith, 2003) and single unit recording (Jamali et al., 2021). It is possible that this region represents PEs specific to the social domain, although this was not clearly the case at the single neuron level (Jamali et al., 2021) or in our data. Some theories of cognitive function and dysfunction posit domain-specific mechanisms (Raihani and Bell, 2019). Others hypothesize more domain-general processes (Reed et al., 2020). The involvement of social versus non-social PE signals in some phenomenon of interest might serve as a means of adjudicating between theories.

ROI Practices

Our data speak to ‘region of interest’ practices in functional neuroimaging. Many of the extra-striatal PE signals that we report may have been previously ignored because of the practice of a-priori ROI masking. The field had strong expectations of basal-ganglia and midbrain PE based on the preclinical electrophysiology. Initially, it was important for the translational thrust of this work to confirm the presence of these signals in the human brain by focusing specifically on those regions. However, such an approach has failed to capitalize on one of the strengths of functional neuroimaging; namely that we can acquire an image of the whole brain every few seconds (Moeller et al., 2010). Analyses that explored PE signals outside of the narrow striatal field of view tended to report PEs in the lateral frontal, parietal, and visual cortices. Based on circumscribed cognitive ontologies, researchers may have attributed these cortical signals to differences in the salience or cognitive demands of surprising events. With the advent of broader applications of PE, those extra-striatal PEs are more understandable.

Conclusion

Taken together, these results provide insights into animals, humans, and machines. Preclinical researchers might search for the more nuanced extra-striatal PEs we found, targeting homologous structures in animal brains. Human researchers might use these maps to choose tasks, analyses, or a

priori circuits of interest to study, should they have specific questions or suspect particular PE dysfunctions in illness. Further, by delineating which algorithms might be implemented in the human brain, and how, we believe our data may be relevant to the development of artificial intelligence inspired by human neural and cognitive mechanisms and vice versa (Marblestone et al., 2016; Richards et al., 2019). More broadly, we are excited to answer critics of fMRI by offering some concrete examples of how functional imaging data can inform models of brain and cognitive function and proffer new testable predictions.

Data Availability Statement

All maps featured (included in the figures and described in the text) are available on Neurovault (<https://neurovault.org/collections/IMXQLEGV/>). These may be used to generate region of interest masks for each feature, comparison, or conjunction. Tables of coordinates for each contrast and conjunction are available on the Open Science Framework (OSF, https://osf.io/6nuw7/?view_only=6fa6a080c3434409a07100f7c8088d87), as well as in supplementary information.

ACKNOWLEDGEMENTS JAM and HK were supported by R01 DA043690. PRC was supported by R21MH116258 and R01MH12887. This work was supported by the Yale University Department of Psychiatry, the Connecticut Mental Health Center (CMHC) and Connecticut State Department of Mental Health and Addiction Services (DMHAS). The funders had no role in study design, data collection and analysis, decision to publish or preparation of the manuscript.

CONFLICTS The authors declare no conflicts or competing interests.

Figure 1:

Substrates of Human Prediction Error

PE signals were found in the midbrain, striatum, thalamus, insula, claustrum, dorsomedial prefrontal cortex, ventrolateral PFC, dorsolateral prefrontal cortex (dlPFC), parietal cortex, precuneus, orbitofrontal cortex, occipital cortex, and anterior cingulate.

Figure 2:

- A) PE for primary rewards engaged a wide network including dorsal and ventral striatum, anterior cingulate, ventrolateral PFC, claustrum, insula.
- B) PE for secondary rewards engaged a wide network including medial PFC, anterior cingulate, parietal cortex, dorsal and ventral striatum and insula.
- C) Comparing regions encoding primary versus secondary reward PEs revealed greater amygdala, cingulate gyrus, ventrolateral PFC, and insula engagement for primary than secondary reward PEs (orange). Secondary reward PE compared to primary reward PE consistently engaged the ventral striatum and medial frontal cortex (blue).
- D) Formal conjunction analysis revealed that PE for both primary and secondary rewards engaged both dorsal and ventral striatum, midbrain, and insula and ventrolateral PFC.

Figure 3:

- A) Appetitive PEs engaged medial PFC, anterior cingulate and posterior cingulate, ventrolateral PFC, dorsal and ventral striatum, midbrain and pallidum.
- B) Aversive PEs were encoded in insula, claustrum, ventrolateral PFC, dorsomedial PFC, midbrain, both dorsal and ventral striatum and anterior cingulate.
- C) Contrasting appetitive with aversive PE, we found stronger appetitive PE responses in the medial prefrontal cortex (including subgenual cingulate), anterior cingulate, posterior cingulate

and both dorsal and ventral striatum (orange). There was more activity for aversive vs.

appetitive PEs in the amygdala, insula, and distinct regions of dorsal and ventral striatum (blue).

- D) Formal conjunction analysis revealed both appetitive and aversive PEs engaged regions including the midbrain and striatum, amygdala, insula, subgenual cingulate and ventrolateral PFC.

Figure 4:

A) Typical PE engaged anterior cingulate, ventral and dorsomedial PFC, posterior cingulate, striatum, midbrain, and insula.

B) Cognitive PE engaged dorsomedial and ventromedial PFC, striatum, midbrain, and ventrolateral PFC.

C) Perceptual PE engaged dorsolateral PFC, parietal cortex, striatum, and middle temporal gyrus, superior temporal gyrus, supramarginal gyrus and parietal lobe.

D) A conjunction across typical reward, perceptual, and cognitive PEs revealed PE signals in regions including the ventral and dorsal striatum, pallidum, insula and ventrolateral PFC.

Figure 5:

A) Instrumental PEs engaged the dorsal and ventral striatum, insula, midbrain, and frontal regions including ventromedial and dorsomedial PFC, ventrolateral PFC, anterior and posterior cingulate and parietal regions.

B) Pavlovian PEs engaged dorsal and ventral striatum, midbrain, anterior cingulate, amygdala, thalamus, parietal regions, insula and inferior frontal gyrus.

C) The contrast of instrumental PEs vs. Pavlovian PEs revealed that instrumental PEs were associated with activity in ventral striatum, anterior cingulate cortex, posterior cingulate,

Substrates of Human Prediction Error

517 midbrain, dorsomedial PFC, dorsolateral PFC, precentral gyrus, precuneus, and parietal
518 cortex (orange). Pavlovian PEs were more likely to be associated with activity in amygdala,
519 putamen, insula, thalamus, a distinct region of cingulate gyrus, and temporal and occipital
520 regions (blue).

521 D) A conjunction revealed striatum, midbrain, insula, and parietal regions.

522

523 **Figure 6:**

524 A) Social PE engaged medial PFC, dorsomedial PFC, dorsal and ventral striatum, and insula.

525 B) Unsigned PE showed activity in the dorsomedial PFC and anterior cingulate, dorsal and
526 ventral striatum, midbrain, insula, middle frontal gyrus, precentral gyrus and inferior frontal
527 gyrus.

528 C) We also found relatively more activation for social PEs than other reward PEs in the anterior
529 cingulate, ventromedial PFC, dorsomedial PFC, and parietal lobe, and ventrolateral PFC (orange).
530 Regions including dorsal and ventral striatum, subgenual cingulate and posterior cingulate, and
531 parietal lobe, showed more activity for non-social than social rewards (blue).

532 D) We computed the intersection between regions evincing PEs during social tasks, and those
533 reflecting non-social PEs, and in particular, precision-weighted PEs. Regions including caudate,
534 ventrolateral PFC, dorsomedial PFC and insula appeared in the intersection between social and
535 precision-weighted, non-social PEs.

536

537 **Figure 7:**

538 A) Results from whole-brain analyses consistently reported PE signals in the dorsolateral
539 prefrontal, parietal, and visual cortices, along with striatum, amygdala, anterior and
540 posterior cingulate, insula, medial PFC and midbrain.

- 541 B) Studies that employed ROI masks that were often limited to the basal ganglia and midbrain.
- 542 C) The contrast of whole-brain analyses compared to ROI analyses revealed activity in many
- 543 regions, including medial and lateral PFC, insula, parietal cortex, temporal lobe and visual
- 544 cortex.
- 545
- 546
- 547 Adolphs R (1999) Social cognition and the human brain. *Trends in cognitive sciences* 3:469-479.
- 548 Barlow H (1990) Conditions for versatile learning, Helmholtz's unconscious inference, and the
- 549 task of perception. *Vision Res* 30:1561-1571.
- 550 Barrett LF, Simmons WK (2015) Interoceptive predictions in the brain. *Nat Rev Neurosci* 16:419-
- 551 429.
- 552 Bartra O, McGuire JT, Kable JW (2013) The valuation system: a coordinate-based meta-analysis
- 553 of BOLD fMRI experiments examining neural correlates of subjective value. *Neuroimage*
- 554 76:412-427.
- 555 Behrens TE, Hunt LT, Woolrich MW, Rushworth MF (2008) Associative learning of social value.
- 556 *Nature* 456:245-249.
- 557 Belova MA, Paton JJ, Morrison SE, Salzman CD (2007) Expectation modulates neural responses
- 558 to pleasant and aversive stimuli in primate amygdala. *Neuron* 55:970-984.
- 559 Bromberg-Martin ES, Matsumoto M, Hikosaka O (2010) Dopamine in motivational control:
- 560 rewarding, aversive, and alerting. *Neuron* 68:815-834.
- 561 Brown M, Kuperberg GR (2015) A Hierarchical Generative Framework of Language Processing:
- 562 Linking Language Perception, Interpretation, and Production Abnormalities in
- 563 Schizophrenia. *Front Hum Neurosci* 9:643.
- 564 Buchholz VN, David N, Sengelmann M, Engel AK (2019) Belief of agency changes dynamics in
- 565 sensorimotor networks. *Sci Rep* 9:1995.
- 566 Buhle JT, Silvers JA, Wager TD, Lopez R, Onyemekwu C, Kober H, Weber J, Ochsner KN (2014)
- 567 Cognitive reappraisal of emotion: a meta-analysis of human neuroimaging studies.
- 568 *Cerebral cortex* 24:2981-2990.
- 569 Chase HW, Kumar P, Eickhoff SB, Dombrovski AY (2015) Reinforcement learning models and
- 570 their neural correlates: An activation likelihood estimation meta-analysis. *Cognitive,*
- 571 *affective, & behavioral neuroscience* 15:435-459.
- 572 Cohen JY, Haesler S, Vong L, Lowell BB, Uchida N (2012) Neuron-type-specific signals for reward
- 573 and punishment in the ventral tegmental area. *Nature* 482:85-88.
- 574 Corlett PR, Aitken MR, Dickinson A, Shanks DR, Honey GD, Honey RA, Robbins TW, Bullmore ET,
- 575 Fletcher PC (2004) Prediction error during retrospective revaluation of causal
- 576 associations in humans: fMRI evidence in favor of an associative model of learning.
- 577 *Neuron* 44:877-888.

- 578 D'Astolfo L, Rief W (2017) Learning about expectation violation from prediction error
579 paradigms—A meta-analysis on brain processes following a prediction error. *Frontiers in*
580 *Psychology* 8:1253.
- 581 Dickinson A, Balliène, B.W. (2002) The Role of Learning in the Operation of Motivational
582 Systems. In: *Stevens' Handbook of Experimental Psychology*.
- 583 Dohmatob E, Dumas G, Bzdok D (2020) Dark control: The default mode network as a
584 reinforcement learning agent. *Hum Brain Mapp* 41:3318-3341.
- 585 Fiorillo CD (2013) Two dimensions of value: dopamine neurons represent reward but not
586 aversiveness. *Science* 341:546-549.
- 587 Fouragnan E, Retzler C, Philiastides MG (2018) Separate neural representations of prediction
588 error valence and surprise: Evidence from an fMRI meta-analysis. *Human brain mapping*
589 39:2887-2906.
- 590 Friston K (2005) A theory of cortical responses. *Philos Trans R Soc Lond B Biol Sci* 360:815-836.
- 591 Friston KJ (2009) The free-energy principle: a rough guide to the brain? *Trends in cognitive*
592 *sciences* 13:293-301.
- 593 Friston KJ, Worsley KJ, Frackowiak RS, Mazziotta JC, Evans AC (1994) Assessing the significance
594 of focal activations using their spatial extent. *Hum Brain Mapp* 1:210-220.
- 595 Friston KJ, Holmes AP, Price C, Büchel C, Worsley K (1999) Multisubject fMRI studies and
596 conjunction analyses. *Neuroimage* 10:385-396.
- 597 Friston KJ, Shiner T, FitzGerald T, Galea JM, Adams R, Brown H, Dolan RJ, Moran R, Stephan KE,
598 Bestmann S (2012) Dopamine, affordance and active inference. *PLoS Comput Biol*
599 8:e1002327.
- 600 Frith C (2005) The neural basis of hallucinations and delusions. *C R Biol* 328:169-175.
- 601 Gallagher HL, Frith CD (2003) Functional imaging of 'theory of mind'. *Trends Cogn Sci* 7:77-83.
- 602 Garrison J, Erdeniz B, Done J (2013) Prediction error in reinforcement learning: a meta-analysis
603 of neuroimaging studies. *Neurosci Biobehav Rev* 37:1297-1310.
- 604 Haber SN, Fudge JL, McFarland NR (2000) Striatonigrostriatal pathways in primates form an
605 ascending spiral from the shell to the dorsolateral striatum. *Journal of Neuroscience*
606 20:2369-2382.
- 607 Iglesias S, Mathys C, Brodersen KH, Kasper L, Piccirelli M, den Ouden HE, Stephan KE (2013)
608 Hierarchical prediction errors in midbrain and basal forebrain during sensory learning.
609 *Neuron* 80:519-530.
- 610 Ito M (2008) Control of mental activities by internal models in the cerebellum. *Nat Rev Neurosci*
611 9:304-313.
- 612 Jamali M, Grannan BL, Fedorenko E, Saxe R, Baez-Mendoza R, Williams ZM (2021) Single-
613 neuronal predictions of others' beliefs in humans. *Nature*.
- 614 Josselyn SA, Falls WA, Gewirtz JC, Pistell P, Davis M (2005) The nucleus accumbens is not
615 critically involved in mediating the effects of a safety signal on behavior.
616 *Neuropsychopharmacology* 30:17-26.
- 617 Khalighinejad N, Haggard P (2015) Modulating human sense of agency with non-invasive brain
618 stimulation. *Cortex* 69:93-103.
- 619 Kober H, Wager TD (2010) Meta-analysis of neuroimaging data. *Wiley Interdisciplinary Reviews:*
620 *Cognitive Science* 1:293-300.

- 621 Kober H, Barrett LF, Joseph J, Bliss-Moreau E, Lindquist K, Wager TD (2008) Functional grouping
622 and cortical–subcortical interactions in emotion: a meta-analysis of neuroimaging
623 studies. *Neuroimage* 42:998-1031.
- 624 Lak A, Nomoto K, Keramati M, Sakagami M, Kepecs A (2017) Midbrain dopamine neurons signal
625 belief in choice accuracy during a perceptual decision. *Current Biology* 27:821-832.
- 626 Lammel S, Lim BK, Ran C, Huang KW, Betley MJ, Tye KM, Deisseroth K, Malenka RC (2012)
627 Input-specific control of reward and aversion in the ventral tegmental area. *Nature*
628 491:212-217.
- 629 Levy DJ, Glimcher PW (2012) The root of all value: a neural common currency for choice.
630 *Current opinion in neurobiology* 22:1027-1038.
- 631 Lindquist KA, Satpute AB, Wager TD, Weber J, Barrett LF (2016) The brain basis of positive and
632 negative affect: evidence from a meta-analysis of the human neuroimaging literature.
633 *Cerebral cortex* 26:1910-1922.
- 634 Lockwood PL, Apps MAJ, Chang SWC (2020) Is There a 'Social' Brain? Implementations and
635 Algorithms. *Trends Cogn Sci* 24:802-813.
- 636 Mackintosh NJ (1975) A theory of attention: Variations in the associability of stimuli with
637 reinforcement. *Psychological Review*.82:pp.
- 638 Marblestone AH, Wayne G, Kording KP (2016) Toward an Integration of Deep Learning and
639 Neuroscience. *Front Comput Neurosci* 10:94.
- 640 Matsumoto M, Hikosaka O (2009) Two types of dopamine neuron distinctly convey positive and
641 negative motivational signals. *Nature* 459:837.
- 642 Mende-Siedlecki P, Said CP, Todorov A (2013) The social evaluation of faces: a meta-analysis of
643 functional neuroimaging studies. *Social cognitive and affective neuroscience* 8:285-299.
- 644 Menegas W, Akiti K, Amo R, Uchida N, Watabe-Uchida M (2018) Dopamine neurons projecting
645 to the posterior striatum reinforce avoidance of threatening stimuli. *Nature*
646 *neuroscience* 21:1421-1430.
- 647 Moeller S, Yacoub E, Olman CA, Auerbach E, Strupp J, Harel N, Uğurbil K (2010) Multiband
648 multislice GE-EPI at 7 tesla, with 16-fold acceleration using partial parallel imaging with
649 application to high spatial and temporal whole-brain fMRI. *Magnetic resonance in*
650 *medicine* 63:1144-1153.
- 651 Ohata R, Asai T, Kadota H, Shigemasa H, Ogawa K, Imamizu H (2020) Sense of Agency Beyond
652 Sensorimotor Process: Decoding Self-Other Action Attribution in the Human Brain.
653 *Cereb Cortex* 30:4076-4091.
- 654 Pan WX, Schmidt R, Wickens JR, Hyland BI (2005) Dopamine cells respond to predicted events
655 during classical conditioning: evidence for eligibility traces in the reward-learning
656 network. *J Neurosci* 25:6235-6242.
- 657 Pearce JM, Hall G (1980) A model for Pavlovian learning: variations in the effectiveness of
658 conditioned but not of unconditioned stimuli. *Psychol Rev* 87:532-552.
- 659 Powers AR, Mathys C, Corlett PR (2017) Pavlovian conditioning-induced hallucinations result
660 from overweighting of perceptual priors. *Science* 357:596-600.
- 661 Preuschoff K, Bossaerts P (2007) Adding prediction risk to the theory of reward learning. *Ann N*
662 *Y Acad Sci* 1104:135-146.
- 663 Preuschoff K, Mohr PN, Hsu M (2013) Decision making under uncertainty. *Front Neurosci* 7:218.
- 664 Raihani NJ, Bell V (2019) An evolutionary perspective on paranoia. *Nat Hum Behav* 3:114-121.

- 665 Rao RP, Ballard DH (1999) Predictive coding in the visual cortex: a functional interpretation of
- 666 some extra-classical receptive-field effects. *Nat Neurosci* 2:79-87.
- 667 Reed EJ, Uddenberg S, Suthaharan P, Mathys CD, Taylor JR, Groman SM, Corlett PR (2020)
- 668 Paranoia as a deficit in non-social belief updating. *Elife* 9.
- 669 Richards BA et al. (2019) A deep learning framework for neuroscience. *Nat Neurosci* 22:1761-
- 670 1770.
- 671 Ritterband-Rosenbaum A, Karabanov AN, Christensen MS, Nielsen JB (2014) 10 Hz rTMS over
- 672 right parietal cortex alters sense of agency during self-controlled movements. *Front*
- 673 *Hum Neurosci* 8:471.
- 674 Roesch MR, Calu DJ, Esber GR, Schoenbaum G (2010) Neural correlates of variations in event
- 675 processing during learning in basolateral amygdala. *Journal of Neuroscience* 30:2464-
- 676 2471.
- 677 Rogan MT, Leon KS, Perez DL, Kandel ER (2005) Distinct neural signatures for safety and danger
- 678 in the amygdala and striatum of the mouse. *Neuron* 46:309-320.
- 679 Schenk LA, Sprenger C, Onat S, Colloca L, Büchel C (2017) Suppression of striatal prediction
- 680 errors by the prefrontal cortex in placebo hypoalgesia. *Journal of Neuroscience* 37:9715-
- 681 9723.
- 682 Schultz W, Dayan P, Montague PR (1997) A neural substrate of prediction and reward. *Science*
- 683 275:1593-1599.
- 684 Schultz W, Preuschoff K, Camerer C, Hsu M, Fiorillo CD, Tobler PN, Bossaerts P (2008) Explicit
- 685 neural signals reflecting reward uncertainty. *Philos Trans R Soc Lond B Biol Sci* 363:3801-
- 686 3811.
- 687 Seymour B, Daw N, Dayan P, Singer T, Dolan R (2007) Differential encoding of losses and gains
- 688 in the human striatum. *Journal of Neuroscience* 27:4826-4831.
- 689 Sharpe MJ, Chang CY, Liu MA, Batchelor HM, Mueller LE, Jones JL, Niv Y, Schoenbaum G (2017)
- 690 Dopamine transients are sufficient and necessary for acquisition of model-based
- 691 associations. *Nature Neuroscience* 20:735.
- 692 Sirigu A, Daprati E, Pradat-Diehl P, Franck N, Jeannerod M (1999) Perception of self-generated
- 693 movement following left parietal lesion. *Brain* 122 (Pt 10):1867-1874.
- 694 Wagner MJ, Kim TH, Savall J, Schnitzer MJ, Luo L (2017) Cerebellar granule cells encode the
- 695 expectation of reward. *Nature* 544:96-100.
- 696 Zaghoul KA, Blanco JA, Weidemann CT, McGill K, Jaggi JL, Baltuch GH, Kahana MJ (2009) Human
- 697 substantia nigra neurons encode unexpected financial rewards. *Science* 323:1496-1499.
- 698 Zaki J, Kallman S, Wimmer GE, Ochsner K, Shohamy D (2016) Social cognition as reinforcement
- 699 learning: feedback modulates emotion inference. *Journal of Cognitive Neuroscience*
- 700 28:1270-1282.
- 701

All Prediction Errors

$p < 1e-6$

$p < .05$,
FWE

x=0

y=10

z=-12

A. Primary Reward PE

$p < 1e-6$

x=0

y=10

x=-34

$p < .05$,
FWE

Contrast counts

■ Primary
□ Secondary
▨ Other

B. Secondary Reward PE

$p < 1e-6$

x=0

y=10

x=-34

$p < .05$,
FWE

C. Primary > Secondary Reward PE

$p < 1e-6$

x=0

y=12

x=-34

$p < .05$,
FWE

z=-18

$p < 1e-6$

$p < .05$,
FWE

D. Primary & Secondary Conjunction

$p < 1e-6$

x=0

y=10

x=-34

$p < .05$,
FWE

z=-12

A. Appetitive PE

$p < 1e-6$

Contrast counts

B. Aversive PE

$p < 1e-6$

C. Appetitive > Aversive PE

$p < 1e-6$

D. Appetitive & Aversive Conjunction

$p < 1e-6$

A. Typical PE

Contrast counts

B. Cognitive PE

C. Perceptual PE

D. Typical, Perceptual & Cognitive PEs

A. Instrumental PE

$p < 1e-6$

x=0

y=10

z=6

$p < .05$,
FWE

Contrast counts

- Pavlovian
- Instrumental
- Other

B. Pavlovian PE

$p < 1e-6$

x=0

y=10

z=6

$p < .05$,
FWE

C. Instrumental > Pavlovian PE

$p < 1e-6$

x=0

y=10

z=-12

$p < .05$,
FWE

$p < 1e-6$

$p < .05$,
FWE

D. Instrumental & Pavlovian Conjunction

$p < 1e-6$

x=0

y=10

z=-12

z=6

$p < .05$,
FWE

A. Social PE

$p < 1e-6$

x=0

y=10

z=-12

Contrast counts

■ Social
□ Reward
■ Other

$p < .05$,
FWE

B. Unsigned PE

$p < 1e-6$

x=0

y=10

z=-12

$p < .05$,
FWE

C. Social PE > Reward PE

$p < 1e-6$

x=8

y=10

z=-12

x=36

$p < .05$,
FWE

$p < 1e-6$

$p < .05$,
FWE

D. Social & Unsigned PEs Conjunction

$p < 1e-6$

x=6

y=10

x=34

$p < .05$,
FWE

A. PEs: Whole-brain analyses

B. PEs: ROI analyses

C. PEs in Whole-Brain Analyses > PEs in ROI Analyses

Instrumental, Pavlovian & Perceptual PE

$p < 1e-6$

$p < .05$,
FWE

x=0

y=10

z=-12

x=-32

z=6

A. Signed PE

$p < 1e-6$

$p < .05$,
FWE

B. Unsigned PE

$p < 1e-6$

$p < .05$,
FWE

C. Signed > Unsigned PE

$p < 1e-6$

$p < .05$,
FWE

$p < 1e-6$

$p < .05$,
FWE

z=-32

D. Signed & Unsigned Conjunction

$p < 1e-6$

$p < .05$,
FWE

A. Typical & Perceptual PE

B. Typical & Cognitive PE

Points > Money

$p < 1e-6$

$p < .05$,
FWE

x=0

y=10

z=2

$p < 1e-6$

$p < .05$,
FWE

(Appetitive > Aversive) & (Instrumental > Pavlovian) Conjunction

A. Perceptual PE ($p < .001$)

$p < 1e-6$

X=0

Y=10

Z=-12

$p < .05$,
FWE

B. Typical and Perceptual PE ($p < .001$)

$p < 1e-6$

X=0

Y=10

Z=-12

$p < .05$,
FWE

C. Typical, Perceptual and Cognitive PE ($p < .001$)

$p < 1e-6$

X=0

Y=10

Z=-12

$p < .05$,
FWE

A. Social PE ($p < .001$)

$p < 1e-6$

x=0

y=10

z=-12

$p < .05$,
FWE

B. Social and Unsigned PE ($p < .001$)

$p < 1e-6$

x=0

y=10

z=-12

$p < .05$,
FWE

Table S1: Counts of Contrasts in Different Conditions

<u>Condition</u>	<u>Number of Contrasts</u>
Primary	79
Secondary	306
Appetitive	127
Aversive	59
Signed	349
Unsigned	114
Model-Based	10
Model Free	375
Typical	302
Perceptual	63
Cognitive	75
Pavlovian	62
Instrumental	345
Social	81

Tables of Brain Activity:

[Table S1: All Prediction Errors](#)

[Table S2: Primary and Secondary Reward PEs](#)

[Table S3: Appetitive and Aversive PE](#)

[Table S4: Typical, Perceptual and Cognitive PE](#)

[Table S5: Instrumental and Pavlovian PE](#)

[Table S6: Social, Unsigned, Social > Reward PE and Social & Unsigned Conjunction](#)

[Table S7: PEs from Whole brain and ROI analyses](#)

[Table S8: Signed and Unsigned PE](#)

[Table S9: Pavlovian, Instrumental and Perceptual PE](#)

[Table S10: PEs in Whole Brain Contrasts > PEs in ROI Contrasts](#)

[Table S11: Points > Money PEs](#)

[Table S12: Appetitive > Aversive & Instrumental > Pavlovian Conjunction](#)

Table S1: All Prediction Errors

Regions of Activation	Peak coordinates						
	R/L/Bi	x	y	z	Voxels	Max P	Mean P
<u>All Prediction Errors</u>							
Dorsal and Ventral Striatum (Caudate, Putamen), Midbrain, Insula, PFC	Bi	12	10	-4	11505	0.281	0.069
Dorsal Striatum (Putamen)	L	12	10	-4	2727	0.281	0.087

Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-10	6	-6	2783	0.254	0.087
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	-8	638	0.146	0.067
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	24	-2	979	0.139	0.065
Clastrum	L	-30	20	0	1507	0.112	0.058
Midbrain	L	-2	-18	-10	671	0.093	0.051
Midbrain	L	4	-22	-10	320	0.082	0.053
Midbrain (Substantia Nigra)	R	12	-14	-10	190	0.053	0.041
Dorsolateral PFC (Middle Frontal Gyrus)	R	48	14	32	130	0.052	0.039
Pallidum	L	-24	-8	0	286	0.050	0.039
Dorsolateral PFC (Middle Frontal Gyrus)	R	46	12	40	101	0.048	0.038
Dorsolateral PFC (Middle Frontal Gyrus)	R	44	16	24	96	0.045	0.037
Dorsolateral PFC (Middle Frontal Gyrus)	R	46	24	30	71	0.044	0.037
Thalamus	R	6	-12	4	74	0.044	0.036
Dorsal Striatum (Putamen)	L	-26	-10	6	75	0.043	0.037
Ventrolateral PFC (Inferior Frontal Gyrus)	R	48	18	18	89	0.043	0.036
Dorsolateral PFC (Middle and Inferior Frontal Gyrus)	R	54	10	28	38	0.043	0.037
Orbitofrontal Cortex (Inferior Frontal Gyrus)	R	44	34	-12	71	0.042	0.036
Brainstem	L	-2	-18	-24	65	0.042	0.037
Dorsal Striatum (Putamen)	R	30	-4	8	142	0.041	0.035
Thalamus	R	12	-10	0	29	0.041	0.036
Dorsolateral PFC (Middle Frontal Gyrus)	R	46	20	38	36	0.041	0.037
Thalamus	L	-10	-6	14	60	0.040	0.036
Ventrolateral PFC (Inferior Frontal Gyrus)	R	46	12	16	42	0.040	0.035
Thalamus	R	6	-10	10	21	0.040	0.035
Ventrolateral PFC (Inferior Frontal Gyrus)	R	50	10	22	34	0.040	0.036
Thalamus	L	-8	-12	10	32	0.039	0.036
Dorsolateral PFC (Middle Frontal Gyrus)	R	40	28	34	17	0.038	0.035
Thalamus	R	12	-8	6	37	0.037	0.035
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	32	10	38	0.037	0.035
Insula	L	-40	6	0	37	0.037	0.035
Ventrolateral PFC (Inferior Frontal Gyrus)	R	-46	30	6	46	0.037	0.034
Amygdala	R	32	0	-18	22	0.036	0.034
Superior Frontal Gyrus, Cingulate, Dorsolateral PFC	R	2	14	50	2909	0.064	0.041

Supplementary Motor Area (Superior and Medial Frontal Gyrus), Anterior Cingulate	R	2	14	50	427	0.064	0.043
Medial PFC (Medial Frontal Gyrus)	R	0	50	2	308	0.062	0.046
Dorsomedial PFC (Medial Frontal Gyrus)	R	2	26	46	313	0.061	0.043
Anterior Cingulate	R	0	44	-4	312	0.061	0.045
Anterior Cingulate	R	6	42	0	121	0.058	0.043
Medial PFC (Medial Frontal Gyrus)	R	6	50	-2	104	0.053	0.042
Supplementary Motor Area (Superior Frontal Gyrus)	R	2	6	56	146	0.051	0.039
Medial PFC (Medial Frontal Gyrus)	R	8	50	4	104	0.049	0.040
Dorsomedial PFC (Medial Frontal Gyrus)	R	6	30	36	193	0.049	0.039
Medial PFC (Medial Frontal Gyrus)	L	-4	50	10	177	0.047	0.038
Anterior Cingulate	R	2	36	24	145	0.046	0.038
Anterior Cingulate	R	4	38	16	102	0.046	0.037
Dorsomedial PFC (Medial Frontal Gyrus)	R	6	44	28	51	0.046	0.037
Dorsomedial PFC (Superior Frontal Gyrus)	L	-4	34	46	100	0.043	0.037
Anterior Cingulate	L	0	34	6	54	0.042	0.036
Ventromedial PFC (Medial Frontal Gyrus)	R	8	56	8	44	0.041	0.037
Anterior Cingulate	L	-6	42	10	64	0.040	0.036
Anterior Cingulate	R	2	28	26	43	0.040	0.035
Ventromedial PFC (Medial Frontal Gyrus)	R	8	42	-8	40	0.039	0.036
Anterior Cingulate	R	6	36	-8	32	0.037	0.035
Dorsomedial PFC (Medial and Superior Frontal Gyrus)	R	6	38	40	27	0.037	0.034
Posterior Cingulate	L	-2	-36	34	448	0.063	0.042
Posterior Cingulate	L	-2	-36	34	215	0.063	0.045
Posterior Cingulate	R	4	-36	30	140	0.053	0.041
Posterior Cingulate	L	-4	-40	40	93	0.051	0.040
Inferior Parietal Lobule	R	36	-54	46	442	0.055	0.039
Inferior Parietal Lobule	R	36	-54	46	281	0.055	0.041
Inferior Parietal Lobule	R	44	-46	48	132	0.044	0.037
Inferior Parietal Lobule	R	54	-40	46	28	0.040	0.036
Inferior Parietal Lobule	L	-32	-52	44	560	0.053	0.038
Inferior Parietal Lobule	L	-32	-52	44	139	0.053	0.039
Inferior Parietal Lobule	L	-38	-54	42	94	0.051	0.041
Inferior Parietal Lobule	L	-42	-44	44	126	0.048	0.038
Inferior Parietal Lobule	L	-50	-44	46	40	0.043	0.037
Inferior Parietal Lobule	L	-48	-52	48	67	0.042	0.036

Superior Parietal Lobule	L	-28	-62	46	65	0.041	0.037
Superior Parietal Lobule	L	-38	-62	40	29	0.039	0.036

Table S2: Primary and Secondary Reward PEs

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Primary Reward PE							
Dorsal and Ventral Striatum, Midbrain, Insula	Bi	14	4	-4	7689	0.254	0.112
Dorsal Striatum (Putamen)	R	14	4	-4	365	0.254	0.151
Amygdala	L	-20	-6	-14	332	0.251	0.161
Amygdala	R	24	-8	-14	205	0.211	0.136
Ventral Striatum (Caudate), Anterior Cingulate	R	4	4	-2	264	0.208	0.111
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-12	4	-8	179	0.206	0.135
Midbrain, Parahippocampal Gyrus	L	-14	-10	-14	231	0.205	0.112
Midbrain (Red Nucleus)	L	-4	-20	-8	331	0.204	0.118
Amygdala	L	-18	-6	-22	253	0.202	0.125
Parahippocampal Gyrus	L	-12	-2	-16	103	0.198	0.136
Amygdala	R	24	-2	-10	213	0.196	0.136
Dorsal Striatum (Putamen)	L	-18	4	-4	308	0.195	0.138
Ventral Striatum (Caudate)	R	10	14	-4	379	0.194	0.118
Ventral Striatum (Caudate), Pallidum	L	-8	2	-2	165	0.186	0.110
Insula	R	30	24	2	342	0.178	0.112
Midbrain (Substantia Nigra)	L	-4	-12	-6	101	0.173	0.111
Midbrain (Red Nucleus)	R	2	-18	-10	212	0.170	0.107
Orbitofrontal Cortex (Inferior Frontal Gyrus), Subgenual ACC, Dorsal Striatum (Putamen)	L	-24	10	-12	271	0.169	0.113
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	38	24	2	232	0.169	0.106
Insula	L	-34	18	0	145	0.162	0.104
Clastrum & Dorsal Striatum (Putamen)	R	22	2	0	211	0.155	0.106
Parahippocampal Gyrus	R	32	-8	-12	85	0.153	0.112
Parahippocampal Gyrus	R	32	0	-20	159	0.148	0.106
Clastrum	L	-28	18	0	101	0.147	0.098
Midbrain	R	0	-6	-10	132	0.144	0.101
Clastrum	L	-28	16	-6	113	0.143	0.102
Parahippocampal Gyrus	R	16	-12	-14	118	0.137	0.088

Clastrum	L	-36	10	0	142	0.136	0.092
Parahippocampal Gyrus, Claustrum, Striatum (Putamen)	R	30	6	-14	102	0.136	0.100
Hypothalamus	R	6	-8	-6	113	0.135	0.096
Clastrum	R	34	2	-8	75	0.135	0.101
Clastrum	R	26	14	-4	200	0.134	0.094
Dorsal Striatum (Putamen)	L	-26	8	4	114	0.132	0.095
Clastrum	L	-34	-2	2	137	0.131	0.089
Hypothalamus	L	-6	-4	-12	84	0.127	0.096
Ventrolateral PFC (Inferior Frontal Gyrus_	L	-32	22	-8	207	0.125	0.089
Clastrum	L	-32	4	2	50	0.125	0.098
Insula, Ventrolateral PFC (Inferior Frontal Gyrus)	L	-32	26	4	92	0.119	0.089
Dorsal Striatum (Putamen)	R	30	4	0	67	0.117	0.090
Dorsal Striatum (Putamen)	L	-26	-2	8	80	0.115	0.089
Ventral Striatum (Caudate)	L	-10	6	8	94	0.109	0.082
Insula, Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	20	-8	167	0.106	0.083
Insula	R	36	18	10	99	0.103	0.083
Insula	L	-44	6	2	50	0.099	0.078
Ventrolateral PFC (Inferior Frontal Gyrus)	R	44	20	10	27	0.091	0.076
Insula	L	-36	6	8	18	0.087	0.075
Clastrum	R	32	0	6	27	0.086	0.077
Midbrain (Subthalamic Nucleus, Substantia Nigra)	R	16	-14	-6	46	0.086	0.076
Pallidum	R	18	-6	2	33	0.084	0.076
Dorsal Striatum (Putamen)	L	-28	-8	-4	46	0.083	0.072
Clastrum, Inferior Frontal Gyrus	L	-22	22	-8	22	0.080	0.077
Ventral Striatum (Caudate)	R	16	22	0	27	0.080	0.072
Clastrum	L	-22	28	0	19	0.070	0.070
Anterior Cingulate, Supplementary Motor Area	L	0	4	46	615	0.137	0.088
Anterior Cingulate	L	0	4	46	115	0.137	0.097
Anterior Cingulate	L	-2	10	48	167	0.128	0.089
Anterior Cingulate	R	2	6	58	141	0.123	0.087
Anterior Cingulate	L	-4	6	40	141	0.114	0.083
Supplementary Motor Area	R	10	8	56	51	0.090	0.077
Dorsolateral PFC (Middle Frontal Gyrus)	R	44	14	24	152	0.095	0.075
Dorsolateral PFC (Middle and Inferior Frontal Gyrus)	R	44	14	24	61	0.095	0.075
Dorsolateral PFC	R	44	14	30	39	0.092	0.079

Dorsolateral PFC	R	56	10	28	17	0.089	0.077
Dorsolateral PFC	R	42	20	28	35	0.071	0.070
B. Secondary Reward PE							
Dorsal and Ventral Striatum, Pallidum, Insula, PFC	Bi	10	10	-8	7485		
						0.347	0.090
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	R	10	10	-8	2119	0.347	0.116
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-12	8	-8	1924	0.317	0.118
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	-8	989	0.147	0.073
Clastrum	L	-30	20	0	227	0.098	0.063
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-34	26	-4	242	0.096	0.060
Clastrum	L	-24	18	-6	399	0.082	0.056
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-38	18	-6	180	0.079	0.055
Insula	R	42	18	4	345	0.078	0.051
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-16	2	14	251	0.071	0.050
Ventral Striatum (Caudate)	L	-10	8	14	172	0.062	0.047
Ventral and Dorsal Striatum (Caudate, Putamen)	R	16	4	14	217	0.057	0.044
Ventrolateral PFC (Inferior Frontal Gyrus)	R	48	14	10	70	0.055	0.043
Pallidum	L	-24	-8	0	152	0.051	0.040
Dorsal Striatum (Putamen)	L	-26	-10	6	47	0.049	0.042
Clastrum	L	-34	-8	4	58	0.048	0.041
Orbitofrontal Cortex (Inferior Frontal Gyrus)	R	42	36	-10	41	0.046	0.041
Precentral Gyrus	R	44	8	10	30	0.045	0.040
Thalamus	L	-6	-6	10	22	0.043	0.040
Dorsomedial and Ventromedial PFC (Medial Frontal Gyrus, Superior Frontal Gyrus)	R	0	50	2	2708		
						0.080	0.048
Anterior Cingulate, Ventromedial PFC	R	0	50	2	380	0.080	0.059
Anterior Cingulate	L	-2	40	-8	372	0.079	0.054
Anterior Cingulate	R	8	46	4	217	0.072	0.049
Ventromedial PFC and Anterior Cingulate (Medial Frontal Gyrus)	Bi	6	48	-6	114	0.067	0.052
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	4	26	46	180	0.066	0.046
Dorsomedial PFC (Medial Frontal Gyrus) and Anterior Cingulate	L	-4	50	10	249	0.064	0.047

Frontal Eye Field and Anterior Cingulate (Medial Frontal Gyrus)	L	-2	22	48	146	0.062	0.047
Anterior Cingulate	R	4	38	16	175	0.062	0.044
Anterior Cingulate	R	6	36	26	154	0.056	0.043
Supplementary Motor Area, Frontal Eye Field (Superior Frontal Gyrus)	L	-2	18	54	121	0.055	0.043
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	56	8	112	0.055	0.044
Ventromedial PFC (Medial Frontal Gyrus)	R	8	42	-8	60	0.052	0.042
Anterior Cingulate	R	6	36	-8	56	0.052	0.043
Anterior Cingulate	L	0	34	6	65	0.050	0.041
Dorsomedial PFC (Medial Frontal Gyrus)	R	6	30	36	87	0.049	0.041
Anterior Cingulate	L	-6	42	10	80	0.047	0.041
Anterior Cingulate	L	0	26	26	29	0.046	0.041
Dorsomedial PFC (Superior Frontal Gyrus), Frontal Eye Field	L	0	26	56	27	0.043	0.040
Anterior Cingulate and Dorsomedial PFC (Medial Frontal Gyrus)	R	-4	30	36	43	0.042	0.039
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	44	20	20	0.042	0.039
Dorsomedial PFC (Superior Frontal Gyrus)	L	-8	30	44	19	0.041	0.039
Posterior Cingulate	L	0	-36	32	589	0.078	0.051
Posterior Cingulate	L	0	-36	32	414	0.078	0.052
Posterior Cingulate	L	-4	-40	40	175	0.069	0.050
Midbrain	Bi	6	-16	-12	670	0.076	0.048
Midbrain	R	6	-16	-12	311	0.076	0.050
Midbrain	L	0	-18	-12	359	0.070	0.047
Inferior Parietal Lobe	L	-38	-54	42	378	0.062	0.042
Inferior Parietal Lobe	L	-38	-54	42	138	0.062	0.045
Inferior Parietal Lobe	L	-46	-54	48	64	0.053	0.043
Inferior Parietal Lobe	L	-44	-56	40	43	0.050	0.041
Inferior Parietal Lobe	L	-38	-62	40	48	0.050	0.039
Inferior Parietal Lobe	L	-40	-44	40	39	0.044	0.039
Inferior Parietal Lobe	L	-48	-44	50	17	0.042	0.038
Superior Parietal Lobe	R	-28	-52	44	29	0.041	0.039
Inferior Parietal Lobe	R	36	-52	46	212	0.055	0.042
Inferior Parietal Lobe	R	36	-52	46	135	0.055	0.043
Inferior Parietal Lobe	R	44	-54	38	58	0.043	0.040
Inferior Parietal Lobe	R	44	-46	48	19	0.043	0.039
Inferior Occipital Gyrus	L	-24	-88	-10	194	0.055	0.042

Inferior Occipital Gyrus	L	-24	-88	-10	92	0.055	0.043
Inferior Occipital Gyrus	L	-20	-94	-10	53	0.049	0.041
Inferior Occipital Gyrus	L	-30	-92	-8	49	0.048	0.041
Dorsolateral PFC	R	44	14	42	89	0.050	0.040
Dorsolateral PFC	R	44	14	42	71	0.050	0.040
Dorsolateral PFC	R	40	28	34	16	0.042	0.038
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-48	10	28	83	0.047	0.040
C. Primary > Secondary Reward PE							
Amygdala, Striatum, Midbrain, Insula	Bi	-20	-6	-14	3020	0.188	0.092
Amygdala	L	-20	-6	-14	174	0.188	0.111
Amygdala	R	24	-8	-14	161	0.188	0.121
Amygdala	L	-24	-4	-20	200	0.187	0.113
Amygdala	R	-18	-6	-22	155	0.180	0.107
Amygdala	R	22	-6	-20	112	0.178	0.114
Parahippocampal Gyrus, Midbrain	L	-14	-10	-14	172	0.171	0.095
Midbrain	L	-4	-20	-8	196	0.152	0.093
Midbrain	L	-4	-12	-12	112	0.150	0.097
Midbrain	L	-4	-12	-6	97	0.148	0.089
Amygdala	R	32	-2	-20	111	0.139	0.102
Amygdala	R	32	-8	-12	75	0.135	0.097
Dorsal Striatum (Putamen)	L	-26	2	-4	86	0.133	0.085
Midbrain	L	0	-6	-10	92	0.129	0.083
Parahippocampal Gyrus	L	-12	-4	-16	47	0.127	0.090
Dorsal Striatum (Putamen)	R	30	6	-14	87	0.125	0.089
Clastrum, Dorsal Striatum (Putamen)	R	32	2	-6	73	0.120	0.086
Dorsal Striatum (Putamen)	R	20	8	4	125	0.115	0.078
Parahippocampal Gyrus, Amygdala	R	16	-12	-14	59	0.113	0.076
Parahippocampal Gyrus	L	-28	2	-10	72	0.113	0.081
Dorsal Striatum (Putamen)	R	26	0	0	66	0.110	0.077
Dorsal Striatum (Putamen)	L	-26	8	4	76	0.107	0.073
Insula	L	-36	10	0	97	0.107	0.074
Dorsal Striatum (Putamen)	R	26	4	-6	65	0.106	0.082
Midbrain	R	6	-6	-10	66	0.104	0.077
Parahippocampal Gyrus	R	22	-6	-26	71	0.102	0.078
Dorsal Striatum (Putamen), Pallidum	L	-18	0	0	52	0.098	0.072
Midbrain	L	-2	-22	-2	55	0.096	0.071
Inferior Frontal Gyrus	L	-26	10	-10	31	0.096	0.075
Clastrum	L	-34	-2	2	46	0.095	0.073
Dorsal Striatum (Putamen)	L	-20	6	0	22	0.090	0.073

Clastrum	L	-32	4	2	26	0.090	0.075
Clastrum	L	-34	-2	8	46	0.085	0.069
Parahippocampal Gyrus	R	8	-8	-16	28	0.082	0.070
Insula	L	-36	6	8	17	0.081	0.066
Insula	L	-34	16	0	20	0.080	0.069
Insula	L	-36	10	-6	17	0.070	0.065
Anterior Cingulate	L	0	4	46	458	0.122	0.074
Anterior Cingulate	L	0	4	46	150	0.122	0.082
Anterior Cingulate	L	0	6	38	53	0.099	0.071
Anterior Cingulate	R	2	8	56	110	0.097	0.073
Anterior Cingulate	L	-10	10	40	64	0.082	0.067
Anterior Cingulate	L	-8	6	34	37	0.075	0.064
Supplementary Motor Area	R	10	6	56	44	0.075	0.065
Insula	R	30	24	6	258	0.119	0.073
Insula	R	30	24	6	113	0.119	0.075
Clastrum	R	24	28	2	47	0.107	0.077
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	24	4	40	0.087	0.070
Ventrolateral PFC (Inferior Frontal Gyrus)	R	34	30	4	58	0.082	0.069
D. Secondary > Primary Rewards							
Ventral Striatum (Caudate)	Bi	-12	12	-8	1171	-0.237	-0.108
Ventral Striatum (Caudate)	L	-12	12	-8	573	-0.237	-0.115
Ventral Striatum (Caudate)	R	8	10	-8	239	-0.187	-0.106
Dorsal Striatum (Putamen)	R	16	12	-8	173	-0.171	-0.106
Subgenual Cingulate	L	12	6	-14	140	-0.162	-0.099
Ventral Striatum (Caudate)	L	-12	18	4	46	-0.082	-0.067
E. Conjunction: A (Primary Rewards) and B (Secondary Rewards)							
Dorsal and Ventral Striatum, Insula, PFC	Bi	12	4	-4	5788	0.254	0.075
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	R	12	4	-4	673	0.254	0.095
Dorsal Striatum (Putamen)	R	18	8	-6	524	0.211	0.083
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-12	4	-8	551	0.206	0.089
Ventral Striatum (Caudate)	R	10	14	-4	684	0.194	0.085
Dorsal Striatum (Putamen), Subgenual Cingulate, Pallidum	L	-18	4	-12	531	0.193	0.085
Dorsal Striatum (Putamen)	L	-18	4	-4	651	0.185	0.072
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	22	-2	247	0.127	0.076
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	30	20	-4	360	0.120	0.065

Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	20	-8	210	0.106	0.060
Clastrum	L	-30	20	0	349	0.098	0.064
Clastrum	L	-24	18	-6	303	0.082	0.058
Insula	R	42	18	4	266	0.078	0.051
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-38	18	-6	241	0.078	0.054
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-24	-8	0	143	0.051	0.040
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-34	-8	4	55	0.048	0.040
Midbrain	R	6	-16	-12	558	0.076	0.049
Midbrain	R	6	-16	-12	254	0.076	0.051
Midbrain	L	0	-18	-12	304	0.070	0.047

Table S3: Appetitive and Aversive PE

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Appetitive PE							
Dorsal and Ventral Striatum (Caudate & Putamen), Insula, Inferior Frontal Gyrus, Midbrain	Bi	14	10	-6	6623	0.416	0.110
Dorsal and Ventral Striatum (Caudate and Putamen), Pallidum	R	14	10	-6	1388	0.416	0.170
Dorsal and Ventral Striatum (Caudate, Putamen), Amygdala, Hippocampus	L	-14	6	-10	1577	0.328	0.139
Clastrum, Ventrolateral PFC (Inferior Frontal Gyrus), Amygdala	L	-26	12	-6	638	0.151	0.087
Midbrain	Bi	-2	-20	-12	227	0.131	0.082
Orbitofrontal Cortex (Inferior Frontal Gyrus)	R	34	26	-10	185	0.128	0.080
Midbrain	L	-4	-12	-10	315	0.126	0.076
Midbrain	R	4	-16	-12	191	0.118	0.080
Ventrolateral PFC (Inferior Frontal Gyrus)	R	30	20	-4	152	0.113	0.079
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	26	-2	127	0.107	0.075
Clastrum/Inferior Frontal Gyrus	R	24	20	-10	120	0.096	0.070
Dorsal Striatum (Putamen)	R	26	14	-4	127	0.094	0.074
Ventral Striatum (Caudate)	Bi	-4	8	8	166	0.092	0.070
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	L	-32	20	2	224	0.090	0.073

Dorsal and Ventral Striatum (Caudate & Putamen)	R	20	10	10	136	0.088	0.069
Dorsal Striatum(Putamen)	R	26	10	4	89	0.088	0.069
Ventral Striatum (Caudate)	L	-12	2	14	71	0.086	0.070
Amygdala, Pallidum	R	24	-10	-12	140	0.085	0.068
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum)	L	-18	4	12	131	0.084	0.065
Insula	R	34	22	4	59	0.084	0.067
Orbitofrontal Cortex (Inferior Frontal Gyrus)	R	34	20	-16	58	0.083	0.066
Clastrum	R	26	12	12	22	0.080	0.064
Dorsal Striatum (Putamen), Parahippocampal Gyrus	R	30	4	-12	89	0.080	0.070
Dorsal Striatum (Putamen)	R	30	0	-6	63	0.079	0.065
Inferior Frontal Gyrus	R	28	22	-16	29	0.078	0.066
Midbrain (Substantia Nigra)	R	14	-18	-10	78	0.076	0.065
Amygdala, Parahippocampal Gyrus	R	28	-2	-20	82	0.076	0.062
Clastrum	R	30	6	-4	41	0.070	0.062
Midbrain (Substantia Nigra)	R	12	-12	-10	41	0.069	0.062
Ventral and Dorsal Striatum (Caudate, Putamen)	R	16	4	14	27	0.067	0.059
Insula	R	30	20	8	29	0.065	0.060
Medial PFC (Medial Frontal Gyrus), Anterior Cingulate	Bi	-4	52	2	846	0.121	0.072
Anterior Cingulate, Medial PFC (Medial Frontal Gyrus)	Bi	-4	52	2	164	0.121	0.085
Ventromedial PFC (Medial Frontal Gyrus)	Bi	-4	46	-8	110	0.102	0.078
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	0	56	8	62	0.098	0.071
Anterior Cingulate	L	-2	40	-6	87	0.096	0.075
Anterior Cingulate/Medial PFC (Medial Frontal Gyrus)	Bi	-6	42	4	99	0.090	0.071
Ventromedial PFC (Medial Frontal Gyrus)	Bi	6	48	-6	66	0.087	0.068
Dorsomedial PFC (Medial Frontal Gyrus)	L	-6	54	10	55	0.082	0.065
Medial Frontal Gyrus/Anterior Cingulate	L	0	62	6	55	0.082	0.065
Anterior Cingulate	Bi	-10	40	-2	76	0.077	0.065
Anterior Cingulate	Bi	4	48	12	37	0.072	0.059
Medial PFC (Medial Frontal Gyrus)	R	6	54	4	35	0.069	0.061
Posterior Cingulate	Bi	-2	-34	32	342	0.095	0.067
Posterior Cingulate	Bi	-2	-34	32	99	0.095	0.071

Posterior Cingulate	Bi	-2	-40	34	112	0.081	0.067
Posterior Cingulate	Bi	4	-30	36	32	0.076	0.066
Posterior Cingulate	Bi	8	-38	36	35	0.076	0.064
Posterior Cingulate	Bi	4	-36	30	42	0.073	0.066
Posterior Cingulate	Bi	4	-44	32	22	0.067	0.061
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-44	8	26	191	0.093	0.069
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-44	8	26	112	0.093	0.070
Anterior Cingulate	R	-42	14	28	59	0.086	0.068
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-44	10	18	20	0.070	0.063
B. Aversive PE							
Dorsal and Ventral Striatum (Caudate, Putamen), Insula & Inferior Frontal Gyrus	Bi	-10	6	-6	5852	0.314	0.123
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-10	6	-6	378	0.314	0.162
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	R	12	8	-4	373	0.282	0.171
Dorsal and Ventral Striatum (Caudate, Putamen)	R	14	12	4	481	0.254	0.136
Amygdala	L	-20	-6	-14	197	0.214	0.142
Ventrolateral PFC (Inferior Frontal Gyrus)	R	34	24	0	362	0.212	0.134
Parahippocampal Gyrus	L	-18	2	-16	177	0.202	0.135
Uncus	L	-18	-6	-22	166	0.200	0.126
Parahippocampal Gyrus	L	-12	-2	-16	111	0.193	0.136
Dorsal and Ventral Striatum (Putamen, Caudate)	L	-14	10	2	208	0.187	0.120
Amygdala	R	24	-4	-14	247	0.186	0.127
Amygdala	L	-18	0	-22	129	0.185	0.116
Anterior Cingulate	Bi	2	6	-8	219	0.182	0.123
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	L	-32	20	-2	171	0.181	0.117
Clastrum	L	-34	-2	2	128	0.170	0.105
Ventrolateral PFC (Inferior Frontal Gyrus)	R	34	30	-6	146	0.169	0.114
Dorsal Striatum (Putamen)	R	22	2	-6	184	0.166	0.114
Parahippocampal Gyrus	R	32	-4	-14	117	0.163	0.114
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	20	-8	118	0.160	0.111
Amygdala, Pallidum, Parahippocampal Gyrus	L	-22	-6	-8	166	0.156	0.110

Dorsal Striatum (Putamen), Orbitofrontal Cortex	R	22	12	-10	190	0.145	0.111
Dorsal and Ventral Striatum (Caudate, Putamen)	R	16	4	10	114	0.144	0.111
Insula	R	-34	-2	8	149	0.144	0.098
Insula, Claustrum, Inferior Frontal Gyrus	L	44	20	-4	134	0.135	0.105
Insula	L	-36	10	0	184	0.132	0.101
Insula, Ventrolateral PFC (Inferior Frontal Gyrus)	L	-32	26	6	72	0.130	0.104
Ventral Striatum (Caudate)	L	-6	10	4	118	0.127	0.105
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-34	26	-6	60	0.126	0.102
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-34	18	-12	55	0.122	0.094
Claustrum	R	-26	20	0	49	0.121	0.099
Subgenual ACC, Parahippocampal Gyrus, Amygdala	R	6	6	-14	81	0.121	0.102
Parahippocampal Gyrus, Amygdala	R	26	2	-20	68	0.119	0.099
Ventrolateral PFC (Inferior Frontal Gyrus)	R	46	16	4	69	0.117	0.100
Hypothalamus, Subgenual ACC	L	0	-6	-10	74	0.111	0.093
Ventrolateral PFC (Inferior Frontal Gyrus)	R	40	32	2	63	0.110	0.094
Dorsal Striatum (Putamen)	R	-26	-2	8	38	0.109	0.094
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-34	26	-14	21	0.108	0.092
Claustrum, Ventrolateral PFC (Inferior Frontal Gyrus)	R	-28	16	-10	25	0.108	0.092
Claustrum	R	34	2	-8	42	0.106	0.092
Parahippocampal Gyrus	R	30	14	-4	35	0.103	0.092
Dorsal Striatum (Putamen)	L	16	-12	-14	31	0.103	0.086
Claustrum, Dorsal Striatum (Putamen)	L	-22	14	-2	37	0.099	0.089
Inferior Frontal Gyrus	L	-24	22	6	18	0.093	0.093
Claustrum, Ventrolateral PFC (Inferior Frontal Gyrus)	Bi	-22	26	-2	24	0.093	0.091
Midbrain (Red Nucleus)	L	0	16	2	21	0.091	0.086
Midbrain (Red Nucleus)	L	-2	-20	-8	507	0.175	0.109
Midbrain (Red Nucleus)	Bi	-2	-20	-8	446	0.175	0.112
Thalamus (Habenula)	L	-2	-28	4	61	0.113	0.089
Supplementary Motor Area	R	2	6	58	269	0.136	0.091
Supplementary Motor Area	R	2	6	58	130	0.136	0.095
Dorsomedial PFC (Medial Frontal Gyrus)	L	-6	6	48	81	0.115	0.090
Supplementary Motor Area	R	6	12	50	28	0.086	0.084
Frontal Eye Field	R	6	18	50	30	0.082	0.082

C. Appetitive > Aversive PEs							
Subgenual Cingulate & Dorsal and Ventral Striatum (Caudate, Putamen)							
	R	6	10	-8	575	0.249	0.109
Subgenual Cingulate & Striatum	R	6	10	-8	291	0.249	0.121
Dorsal and Ventral Striatum (Caudate & Putamen)	R	16	8	-8	133	0.219	0.107
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	R	12	6	-2	97	0.159	0.098
Parahippocampal Gyrus & Subcallosal Gyrus	R	16	4	-16	54	0.117	0.070
Dorsal and Ventral Striatum (Caudate & Putamen)	L	-18	4	-8	534	0.154	0.082
Dorsal and Ventral Striatum (Caudate & Putamen)	L	-18	4	-8	122	0.154	0.085
Dorsal and Ventral Striatum (Caudate & Putamen)	L	-10	10	-12	151	0.150	0.088
Dorsal and Ventral Striatum (Caudate & Putamen)	L	-18	12	-6	154	0.149	0.083
Clastrum	L	-26	12	-6	57	0.118	0.071
Subgenual ACC	L	-12	4	-20	49	0.094	0.065
Medial PFC, Anterior Cingulate							
Ventromedial PFC	Bi	-4	46	-8	420	0.102	0.066
Anterior Cingulate	Bi	-4	46	-8	111	0.102	0.076
Ventromedial PFC (Medial Frontal Gyrus)	L	-4	40	-8	53	0.096	0.068
Anterior Cingulate	L	-8	48	-2	102	0.089	0.064
Anterior Cingulate	L	-10	40	-2	47	0.077	0.064
Medial PFC (Medial Frontal Gyrus)	R	2	56	0	41	0.073	0.059
Dorsomedial PFC (Medial Frontal Gyrus)	R	0	62	10	29	0.072	0.060
Medial PFC (Medial Frontal Gyrus)	R	4	50	4	21	0.065	0.058
Posterior Cingulate							
Posterior Cingulate	L	-2	-34	32	-2	0.095	0.063
Posterior Cingulate	L	-2	-34	32	-2	0.095	0.068
Posterior Cingulate	R	4	-30	36	4	0.076	0.062
Posterior Cingulate	R	8	-38	36	8	0.076	0.063
Posterior Cingulate	R	2	-42	36	2	0.074	0.060
Posterior Cingulate	R	4	-36	30	4	0.074	0.064
Posterior Cingulate	L	-4	-40	38	-4	0.065	0.057
D. Aversive > Appetitive PEs							
Insula/Clastrum, Dorsal Striatum (Putamen)							
	L	-34	-2	4	1171	-0.157	-0.072
Clastrum	L	-34	-2	4	471	-0.157	-0.080
Clastrum	L	-36	22	2	151	-0.123	-0.070
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-46	12	-2	101	-0.122	-0.074

Insula	L	-40	6	2	151	-0.108	-0.068
Insula	L	-42	10	-8	35	-0.093	-0.067
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-30	30	-4	53	-0.088	-0.063
Clastrum	L	-26	24	6	90	-0.085	-0.064
Clastrum	L	-34	10	6	54	-0.084	-0.061
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-22	26	-2	27	-0.077	-0.063
Clastrum	L	-34	-14	10	17	-0.058	-0.055
Precentral Gyrus	R	-48	-14	20	18	-0.054	-0.053
Ventral Striatum (Caudate), Ventrolateral PFC (Inferior Frontal Gyrus)	R	16	12	6	1094	-0.147	-0.075
Ventral Striatum (Caudate)	R	16	12	6	61	-0.147	-0.089
Ventrolateral PFC (Inferior Frontal Gyrus)	R	32	30	0	123	-0.134	-0.082
Insula	R	30	24	6	53	-0.130	-0.081
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	2	130	-0.129	-0.080
Ventral Striatum (Caudate)	R	8	14	8	46	-0.128	-0.078
Ventrolateral PFC (Inferior Frontal Gyrus)	R	26	30	2	52	-0.126	-0.082
Inferior Frontal Gyrus	R	48	18	-4	134	-0.119	-0.080
Ventral Striatum (Caudate)	R	14	4	10	52	-0.114	-0.069
Ventral and Dorsal Striatum (Caudate, Putamen)	R	20	16	0	39	-0.105	-0.064
Insula	R	46	14	2	44	-0.101	-0.072
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	34	-6	67	-0.100	-0.071
Ventrolateral PFC (Inferior Frontal Gyrus)	R	44	24	2	70	-0.100	-0.071
Ventral Striatum (Caudate)	R	6	8	10	46	-0.097	-0.069
Ventrolateral PFC (Inferior Frontal Gyrus)	R	24	12	-14	33	-0.093	-0.061
Ventral Striatum (Caudate)	R	20	24	4	46	-0.085	-0.061
Insula	R	40	12	0	41	-0.085	-0.063
Ventral Striatum (Caudate)	R	12	24	4	36	-0.078	-0.062
Midbrain (Red Nucleus)	Bi	40	36	0	21	-0.064	-0.057
Midbrain (Red Nucleus)	Bi	-2	-24	-4	463	-0.139	-0.071
Midbrain (Red Nucleus)	Bi	-2	-24	-4	210	-0.139	-0.081
Thalamus	L	-2	-28	4	73	-0.106	-0.070
Midbrain (Red Nucleus)	L	-8	-20	-4	16	-0.076	-0.058
Brainstem	R	-2	-24	-20	31	-0.075	-0.059

Thalamus	R	4	-30	0	55	-0.074	-0.062
Culmen	R	2	-32	-16	45	-0.070	-0.058
Thalamus	L	6	-24	2	33	-0.068	-0.062
Amygdala	L	-18	-6	-22	606	-0.133	-0.070
Amygdala	L	-18	-6	-22	139	-0.133	-0.075
Parahippocampal Gyrus	L	-18	-14	-16	42	-0.122	-0.076
Parahippocampal Gyrus	L	-14	-6	-12	65	-0.109	-0.074
Amygdala	L	-24	-4	-22	88	-0.109	-0.069
Pallidum, Hypothalamus	L	-12	-2	-6	32	-0.108	-0.069
Amygdala	L	-22	-6	-14	52	-0.105	-0.068
Hippocampus	L	-24	-12	-16	28	-0.103	-0.070
Hypothalamus	L	0	-4	-6	61	-0.098	-0.066
Subgenual ACC	L	-6	2	-2	53	-0.097	-0.067
Subgenual ACC	L	-2	8	0	17	-0.094	-0.063
Uncus	L	-22	4	-22	17	-0.067	-0.059
Amygdala	R	26	-6	-12	342	-0.124	-0.071
Amygdala	R	26	-6	-12	182	-0.124	-0.075
Amygdala	R	32	-4	-14	99	-0.108	-0.069
Striatum (Pallidum)	R	20	0	-6	38	-0.095	-0.062
Superior Temporal Gyrus	R	34	0	-20	22	-0.081	-0.066
Dorsomedial PFC (Superior Frontal Gyrus)	L	0	52	32	295	-0.107	-0.064
Dorsomedial PFC (Superior Frontal Gyrus)	L	0	52	32	155	-0.107	-0.066
Dorsomedial PFC (Medial Frontal Gyrus)	R	2	50	26	71	-0.103	-0.068
Dorsomedial PFC (Superior Frontal Gyrus)	R	10	60	30	69	-0.055	-0.054
Supplementary Motor Area (Superior Frontal Gyrus)	L	0	6	56	193	-0.098	-0.063
Supplementary Motor Area (Superior Frontal Gyrus)	L	0	6	56	69	-0.098	-0.067
Supplementary Motor Area (Medial Frontal Gyrus)	L	-8	-2	54	41	-0.084	-0.061
Supplementary Motor Area (Medial Frontal Gyrus)	L	-4	4	48	43	-0.083	-0.064
Supplementary Motor Area (Medial Frontal Gyrus)	L	-2	-2	58	40	-0.066	-0.058
E. Conjunction: A (Appetitive PE) and B (Aversive PE)							
Striatum, Midbrain, Insula, PFC	Bi	-10	8	-6	5317	0.288	0.096
Dorsal and Ventral Striatum (Accumbens, Caudate & Putamen)	L	-10	8	-6	456	0.288	0.137
Dorsal and Ventral Striatum (Accumbens, Caudate & Putamen)	R	12	8	-4	923	0.282	0.134

Parahippocampal Gyrus, Amygdala, Subcallosal gyrus	L	-18	2	-16	678	0.193	0.100
Ventral Striatum (Accumbens, Caudate)	L	-14	10	2	233	0.178	0.103
Anterior Cingulate	Bi	2	6	-8	236	0.172	0.096
Striatum (Pallidum & Putamen)	L	-16	0	0	228	0.139	0.084
Midbrain (Substantia Nigra & Red Nucleus)	Bi	-2	-20	-12	342	0.131	0.079
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	34	26	-10	169	0.128	0.080
Ventromedial PFC and Anterior Cingulate	R	6	6	-14	144	0.121	0.088
Parahippocampal Gyrus, Amygdala, Subcallosal gyrus	R	22	6	-16	137	0.113	0.082
Ventrolateral PFC (Inferior Frontal Gyrus)	R	30	20	-4	142	0.113	0.077
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	26	-2	126	0.107	0.075
Insula	L	-32	14	-4	275	0.104	0.071
Clastrum	R	26	14	-4	137	0.094	0.068
Ventral Striatum (Accumbens, Caudate)	L	-6	10	8	104	0.092	0.073
Dorsal Striatum (Putamen)	R	24	4	-2	131	0.091	0.068
Insula and Dorsal Striatum (Putamen)	R	-24	16	-6	151	0.091	0.070
Insula	L	-32	20	2	96	0.090	0.074
Parahippocampal Gyrus	R	24	-10	-12	118	0.085	0.068
Insula	R	34	22	4	59	0.084	0.067
Parahippocampal Gyrus	L	-12	-14	-16	108	0.084	0.067
Dorsal Striatum (Putamen)	L	-12	0	10	45	0.080	0.069
Parahippocampal Gyrus	R	30	2	-12	78	0.080	0.069
Dorsal Striatum (Putamen)	R	30	0	-6	39	0.079	0.066
Amygdala	R	28	-2	-20	75	0.076	0.062
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	24	24	-8	35	0.072	0.062
Hypothalamus	L	-2	-6	-10	21	0.068	0.061
Insula	R	30	20	8	26	0.065	0.060

Table S4: Typical, Perceptual and Cognitive PE

	Peak coordinates						
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Typical PE							

Dorsal and Ventral Striatum, Insula, Midbrain, Amygdala, Dorsolateral PFC	Bi	10	10	-4	9750	0.355	0.084
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	R	10	10	-4	1808	0.355	0.132
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	L	-10	6	-8	1069	0.308	0.115
Dorsal Striatum (Putamen), Pallidum	L	-16	6	-8	1487	0.290	0.104
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	36	24	-8	355	0.118	0.062
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	36	24	-2	437	0.117	0.062
Insula	R	30	24	2	273	0.110	0.061
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	30	20	-4	185	0.109	0.075
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	L	-34	18	0	581	0.107	0.060
Clastrum	R	26	14	-4	409	0.101	0.061
Clastrum	L	-28	18	0	527	0.100	0.062
Midbrain	Bi	-2	-18	-10	618	0.090	0.055
Midbrain	R	6	-20	-8	200	0.085	0.059
Amygdala	R	22	-6	-12	401	0.077	0.054
Midbrain (Substantia Nigra)	R	12	-14	-10	225	0.070	0.050
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	L	-12	0	14	354	0.070	0.049
Dorsal Striatum (Putamen), Pallidum	R	-24	-8	0	224	0.061	0.048
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	16	4	14	164	0.060	0.046
Dorsal Striatum (Putamen), Pallidum	R	20	-4	4	76	0.052	0.044
Dorsolateral PFC	R	46	12	32	54	0.050	0.040
Clastrum	L	-34	-6	2	101	0.050	0.044
Dorsolateral PFC	R	46	12	40	25	0.048	0.041
Dorsal Striatum (Putamen)	R	30	-4	8	42	0.047	0.041
Parahippocampal Gyrus, Amygdala	R	26	-6	-26	63	0.046	0.042
Dorsolateral PFC	R	44	14	26	28	0.046	0.040
Inferior Frontal Gyrus	R	46	12	16	24	0.044	0.040
Dorsolateral PFC	R	42	24	32	20	0.044	0.039
Anterior Cingulate, Dorsomedial and Ventromedial PFC (Medial Frontal Gyrus)	Bi	2	46	0	1631	0.082	0.051
Anterior Cingulate	Bi	2	46	0	151	0.082	0.059
Anterior Cingulate	Bi	-4	44	-4	297	0.079	0.055
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	2	54	6	192	0.076	0.053
Medial PFC (Medial Frontal Gyrus)	Bi	4	52	0	147	0.073	0.054

Medial PFC (Medial Frontal Gyrus)	R	6	48	-6	100	0.073	0.051
Anterior Cingulate	L	-4	38	-8	152	0.071	0.051
Anterior Cingulate	R	6	44	6	153	0.065	0.047
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	56	8	79	0.060	0.047
Anterior Cingulate	Bi	4	38	14	126	0.057	0.044
Anterior Cingulate	R	4	36	20	64	0.055	0.043
Anterior Cingulate	R	6	38	-4	58	0.051	0.043
Medial PFC (Medial Frontal Gyrus)	L	-8	54	10	82	0.050	0.043
Anterior Cingulate	L	-2	32	16	29	0.044	0.040
Posterior Cingulate	Bi	-2	-38	30	568	0.081	0.054
Posterior Cingulate	Bi	-2	-38	30	246	0.081	0.057
Posterior Cingulate	R	4	-36	30	88	0.072	0.056
Posterior Cingulate	Bi	4	-30	30	67	0.060	0.050
Posterior Cingulate	Bi	4	-40	40	110	0.060	0.050
Posterior Cingulate	Bi	6	-34	40	57	0.056	0.046
Supplementary Motor Area and Dorsomedial PFC (Superior Frontal Gyrus)	Bi	2	12	50	622	0.072	0.047
Supplementary Motor Area (Superior Frontal Gyrus)	Bi	2	12	50	231	0.072	0.049
Supplementary Motor Area and Frontal Eye Field (Superior Frontal Gyrus)	Bi	-2	18	54	103	0.064	0.049
Anterior Cingulate and Supplementary Motor Area (Medial and Superior Frontal Gyrus)	Bi	-2	22	48	134	0.058	0.046
Supplementary Motor Area (Superior Frontal Gyrus)	R	8	22	52	45	0.050	0.044
Anterior Cingulate, Dorsomedial PFC (Medial Frontal Gyrus)	L	0	6	44	65	0.049	0.042
Anterior Cingulate	R	2	26	36	44	0.047	0.041
Inferior Parietal Lobule	L	-34	-52	44	406	0.061	0.044
Inferior Parietal Lobule	L	-34	-52	44	159	0.061	0.046
Inferior Parietal Lobule	L	-42	-44	44	107	0.057	0.045
Inferior Parietal Lobule	L	-48	-42	48	30	0.048	0.043
Inferior Parietal Lobule	L	-38	-62	40	24	0.047	0.040
Inferior Parietal Lobule	L	-44	-54	48	28	0.045	0.041
Superior Parietal Lobule	L	-24	-60	46	41	0.043	0.040
Inferior Parietal Lobule	L	-36	-40	46	17	0.042	0.040
Inferior Parietal Lobule	R	38	-52	44	202	0.053	0.043
Inferior Parietal Lobule	R	38	-52	44	148	0.053	0.044
Inferior Parietal Lobule	R	44	-54	42	38	0.044	0.041
Angular Gyrus	R	42	-60	36	16	0.041	0.040

B. Perceptual PE							
Clastrum, Dorsal and Ventral Striatum, Insula	L	-26	16	-2	951	0.247	0.121
Clastrum	L	-26	16	-2	355	0.247	0.141
Insula	L	-38	18	0	222	0.183	0.121
Dorsal Striatum (Putamen)	L	-18	12	-2	76	0.141	0.108
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	-12	10	-4	55	0.140	0.107
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	-16	14	4	110	0.139	0.103
Ventral Striatum (Accumbens, Caudate)	L	-8	14	-4	20	0.117	0.102
Dorsal Striatum (Putamen), Pallidum, Thalamus	L	-14	-2	8	37	0.116	0.104
Thalamus	L	-8	0	6	19	0.114	0.101
Dorsal Striatum (Putamen), Pallidum	L	-16	0	0	32	0.103	0.090
Ventral Striatum (Accumbens, Caudate), Pallidum	L	-8	6	0	25	0.102	0.095
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex, Insula	R	30	22	-4	665	0.235	0.146
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	30	22	-4	292	0.235	0.155
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	28	-2	155	0.217	0.148
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	20	-8	143	0.216	0.149
Insula	R	44	16	0	75	0.127	0.102
Superior Parietal Lobule	R	32	-50	50	482	0.156	0.111
Superior Parietal Lobule	R	32	-50	50	105	0.156	0.111
Inferior Parietal Lobule	R	42	-44	52	153	0.154	0.119
Superior Parietal Lobule	R	38	-54	48	123	0.151	0.108
Inferior Parietal Lobule	R	50	-40	52	24	0.116	0.104
Inferior Parietal Lobule	R	52	-42	44	40	0.116	0.100
Inferior Parietal Lobule	R	44	-36	48	37	0.115	0.100
Ventral Striatum (Accumbens, Caudate)	R	8	10	-2	353	0.151	0.108
Ventral Striatum (Accumbens, Caudate)	R	8	10	-2	144	0.151	0.110
Ventral Striatum (Accumbens, Caudate)	R	12	12	4	143	0.147	0.109
Ventral Striatum (Accumbens, Caudate)	R	14	14	10	66	0.117	0.104
Supplementary Motor Area	R	32	0	56	216	0.137	0.104
Supplementary Motor Area	R	32	0	56	33	0.137	0.107
Supplementary Motor Area	R	30	6	54	84	0.124	0.105
Supplementary Motor Area	R	30	12	60	55	0.123	0.109

Supplementary Motor Area	R	36	8	58	22	0.105	0.099
Supplementary Motor Area	R	36	10	48	22	0.093	0.092
Dorsolateral PFC	R	46	14	32	215	0.136	0.104
Dorsolateral PFC	R	46	14	32	113	0.136	0.106
Dorsolateral PFC	R	50	14	24	24	0.117	0.101
Dorsolateral PFC	R	48	20	34	32	0.116	0.103
Precentral Gyrus	R	44	0	36	45	0.116	0.100
Middle Temporal Gyrus	R	56	-34	0	598	0.134	0.103
Middle Temporal Gyrus	R	56	-34	0	62	0.134	0.108
Middle Temporal Gyrus	R	58	-28	-6	89	0.131	0.105
Middle Temporal Gyrus	R	50	-38	2	91	0.126	0.105
Middle Temporal Gyrus	R	56	-38	-6	62	0.125	0.100
Inferior Parietal Lobule	R	54	-44	28	87	0.125	0.103
Middle Temporal Gyrus	R	56	-22	-8	38	0.115	0.104
Superior Temporal Gyrus	R	56	-44	14	67	0.114	0.098
Superior Temporal Gyrus	R	56	-36	10	49	0.113	0.106
Middle Temporal Gyrus	R	56	-40	4	50	0.113	0.101
Dorsolateral PFC	L	-44	18	28	258	0.133	0.096
Dorsolateral PFC	L	-44	18	28	95	0.133	0.096
Dorsolateral PFC	L	-36	22	28	56	0.125	0.099
Dorsolateral PFC	L	-36	28	34	107	0.108	0.093
C. Cognitive PE							
Dorsal and Ventral Striatum, Subgenual Cingulate	Bi	-10	8	-10	2191	0.242	0.111
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	R	-10	8	-10	762	0.242	0.137
Ventral Striatum (Accumbens, Caudate), Medial PFC	R	12	14	-8	200	0.174	0.108
Anterior Cingulate	R	2	12	-6	306	0.161	0.108
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	12	8	-6	107	0.159	0.106
Dorsal Striatum (Putamen), Pallidum	R	16	8	-12	190	0.151	0.093
Ventral Striatum (Accumbens, Caudate), Putamen	L	-14	14	6	190	0.132	0.092
Ventral Striatum (Accumbens, Caudate)	R	12	10	0	79	0.127	0.090
Striatum (Caudate)	R	12	16	10	104	0.124	0.092
Ventral Striatum (Accumbens, Caudate), Subgenual Cingulate	L	-6	20	-2	119	0.117	0.086
Striatum (Caudate)	L	-4	14	8	93	0.113	0.089
Striatum (Caudate)	R	18	16	10	41	0.107	0.083

Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	24	-12	538	0.165	0.098
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	24	-12	212	0.165	0.099
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	-6	166	0.165	0.108
Clastrum	R	24	18	-8	133	0.113	0.086
Ventrolateral PFC (Inferior Frontal Gyrus)	R	42	24	-4	27	0.086	0.077
Midbrain	Bi	0	-20	-10	533	0.133	0.083
Midbrain	Bi	0	-20	-10	131	0.133	0.088
Midbrain	Bi	0	-20	-16	161	0.125	0.084
Midbrain	R	6	-18	-12	82	0.117	0.083
Brainstem	Bi	0	-20	-24	135	0.112	0.080
Brainstem	Bi	0	-14	-24	24	0.088	0.073
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	Bi	4	36	-22	440	0.100	0.078
Ventromedial PFC (Rectal Gyrus)	R	4	36	-22	120	0.100	0.079
Ventromedial PFC (Medial Frontal Gyrus)	R	8	34	-10	34	0.090	0.085
Ventromedial PFC	R	8	36	-16	80	0.090	0.077
Ventromedial PFC	R	4	40	-6	33	0.086	0.076
Ventromedial PFC	Bi	-4	46	-16	53	0.086	0.076
Ventromedial PFC	Bi	2	48	-12	65	0.085	0.076
Ventromedial PFC	R	14	40	-16	55	0.075	0.075
D. Conjunction (A: Typical PE, B: Perceptual PE)							
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum, Insula, Inferior Frontal Gyrus	Bi	8	10	-2	3804	0.151	0.071
Ventral Striatum (Accumbens, Caudate)	R	8	10	-2	395	0.151	0.082
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	12	12	4	498	0.147	0.074
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	L	-18	12	-2	193	0.141	0.079
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	-12	10	-4	136	0.140	0.084
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	36	24	-8	269	0.118	0.067
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	24	-2	328	0.117	0.068
Ventral Striatum (Accumbens, Caudate)	L	-6	10	0	142	0.116	0.074
Insula	R	30	24	2	193	0.110	0.068

Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	30	20	-4	297	0.109	0.069
Insula	L	-34	18	0	417	0.107	0.065
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-16	4	4	311	0.104	0.066
Striatum (Caudate)	L	-8	4	4	127	0.100	0.067
Insula, Claustrum	L	-28	18	0	263	0.100	0.064
Claustrum	L	-26	12	-4	163	0.098	0.065
Ventral Striatum (Accumbens, Caudate), Subgenual Cingulate	L	-4	4	-4	72	0.098	0.067
E. Conjunction (A: Typical PE, C: Cognitive PE)							
Dorsal and Ventral Striatum, Insula, Inferior Frontal Gyrus	Bi	-10	8	-10	3553	0.242	0.083
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	-10	8	-10	635	0.242	0.111
Ventral Striatum (Accumbens, Caudate)	L	-10	12	-4	381	0.233	0.109
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	12	14	-8	253	0.174	0.092
Subgenual Cingulate	R	2	12	-6	357	0.161	0.085
Subgenual Cingulate	R	12	8	-6	161	0.159	0.086
Subgenual Cingulate	R	16	8	-12	374	0.151	0.072
Ventral Striatum (Accumbens, Caudate)	R	12	10	0	120	0.127	0.075
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	36	24	-8	412	0.118	0.063
Striatum (Caudate)	L	-12	10	6	300	0.115	0.062
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	30	20	-4	292	0.109	0.065
Ventral Striatum (Accumbens, Caudate)	R	12	16	6	268	0.100	0.058
Midbrain	Bi	-2	-18	-10	639	0.090	0.056
F. Conjunction (A: Typical PE, B: Perceptual PE, C: Cognitive PE)							
Dorsal and Ventral Striatum, Subgenual Cingulate	Bi	-12	10	-4	1243	0.140	0.070
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-12	10	-4	322	0.140	0.074
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	12	10	0	177	0.127	0.080
Ventral Striatum (Accumbens, Caudate)	L	-6	10	0	199	0.116	0.069
Ventral Striatum (Accumbens, Caudate)	R	8	6	-6	97	0.101	0.069
Ventral Striatum (Accumbens, Caudate), Dorsal Striatum (Putamen)	R	2	12	0	136	0.100	0.071
Ventral Striatum (Accumbens, Caudate)	R	12	16	6	217	0.100	0.060

Ventral Striatum (Accumbens, Caudate), Subgenual Cingulate	R	-4	4	-4	69	0.098	0.066
Dorsal Striatum (Putamen)	R	20	12	-6	26	0.056	0.046
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	-8	621	0.118	0.066
Ventrolateral PFC (Inferior Frontal Gyrus)	R	36	24	-8	349	0.118	0.066
Ventrolateral PFC (Inferior Frontal Gyrus)	R	30	20	-4	252	0.109	0.066
Clastrum	R	24	14	-6	20	0.059	0.047

Table S5: Instrumental and Pavlovian PE

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Instrumental PE							
Dorsal and Ventral Striatum, Insula, PFC, Temporal Lobe	Bi	10	10	-8	8247	0.333	0.084
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	R	10	10	-8	2110	0.333	0.113
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	L	-8	6	-6	2151	0.297	0.108
Clastrum	L	36	22	-8	1554	0.144	0.066
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-30	20	0	531	0.107	0.063
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-34	26	-4	323	0.102	0.060
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-38	18	-6	278	0.080	0.052
Ventral Striatum (Accumbens, Caudate)	L	-16	2	14	167	0.064	0.046
Ventral Striatum (Accumbens, Caudate)	L	-10	8	14	199	0.061	0.047
Dorsal Striatum (Putamen)	L	-28	0	4	327	0.057	0.043
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	16	4	14	169	0.053	0.042
Dorsal Striatum (Putamen)	L	-26	-10	6	157	0.052	0.043
Parahippocampal Gyrus, Amygdala	R	24	-6	-12	124	0.050	0.040
Dorsal Striatum (Putamen)	R	28	-8	4	76	0.047	0.039
Dorsal Striatum (Putamen)	R	28	-2	2	45	0.044	0.038
Pallidum	R	20	-4	4	18	0.041	0.038
Clastrum	R	30	-4	12	18	0.040	0.037
Midbrain	Bi	6	-18	-12	806	0.082	0.050
Midbrain	R	6	-18	-12	316	0.082	0.053

Midbrain	Bi	0	-20	-10	218	0.079	0.050
Midbrain	Bi	0	-20	-16	205	0.077	0.050
Brainstem	Bi	-2	-18	-24	67	0.050	0.042
Ventromedial PFC, Dorsomedial PFC, Anterior Cingulate	Bi	0	50	2	2596	0.072	0.046
Anterior Cingulate, Medial PFC (Medial Frontal Gyrus)	R	0	50	2	228	0.072	0.055
Medial PFC (Medial Frontal Gyrus)	Bi	-4	56	4	208	0.069	0.050
Anterior Cingulate	L	-2	40	-8	295	0.068	0.049
Anterior Cingulate	Bi	8	44	4	202	0.065	0.046
Anterior Cingulate, Dorsomedial PFC (Medial Frontal Gyrus)	R	4	26	46	139	0.065	0.045
Dorsomedial PFC (Superior Frontal Gyrus)	L	-2	26	48	163	0.063	0.044
Dorsomedial PFC (Superior Frontal Gyrus)	R	2	18	54	248	0.062	0.045
Dorsomedial PFC (Medial Frontal Gyrus), Anterior Cingulate (Cingulate Gyrus)	R	2	26	40	208	0.061	0.043
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	R	6	48	-6	111	0.060	0.048
Medial PFC (Medial Frontal Gyrus), Anterior Cingulate	L	-4	50	10	95	0.057	0.045
Anterior Cingulate	R	4	38	16	133	0.055	0.042
Dorsomedial PFC (Medial Frontal Gyrus)	L	-4	60	12	95	0.054	0.043
Medial Frontal Gyrus	R	6	44	28	22	0.051	0.041
Anterior Cingulate	R	6	36	26	124	0.050	0.040
Anterior Cingulate	R	0	34	6	69	0.048	0.041
Anterior Cingulate, Ventromedial PFC (Medial Frontal Gyrus)	R	8	42	-8	41	0.047	0.040
Anterior Cingulate	R	6	36	-8	45	0.047	0.040
Anterior Cingulate	Bi	0	26	26	62	0.046	0.039
Medial PFC (Medial Frontal Gyrus)	R	8	56	8	60	0.046	0.041
Anterior Cingulate	Bi	-6	42	10	48	0.043	0.038
Posterior Cingulate	Bi	0	-36	32	510	0.070	0.048
Posterior Cingulate	Bi	10	10	-8	372	0.070	0.048
Posterior Cingulate	Bi	10	10	-8	138	0.060	0.046
Inferior Parietal Lobule	R	-8	6	-6	337	0.062	0.043
Inferior/Superior Parietal Lobule	L	36	22	-8	490	0.060	0.042
Inferior Parietal Lobule	L	-30	20	0	142	0.060	0.044
Inferior Parietal Lobule	L	-34	26	-4	94	0.054	0.042
Inferior Parietal Lobule	L	-38	18	-6	92	0.053	0.040
Inferior Parietal Lobule	L	-16	2	14	69	0.049	0.040

Inferior Parietal Lobule	L	-10	8	14	52	0.045	0.040
Superior Parietal Lobule	L	-28	0	4	41	0.041	0.038
Fusiform Gyrus	L	16	4	14	173	0.051	0.041
Fusiform Gyrus	L	-26	-10	6	67	0.051	0.042
Inferior Occipital Gyrus	L	24	-6	-12	67	0.047	0.040
Inferior Occipital Gyrus	L	28	-8	4	39	0.045	0.039
B. Pavlovian PE							
Striatum, Insula, OFC, Temporal Lobe, Midbrain	Bi	-20	0	-12	6983	0.274	0.118
Parahippocampal Gyrus	L	-20	0	-12	390	0.274	0.172
Subgenual Cingulate, Ventral Striatum (Accumbens, Caudate)	R	4	4	-2	216	0.235	0.127
Pallidum	R	14	4	-4	199	0.228	0.147
Dorsal Striatum (Putamen)	L	-20	2	-4	184	0.228	0.156
Dorsal Striatum (Putamen)	L	-12	4	-8	186	0.217	0.144
Midbrain	L	-4	-20	-8	307	0.215	0.133
Midbrain	L	-4	-12	-6	88	0.207	0.141
Pallidum	L	-12	2	-2	112	0.206	0.130
Insula	R	36	20	2	686	0.196	0.124
Dorsal Striatum (Putamen)	R	18	10	-4	107	0.196	0.116
Dorsal Striatum (Putamen)	R	18	8	4	175	0.194	0.115
Insula	L	-34	18	2	112	0.193	0.139
Clastrum, Dorsal Striatum (Putamen)	L	-28	10	-2	176	0.192	0.119
Parahippocampal Gyrus, Midbrain	L	-14	-10	-14	224	0.190	0.119
Dorsal Striatum (Putamen), Orbitofrontal Cortex	L	-22	12	-10	193	0.186	0.112
Clastrum	L	-28	16	-2	145	0.185	0.124
Hypothalamus	Bi	2	-4	-6	135	0.175	0.115
Midbrain	R	2	-18	-10	158	0.172	0.115
Midbrain	R	2	-10	-6	72	0.170	0.129
Hypothalamus	L	-8	-6	-10	129	0.170	0.121
Amygdala	L	-18	-6	-22	230	0.166	0.112
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-32	22	-8	275	0.166	0.106
Dorsal Striatum (Putamen)	L	-16	2	8	158	0.161	0.110
Amygdala	R	24	0	-16	273	0.160	0.115
Dorsal Striatum (Putamen)	L	-24	4	4	181	0.158	0.110
Dorsal Striatum (Putamen)	R	24	2	0	89	0.154	0.108
Dorsal Striatum (Putamen)	R	22	0	-6	104	0.152	0.110
Insula	L	-40	16	2	125	0.148	0.104
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-32	26	4	68	0.139	0.102

Ventral Striatum (Accumbens, Caudate), Orbitofrontal Cortex, Subgenual Cingulate	Bi	-10	10	-8	2280	0.238	0.086
Ventral Striatum (Caudate), Subgenual Cingulate	L	-10	10	-8	1033	0.238	0.087
Subgenual Cingulate	R	12	14	-8	875	0.234	0.101
Ventral Striatum (Accumbens, Caudate)	Bi	10	18	4	289	0.099	0.050
Ventral Striatum (Accumbens, Caudate)	L	-12	6	16	62	0.057	0.040
Inferior Frontal Gyrus	R	28	28	-8	21	0.053	0.041
Anterior Cingulate, Medial Frontal Gyrus	R	8	46	4	767	0.064	0.042
Anterior Cingulate, Medial Frontal Gyrus	R	8	46	4	44	0.064	0.041
Anterior Cingulate	L	-6	48	-2	123	0.063	0.045
Anterior Cingulate	L	-4	38	-8	88	0.061	0.043
Anterior Cingulate, Medial Frontal Gyrus	L	-4	60	0	102	0.060	0.042
Anterior Cingulate, Medial Frontal Gyrus	L	0	48	-2	77	0.059	0.043
Anterior Cingulate, Medial Frontal Gyrus	R	0	44	-8	92	0.055	0.042
Anterior Cingulate, Medial Frontal Gyrus	R	2	52	4	65	0.054	0.043
Anterior Cingulate	R	6	42	12	49	0.050	0.040
Medial Frontal Gyrus	L	-4	48	12	19	0.049	0.038
Anterior Cingulate	R	6	36	-8	71	0.047	0.039
Dorsomedial PFC (Medial Frontal Gyrus)	L	-4	60	12	37	0.043	0.037
Dorsomedial PFC (Medial/Superior Frontal Gyrus), Anterior Cingulate (Cingulate gyrus)	R	2	26	40	316	0.061	0.041
Dorsomedial PFC (Medial Frontal Gyrus)	R	2	26	40	125	0.061	0.043
Dorsomedial PFC (Medial Frontal Gyrus)	R	6	26	46	46	0.059	0.041
Supplementary Motor Area	R	4	16	44	29	0.050	0.039
Frontal Eye Field	L	-2	26	48	66	0.048	0.039
Frontal Eye Field	R	4	22	52	28	0.045	0.039
Frontal Eye Field	R	10	20	50	16	0.043	0.037
Inferior Parietal Lobule	R	34	-52	46	183	0.060	0.041
Posterior Cingulate	L	0	-40	40	167	0.058	0.041
Posterior Cingulate	L	0	-40	40	84	0.058	0.042
Posterior Cingulate	L	0	-38	30	24	0.053	0.039
Posterior Cingulate	R	4	-32	38	57	0.051	0.040

D. Pavlovian > Instrumental PEs							
Midbrain, Amygdala, Insula, IFG, Thalamus							
	Bi	-20	-6	-14	8745	-0.186	-0.062
Amygdala	L	-20	-6	-14	185	-0.186	-0.106
Hypothalamus	L	-4	-12	-6	83	-0.177	-0.103
Midbrain (Substantia Nigra)	L	-8	-14	-12	177	-0.174	-0.099
Midbrain (Substantia Nigra)	L	-8	-20	-8	211	-0.174	-0.086
Hypothalamus	L	0	-6	-6	120	-0.168	-0.089
Parahippocampal Gyrus	L	-14	-8	-12	105	-0.153	-0.094
Amygdala	L	-20	2	-22	149	-0.147	-0.079
Parahippocampal Gyrus	L	-12	-2	-18	90	-0.145	-0.080
Dorsal Striatum (Putamen), Pallidum	L	-18	-2	-4	123	-0.144	-0.088
Subgenual Cingulate	R	4	2	-2	70	-0.143	-0.066
Hypothalamus	L	-8	-6	-10	92	-0.141	-0.078
Clastrum	L	-28	10	-2	79	-0.139	-0.073
Dorsal Striatum (Putamen)	L	-26	0	-4	155	-0.139	-0.072
Amygdala	R	22	-6	-20	209	-0.137	-0.070
Amygdala	L	-18	-6	-22	170	-0.132	-0.079
Amygdala	L	-26	-2	-22	110	-0.127	-0.076
Hypothalamus	R	6	-8	-6	77	-0.126	-0.076
Hypothalamus	R	2	-10	-12	99	-0.125	-0.072
Clastrum	L	-32	10	4	63	-0.124	-0.078
Striatum (Putamen)	L	-26	8	4	105	-0.124	-0.079
Amygdala	R	20	-8	-12	113	-0.124	-0.071
Striatum (Pallidum)	L	-18	-2	8	142	-0.123	-0.065
Amygdala	R	24	0	-16	101	-0.123	-0.076
Parahippocampal Gyrus	R	12	-8	-14	137	-0.118	-0.060
Striatum (Putamen)	R	24	2	0	106	-0.116	-0.073
Insula	L	-34	16	0	78	-0.114	-0.078
Striatum (Pallidum)	R	10	0	-2	35	-0.113	-0.056
Clastrum, Insula	R	32	10	-14	107	-0.113	-0.062
Clastrum	L	-28	16	-2	62	-0.111	-0.068
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	28	4	155	-0.110	-0.063
Striatum (Putamen)	R	30	2	-4	95	-0.110	-0.065
Superior Temporal Gyrus	R	34	4	-12	106	-0.110	-0.060
Entorhinal Cortex	R	28	4	-10	63	-0.109	-0.073
Insula	R	-40	16	2	78	-0.107	-0.061
Midbrain	Bi	2	-16	-12	90	-0.106	-0.067
Ventrolateral PFC (Inferior Frontal Gyrus)	R	30	30	4	96	-0.104	-0.063

Midbrain	L	-2	-22	-2	93	-0.104	-0.056
Parahippocampal Gyrus	R	16	-14	-16	57	-0.102	-0.055
Insula	L	-40	10	-2	77	-0.098	-0.058
Striatum (Pallidum)	R	10	0	4	63	-0.097	-0.060
Striatum (Putamen)	R	-24	4	10	105	-0.096	-0.068
Insula	L	-32	16	8	108	-0.094	-0.055
Clastrum	L	-34	4	4	68	-0.091	-0.048
Striatum (Putamen)	R	22	0	-6	54	-0.091	-0.061
Insula	L	-40	6	6	105	-0.089	-0.045
Insula	R	36	20	2	112	-0.088	-0.055
Amygdala	R	32	-2	-20	74	-0.087	-0.059
Thalamus	L	-14	-10	8	74	-0.086	-0.054
Clastrum	L	-24	18	6	74	-0.086	-0.052
Clastrum	R	30	18	8	54	-0.086	-0.054
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-32	18	-10	121	-0.083	-0.060
Thalamus	R	4	-10	0	63	-0.082	-0.054
Entorhinal Cortex	L	-28	4	-16	68	-0.082	-0.052
Striatum (Putamen)	L	-22	12	-10	37	-0.081	-0.051
Striatum (Putamen)	R	24	8	6	57	-0.081	-0.054
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	28	-6	108	-0.080	-0.050
Thalamus	R	12	-20	4	101	-0.080	-0.047
Striatum (Pallidum)	L	-12	0	-2	29	-0.079	-0.052
Ventrolateral PFC (Inferior Frontal Gyrus), Dorsolateral PFC	R	56	10	28	75	-0.077	-0.048
Insula	L	-38	12	-10	90	-0.076	-0.052
Inferior Frontal Gyrus, Orbitofrontal Cortex	L	-28	10	-12	75	-0.076	-0.052
Insula	L	-40	10	14	61	-0.075	-0.044
Midbrain	R	10	-14	-2	59	-0.073	-0.051
Insula	R	34	22	14	77	-0.073	-0.049
Insula	R	36	14	-6	42	-0.072	-0.046
Insula	R	36	16	12	35	-0.072	-0.048
Insula	L	-40	-2	0	71	-0.072	-0.048
Dorsolateral PFC	R	44	20	18	86	-0.071	-0.049
Dorsolateral PFC	R	36	16	22	104	-0.071	-0.050
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	L	-32	20	-18	106	-0.070	-0.047
Dorsolateral PFC	R	46	18	24	57	-0.069	-0.048
Clastrum	R	30	14	-4	20	-0.069	-0.043
Primary Motor Area (Precentral Gyrus)	R	60	4	24	66	-0.069	-0.053

Dorsolateral PFC	R	42	12	24	43	-0.069	-0.051
Thalamus	R	10	-12	6	77	-0.067	-0.046
Striatum (Pallidum, Putamen), Thalamus	L	-20	-8	14	53	-0.067	-0.051
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-42	32	6	60	-0.066	-0.047
Clastrum	R	24	26	2	42	-0.065	-0.044
Parahippocampal Gyrus	R	16	-12	-6	41	-0.065	-0.046
DLPFC	R	38	22	26	40	-0.064	-0.050
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	L	-32	26	4	32	-0.064	-0.048
Precentral Gyrus	R	68	0	32	68	-0.064	-0.051
Precentral Gyrus	R	68	6	22	34	-0.064	-0.052
Thalamus	L	-10	-12	16	56	-0.064	-0.049
Ventrolateral PFC (Inferior Frontal Gyrus)	R	44	24	12	28	-0.063	-0.044
Ventrolateral PFC (Inferior Frontal Gyrus)	R	52	18	22	56	-0.063	-0.041
Clastrum	R	32	2	4	20	-0.062	-0.040
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	40	18	-12	28	-0.062	-0.042
Precentral Gyrus	R	60	-6	30	65	-0.061	-0.045
Parahippocampal Gyrus	L	-18	-18	-16	45	-0.058	-0.046
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	L	-28	24	-6	25	-0.057	-0.045
Superior Temporal Gyrus	L	-26	12	-22	67	-0.057	-0.042
Striatum (Putamen)	R	16	4	10	36	-0.057	-0.042
Postcentral Gyrus	R	60	0	18	32	-0.056	-0.046
Thalamus	R	2	-12	6	60	-0.056	-0.042
Inferior Frontal Gyrus	R	48	12	28	44	-0.056	-0.046
Ventrolateral PFC (Inferior Frontal Gyrus)	R	34	34	-2	22	-0.056	-0.044
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-42	26	0	20	-0.056	-0.039
Superior Temporal Gyrus	R	24	8	-24	59	-0.055	-0.039
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	L	-44	22	-6	51	-0.055	-0.044
Clastrum	R	30	10	6	31	-0.054	-0.041
Clastrum, Insula	R	40	6	-8	32	-0.054	-0.046
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-48	18	8	27	-0.052	-0.041
Insula	L	-36	18	20	62	-0.052	-0.039
Striatum (Pallidum)	R	18	-4	-2	26	-0.052	-0.041
Striatum (Pallidum)	L	-18	-10	0	46	-0.052	-0.041

Precentral Gyrus	L	-48	10	6	33	-0.051	-0.043
Amygdala	R	24	4	-34	64	-0.050	-0.038
Parahippocampal Gyrus	R	30	-10	-18	26	-0.050	-0.045
Thalamus	L	-14	-16	8	32	-0.049	-0.040
Ventrolateral PFC (Inferior Frontal Gyrus)	L	-44	32	12	54	-0.049	-0.040
Insula	R	32	22	20	22	-0.049	-0.044
Thalamus	L	-16	-16	18	33	-0.049	-0.041
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	24	18	-20	38	-0.048	-0.037
Striatum (Pallidum)	R	20	-10	-2	20	-0.046	-0.041
Thalamus	R	18	-10	6	27	-0.046	-0.037
Dorsolateral PFC	L	-34	18	28	44	-0.046	-0.040
Dorsolateral PFC	R	56	18	30	18	-0.046	-0.038
Striatum (Putamen)	R	22	0	10	23	-0.045	-0.038
Thalamus	R	4	-26	8	17	-0.044	-0.039
Middle Temporal Gyrus	R	32	2	-28	44	-0.043	-0.038
Insula	L	-38	-4	-10	28	-0.042	-0.037
Dorsolateral PFC	L	-32	12	28	16	-0.039	-0.035
Anterior Cingulate, Medial and Superior Frontal Gyrus	Bi	4	6	44	2058	-0.118	-0.056
Anterior Cingulate	R	4	6	44	107	-0.118	-0.072
Anterior Cingulate	Bi	0	6	38	127	-0.116	-0.062
Anterior Cingulate	Bi	-2	2	46	112	-0.114	-0.068
Superior Frontal Gyrus	L	0	4	58	93	-0.111	-0.076
Superior Frontal Gyrus	L	-2	10	48	73	-0.106	-0.063
Superior Frontal Gyrus	R	2	4	52	105	-0.101	-0.063
Superior Frontal Gyrus	L	-6	6	54	80	-0.101	-0.063
Supplementary Motor Area	L	-6	0	58	101	-0.092	-0.059
Anterior Cingulate	L	-10	10	38	161	-0.091	-0.058
Anterior Cingulate	R	12	6	40	165	-0.089	-0.057
Superior Frontal Gyrus	L	-6	14	54	45	-0.084	-0.052
Anterior Cingulate	L	-6	10	32	176	-0.083	-0.057
Superior Frontal Gyrus	R	4	8	64	80	-0.080	-0.050
Anterior Cingulate	L	-10	20	32	80	-0.065	-0.046
Anterior Cingulate	R	20	8	42	71	-0.063	-0.052
Supplementary Motor Area	R	2	16	60	63	-0.063	-0.046
Anterior Cingulate	Bi	2	-2	38	89	-0.059	-0.045
Supplementary Motor Area	R	4	-6	54	57	-0.055	-0.045
Supplementary Motor Area	L	-6	10	60	36	-0.050	-0.040
Supplementary Motor Area	R	4	0	66	23	-0.049	-0.041

Supplementary Motor Area	R	18	6	48	63	-0.048	-0.043
Anterior Cingulate	R	8	-6	42	16	-0.048	-0.039
Supplementary Motor Area	L	-10	-8	60	25	-0.047	-0.037
Supplementary Motor Area	R	6	-6	60	32	-0.047	-0.039
Supplementary Motor Area	L	-8	0	68	43	-0.046	-0.039
Supplementary Motor Area	R	4	-4	66	33	-0.036	-0.036
Precentral Gyrus, Supplementary Motor Area							
Precentral Gyrus	L	-44	-2	50	239	-0.073	-0.046
Supplementary Motor Area	L	-44	-2	50	75	-0.073	-0.049
Precentral Gyrus	L	-36	-2	50	35	-0.069	-0.050
Precentral Gyrus	L	-46	-8	52	32	-0.066	-0.049
Precentral Gyrus	L	-40	-8	54	36	-0.058	-0.044
Precentral Gyrus	L	-42	0	56	40	-0.048	-0.040
Precentral Gyrus	L	-48	-2	44	21	-0.047	-0.038
Dorsomedial PFC (Superior, Medial Frontal Gyrus)							
Dorsomedial PFC	L	0	48	32	386	-0.073	-0.047
Dorsomedial PFC	L	0	48	32	84	-0.073	-0.049
Dorsomedial PFC	L	0	50	44	76	-0.071	-0.048
Dorsomedial PFC	L	-2	44	38	106	-0.068	-0.047
Dorsomedial PFC	L	-10	44	32	51	-0.067	-0.051
Dorsomedial PFC	L	-8	48	22	27	-0.053	-0.039
Dorsomedial PFC	L	-6	54	36	22	-0.045	-0.042
Dorsolateral PFC	L	-10	54	24	20	-0.042	-0.038
Middle/Superior Temporal Gyrus							
Middle Temporal Gyrus	R	58	-34	2	355	-0.068	-0.041
Middle Temporal Gyrus	R	58	-34	2	76	-0.068	-0.045
Middle Temporal Gyrus	R	58	-42	-2	46	-0.057	-0.042
Middle Temporal Gyrus	R	60	-46	12	52	-0.054	-0.039
Middle Temporal Gyrus	R	60	-40	6	93	-0.053	-0.044
Superior Temporal Gyrus	R	68	-44	6	26	-0.040	-0.037
Superior Temporal Gyrus	R	68	-36	12	36	-0.038	-0.035
Middle Temporal Gyrus	R	68	-38	4	26	-0.037	-0.035
Superior Parietal Lobule							
Superior Parietal Lobule	L	-30	-60	46	172	-0.063	-0.041
Precuneus	L	-30	-60	46	57	-0.063	-0.041
Superior Parietal Lobule	L	-24	-52	52	41	-0.055	-0.043
Superior Parietal Lobule	L	-24	-58	46	40	-0.049	-0.040
Superior Parietal Lobule	L	-34	-64	54	32	-0.047	-0.039
Middle Temporal Gyrus	L	-50	-40	-10	229	-0.060	-0.041
Middle Temporal Gyrus	L	-50	-40	-10	44	-0.060	-0.046
Middle Temporal Gyrus	L	-50	-34	-8	66	-0.059	-0.042
Middle Temporal Gyrus	L	-58	-36	-4	62	-0.050	-0.040
Middle Temporal Gyrus	L	-60	-30	-6	34	-0.049	-0.040

Middle Temporal Gyrus	L	-56	-32	2	23	-0.037	-0.035
Inferior Parietal Lobule, Postcentral Gyrus	L	-50	-26	32	179	-0.051	-0.038
Inferior Parietal Lobule	L	-50	-26	32	25	-0.051	-0.039
Postcentral Gyrus	L	-60	-26	22	28	-0.047	-0.036
Postcentral Gyrus	L	-48	-20	30	37	-0.044	-0.042
Inferior Parietal Lobule	L	-58	-24	30	33	-0.041	-0.038
Postcentral Gyrus	L	-52	-24	22	26	-0.038	-0.037
Postcentral Gyrus	L	-64	-16	32	30	-0.036	-0.034
Lingual, Fusiform and Occipital Gyrus	R	30	-76	0	246	-0.049	-0.038
Lingual Gyrus	R	30	-76	0	64	-0.049	-0.041
Lingual Gyrus	R	20	-82	2	53	-0.048	-0.039
Lingual Gyrus	R	18	-84	-8	43	-0.046	-0.038
Inferior Occipital Gyrus	R	26	-90	-8	34	-0.041	-0.037
Fusiform Gyrus	R	30	-76	-10	28	-0.040	-0.036
Middle Occipital Gyrus	R	28	-82	-8	24	-0.038	-0.035
Precentral Gyrus	L	-58	2	42	177	-0.036	-0.035
Precentral Gyrus	L	-58	2	42	61	-0.036	-0.035
Precentral Gyrus	L	-58	-6	40	116	-0.036	-0.035
E. Instrumental and Pavlovian Conjunction							
Dorsal and Ventral Striatum, Insula	Bi	14	4	-4	5934	0.228	0.0721
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	R	14	4	-4	431	0.228	0.0971
Dorsal and Ventral Striatum, Amygdala, Parahippocampal Gyrus, Ventrolateral PFC (Inferior Frontal Gyrus)	L	-16	6	-12	734	0.221	0.0821
Ventral Striatum (Accumbens, Caudate), Subgenual Cingulate	R	6	4	-4	329	0.207	0.0883
Ventral Striatum (Accumbens, Caudate), Pallidum	L	-10	4	-4	308	0.199	0.0946
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	18	10	-4	379	0.196	0.0807
Dorsal Striatum (Putamen)	R	-18	6	-4	409	0.187	0.0827
Inferior Frontal Gyrus, Insula	R	36	22	-6	1102	0.142	0.0699
Subgenual Cingulate	R	2	6	-12	255	0.135	0.0699
Insula, Claustrum	L	-30	20	0	605	0.107	0.0656
Striatum (Caudate)	L	-10	6	6	202	0.0923	0.0602
Striatum (Putamen), Inferior Frontal Gyrus, Claustrum	R	24	12	-8	249	0.0817	0.0539
Ventrolateral PFC (Inferior Frontal Gyrus), Claustrum	L	-38	18	-6	325	0.0804	0.0526
Striatum (Caudate)	L	-16	2	14	109	0.0638	0.0468

Dorsal Striatum (Putamen)	L	-28	0	4	157	0.0565	0.0447
Striatum (Caudate)	R	16	4	14	79	0.0534	0.0429
Pallidum	L	-24	-10	2	52	0.0505	0.041
Amygdala	R	24	-6	-12	121	0.0497	0.0403
Dorsal Striatum (Putamen)	R	28	-2	2	39	0.0442	0.0381
Clastrum	L	-34	-4	0	31	0.0441	0.0387
Pallidum	R	20	-4	4	18	0.0407	0.0378
Midbrain	Bi	6	-18	-12	624	0.0823	0.0514
Midbrain	Bi	6	-18	-12	258	0.0823	0.0533
Midbrain	Bi	0	-20	-10	210	0.0789	0.0499
Midbrain	Bi	0	-20	-16	156	0.0769	0.0502

Table S6: Social, Unsigned, Social > Reward PE and Social & Unsigned Conjunction

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Prediction Errors for Social Rewards							
Dorsal and Ventral Striatum, Ventrolateral PFC, Medial PFC	Bi	10	10	-8	4094	0.302	Bi
Striatum, Anterior Cingulate	R	10	10	-8	567	0.302	R
Ventral Striatum (Caudate, Accumbens), ACC	R	4	8	-8	439	0.264	R
Ventral Striatum (Caudate, Accumbens)	L	-6	10	-6	606	0.232	L
Ventrolateral PFC (Inferior Frontal Gyrus)	R	38	24	-6	349	0.174	R
Ventrolateral PFC (Inferior Frontal Gyrus)	R	32	24	-4	334	0.147	R
Parahippocampal Gyrus	L	-14	2	-16	378	0.135	L
Dorsal Striatum (Putamen), Pallidum	R	20	0	-8	176	0.128	R
Ventral Striatum (Accumbens, Caudate)	L	-12	20	0	236	0.111	L
Striatum (Putamen), Claustrum	R	22	12	-4	112	0.103	R
Anterior Cingulate	R	8	34	-10	42	0.087	R
Orbitofrontal Cortex	R	2	34	-14	128	0.087	R
Ventrolateral PFC (Inferior Frontal Gyrus), Precentral Gyrus	R	44	18	8	158	0.081	R
Orbitofrontal Cortex	R	8	36	-16	134	0.078	R
Subcallosal Gyrus	R	-6	24	-10	68	0.076	R
Ventrolateral PFC (Inferior Frontal Gyrus)	R	44	24	-12	83	0.072	R
Ventral Striatum (Accumbens, Caudate)	L	-6	24	4	39	0.072	L

Orbitofrontal Cortex	R	4	48	-12	111	0.068	R
Pallidum	L	-20	-2	-2	16	0.068	L
Orbitofrontal Cortex	R	14	40	-16	43	0.067	R
Anterior Cingulate	R	4	40	-6	22	0.066	R
Superior Temporal Gyrus	R	48	18	-16	27	0.062	R
Ventral Striatum (Caudate)	L	-6	4	6	26	0.054	L
Dorsomedial PFC (Medial Frontal Gyrus), Medial PFC and Anterior Cingulate	R	4	54	6	835	0.136	R
Dorsomedial PFC (Medial Frontal Gyrus), Medial PFC	R	4	54	6	309	0.136	R
Dorsomedial PFC (Medial Frontal Gyrus), Medial PFC	R	0	60	6	145	0.108	R
Anterior Cingulate	R	-4	50	10	120	0.093	R
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	54	18	59	0.086	R
Anterior Cingulate and Medial Frontal Gyrus	R	16	52	6	185	0.081	R
Dorsomedial PFC (Superior Frontal Gyrus)	R	10	60	20	17	0.076	R
B. Unsigned PE							
Insula, Claustrum, Striatum, Inferior Frontal Gyrus	Bi	34	24	-4	3167	0.276	0.101
Insula, Inferior Frontal Gyrus	R	34	24	-4	1009	0.276	0.128
Insula, Claustrum, Inferior Frontal Gyrus	L	-30	20	0	830	0.206	0.108
Striatum (Caudate, Pallidum, Putamen)	R	12	10	-2	411	0.142	0.082
Striatum (Caudate, Pallidum, Putamen)	L	-14	10	2	282	0.130	0.081
Striatum (Caudate)	L	-6	14	-2	184	0.104	0.072
Striatum (Caudate, Putamen), Claustrum	L	-18	18	0	134	0.091	0.070
Striatum (Caudate)	R	18	10	10	89	0.089	0.070
Striatum (Pallidum)	R	12	0	0	54	0.081	0.068
Striatum (Caudate), Insula, Claustrum	R	22	18	4	93	0.078	0.066
Striatum (Pallidum)	L	-12	0	4	57	0.072	0.064
Striatum (Caudate)	L	-4	14	4	21	0.067	0.063
Midbrain	Bi	-2	-22	-14	373	0.118	0.075
Midbrain	L	-2	-22	-14	203	0.118	0.080
Midbrain	R	4	-22	-14	68	0.087	0.071
Midbrain (Substantia Nigra)	L	-12	-12	-10	80	0.081	0.067
Midbrain	Bi	0	-28	-14	22	0.076	0.065
Dorsomedial PFC, Supplementary Motor Area, Frontal Eye Field	R	2	28	48	606	0.115	0.074
Frontal Eye Field	Bi	2	28	48	196	0.115	0.079
Supplementary Motor Area	Bi	4	14	46	101	0.105	0.078
Anterior Cingulate	Bi	6	22	40	87	0.094	0.074

Frontal Eye Field	Bi	0	16	52	103	0.089	0.072
Supplementary Motor Area/Frontal Eye Field	R	4	32	36	94	0.089	0.067
Frontal Eye Field	Bi	0	36	44	25	0.069	0.063
Dorsolateral PFC	R	46	30	16	879	0.107	0.068
Dorsolateral PFC	R	46	30	16	127	0.107	0.076
Dorsolateral PFC	R	48	12	38	242	0.094	0.068
Dorsolateral PFC	R	44	36	20	180	0.091	0.070
Dorsolateral PFC	R	46	20	20	56	0.090	0.065
Dorsolateral PFC	R	52	14	26	83	0.080	0.066
Dorsolateral PFC	R	48	24	30	38	0.077	0.065
Dorsolateral PFC	R	50	18	38	40	0.076	0.066
Dorsolateral PFC	R	54	10	34	22	0.070	0.064
Dorsolateral PFC	R	48	30	26	24	0.068	0.063
Dorsolateral PFC	R	50	30	10	38	0.068	0.062
Dorsolateral PFC	R	34	40	24	29	0.064	0.062
Inferior Parietal Lobule	R	36	-44	48	594	0.105	0.070
Inferior Parietal Lobule	R	36	-44	48	160	0.105	0.076
Inferior Parietal Lobule	R	52	-44	30	79	0.088	0.067
Inferior Parietal Lobule	R	46	-40	44	86	0.085	0.068
Inferior Parietal Lobule	R	42	-46	52	65	0.082	0.070
Inferior Parietal Lobule	R	36	-52	46	106	0.082	0.069
Inferior Parietal Lobule	R	52	-42	44	29	0.075	0.063
Supramarginal Gyrus	R	56	-50	32	23	0.075	0.061
Supramarginal Gyrus	R	58	-40	32	19	0.073	0.067
Inferior Parietal Lobule	R	48	-34	40	26	0.070	0.063
Middle Temporal Gyrus	R	56	-32	-2	273	0.098	0.069
Middle Temporal Gyrus	R	56	-32	-2	143	0.098	0.072
Middle Temporal Gyrus	R	54	-38	-10	54	0.087	0.068
Middle Temporal Gyrus	R	64	-30	-4	41	0.071	0.064
Middle Temporal Gyrus	R	62	-38	-8	35	0.069	0.064
Supplementary Motor Area	R	38	8	52	182	0.079	0.065
Supplementary Motor Area	R	38	8	52	50	0.079	0.065
Supplementary Motor Area	R	32	12	54	49	0.075	0.065
Supplementary Motor Area	R	30	6	54	42	0.074	0.065
Supplementary Motor Area	R	28	10	60	25	0.074	0.067
Supplementary Motor Area	R	32	0	56	16	0.074	0.065
Superior Frontal Gyrus, Dorsolateral PFC	L	-32	56	14	83	0.077	0.063
Dorsolateral PFC	L	-32	56	14	31	0.077	0.064
Superior Frontal Gyrus	L	-28	54	20	31	0.068	0.064

Dorsolateral PFC	L	-32	52	8	21	0.067	0.060
Inferior Frontal Gyrus	L	-48	12	24	53	0.075	0.065
Cerebellum (Uvula)	L	-12	-80	-32	41	0.066	0.061
C. Conjunction of A (Social) and B (Unsigned PE)							
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	38	24	-6	781	0.174	0.085
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	38	24	-6	309	0.174	0.094
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	32	24	-4	340	0.147	0.085
Ventrolateral PFC (Inferior Frontal Gyrus)	R	48	20	2	132	0.071	0.063
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	Bi	12	10	-2	962	0.142	0.072
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	R	12	10	-2	384	0.142	0.076
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen)	L	-14	12	-2	212	0.121	0.075
Ventral Striatum (Accumbens, Caudate), Subcallosal Gyrus	L	-6	14	-2	214	0.104	0.068
Pallidum	R	12	0	-2	55	0.081	0.065
Pallidum	R	18	-2	-6	32	0.072	0.058
Pallidum	R	-12	0	-4	65	0.069	0.060
D. Social > Reward PE							
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	56	8	371	0.105	0.058
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	56	8	120	0.105	0.066
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	54	18	43	0.082	0.060
Dorsomedial PFC (Medial Frontal Gyrus)	R	8	60	18	76	0.076	0.053
Dorsomedial PFC (Medial Frontal Gyrus)	L	0	56	10	67	0.075	0.055
Ventromedial and Anterior PFC (Superior Frontal Gyrus)	R	16	54	4	37	0.072	0.055
Ventromedial and Anterior PFC (Medial and Superior Frontal Gyrus)	R	12	54	0	27	0.058	0.049
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	20	-12	228	0.089	0.057
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	36	20	-12	145	0.089	0.061
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	44	20	-4	33	0.060	0.051
Ventrolateral PFC (Inferior Frontal Gyrus), Insula	R	44	20	-12	49	0.057	0.049
Anterior Cingulate, Orbitofrontal Cortex	R	10	34	-12	246	0.079	0.053
Anterior Cingulate	R	10	34	-12	33	0.079	0.054
Orbitofrontal Cortex	R	8	36	-20	54	0.074	0.054

Orbitofrontal Cortex	R	2	36	-18	78	0.070	0.054
Orbitofrontal Cortex	R	14	40	-16	18	0.058	0.051
Orbitofrontal Cortex	R	8	44	-24	44	0.058	0.053
Orbitofrontal Cortex	R	4	50	-16	19	0.055	0.048
A. Reward > Social PE							
Striatum, Midbrain, Temporal Lobe	L	-16	4	-10	2273	-0.241	-0.080
Dorsal Striatum (Putamen), Pallidum	L	-16	4	-10	435	-0.241	-0.119
Dorsal Striatum (Putamen)	L	-24	8	-10	712	-0.163	-0.082
Dorsal Striatum (Putamen)	L	-10	8	2	125	-0.142	-0.086
Dorsal Striatum (Putamen)	L	-10	8	-8	150	-0.139	-0.088
Dorsal Striatum (Putamen)	L	-16	8	6	118	-0.123	-0.072
Hypothalamus, Midbrain	L	-8	-4	-10	87	-0.090	-0.058
Ventral Striatum (Accumbens, Caudate)	L	-10	8	8	59	-0.089	-0.057
Midbrain (Substantia Nigra)	L	-6	-12	-10	83	-0.078	-0.055
Pallidum	L	-22	-12	-2	25	-0.070	-0.052
Dorsal Striatum (Putamen)	L	-20	4	12	42	-0.068	-0.052
Dorsal Striatum (Putamen)	L	-28	-14	2	75	-0.065	-0.048
Clastrum, Striatum (Putamen)	L	-30	10	4	93	-0.064	-0.053
Parahippocampal Gyrus	L	-36	24	-8	47	-0.064	-0.050
Midbrain (Substantia Nigra), Thalamus	L	-10	-18	-10	65	-0.063	-0.049
Midbrain	L	-4	-18	-12	23	-0.061	-0.052
Dorsal Striatum (Putamen)	L	-26	2	8	45	-0.059	-0.051
Dorsal Striatum (Putamen)	L	-28	-10	-4	47	-0.055	-0.048
Hippocampus	L	-26	-10	-24	22	-0.055	-0.047
Perirhinal Cortex	L	-24	-4	-26	18	-0.052	-0.047
Dorsal and Ventral Striatum (Accumbens, Caudate, Putamen), Pallidum	R	16	10	-4	1117	-0.203	-0.082
Dorsal and Ventral Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	R	16	10	-4	386	-0.203	-0.105
Ventral Striatum (Caudate), Subgenual Cingulate	R	12	14	-14	245	-0.179	-0.087
Ventral Striatum (Caudate)	R	6	8	6	186	-0.103	-0.067
Orbitofrontal Cortex, Subgenual ACC	R	18	8	-18	68	-0.093	-0.066
Dorsal Striatum (Putamen), Entorhinal Area	R	24	6	-12	66	-0.083	-0.059
Entorhinal Area	R	18	0	-16	40	-0.076	-0.055
Insula	R	30	14	-6	23	-0.062	-0.050
Dorsal and Ventral Striatum (Caudate, Putamen)	R	20	6	14	54	-0.058	-0.049
Inferior Frontal Gyrus	R	30	4	-12	29	-0.056	-0.049

Amygdala	R	26	-8	-14	18	-0.056	-0.048
Posterior Cingulate	Bi	-2	-38	30	584	-0.111	-0.065
Posterior Cingulate	Bi	-2	-38	30	193	-0.111	-0.071
Posterior Cingulate	Bi	4	-30	30	109	-0.093	-0.060
Posterior Cingulate	Bi	-4	-34	36	121	-0.091	-0.064
Posterior Cingulate	Bi	4	-36	30	85	-0.090	-0.070
Posterior Cingulate	Bi	6	-34	40	76	-0.072	-0.056
Anterior Cingulate	Bi	0	48	-4	460	-0.106	-0.066
Anterior Cingulate	Bi	0	48	-4	86	-0.106	-0.072
Anterior Cingulate	Bi	-6	46	-4	135	-0.100	-0.070
Anterior Cingulate	Bi	-4	40	-6	154	-0.095	-0.065
Anterior Cingulate	R	0	46	2	22	-0.082	-0.062
Anterior Cingulate	L	-6	44	2	63	-0.076	-0.057

Table S7: PEs from Whole brain and ROI analyses

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. PEs from Whole Brain analyses							
Striatum, Midbrain, Inferior Frontal Gyrus, Insula	Bi	10	10	-4	8743	0.247	0.076
Striatum (Caudate, Putamen), Subgenual Cingulate	R	10	10	-4	1963	0.247	0.092
Striatum, Amygdala, Claustrum	L	-12	8	-6	2364	0.231	0.087
Insula, Inferior Frontal Gyrus	R	36	24	-2	1459	0.172	0.079
Insula, Inferior Frontal Gyrus	L	-34	22	0	1135	0.128	0.069
Midbrain	Bi	-2	-18	-12	152	0.071	0.051
Dorsolateral PFC	R	46	12	32	204	0.066	0.047
Midbrain	Bi	4	-20	-10	130	0.062	0.050
Dorsolateral PFC	R	46	12	40	97	0.060	0.046
Midbrain	Bi	4	-20	-16	85	0.059	0.047
Midbrain	Bi	-6	-24	-8	75	0.057	0.046
Dorsolateral PFC	R	46	16	22	77	0.057	0.046
Dorsolateral PFC	R	54	10	28	59	0.056	0.047
Striatum (Putamen)	L	-34	-2	2	98	0.055	0.046
Dorsolateral PFC	R	50	10	22	47	0.054	0.045
Claustrum	L	-34	-8	4	39	0.053	0.045
Striatum (Putamen)	L	-28	0	4	88	0.052	0.043
Thalamus	R	6	-10	10	49	0.052	0.043
Midbrain	R	6	-12	-4	59	0.051	0.044

Thalamus	R	2	-12	2	43	0.051	0.044
Orbitofrontal Cortex	R	42	36	-10	66	0.051	0.043
Dorsolateral PFC	R	46	24	30	64	0.050	0.043
Dorsolateral PFC	R	46	12	16	100	0.050	0.044
Striatum (Pallidum), Putamen	L	-24	-8	0	49	0.049	0.043
Striatum (Putamen)	L	-26	-10	6	31	0.047	0.043
Thalamus	R	12	-8	6	37	0.046	0.042
Striatum (Putamen)	R	24	0	4	51	0.045	0.042
Dorsolateral PFC	L	-46	30	6	43	0.045	0.042
Thalamus	L	-8	-12	10	17	0.044	0.041
Amygdala	R	24	-6	-12	32	0.043	0.041
Insula	L	-40	6	0	28	0.043	0.041
Posterior Cingulate	Bi	-2	-36	34	520	0.079	0.053
Posterior Cingulate	Bi	-2	-36	34	240	0.079	0.056
Posterior Cingulate	Bi	4	-36	30	167	0.069	0.051
Posterior Cingulate	Bi	-4	-40	40	113	0.066	0.050
Anterior Cingulate, Medial and Superior Frontal Gyrus	Bi	2	12	50	2902	0.078	0.050
Supplementary Motor Area	Bi	2	12	50	177	0.078	0.055
Anterior Cingulate	Bi	0	50	2	350	0.078	0.056
Frontal Eye Field	L	-2	26	46	239	0.075	0.054
Frontal Eye Field	Bi	2	18	54	195	0.074	0.053
Anterior Cingulate	Bi	6	44	0	211	0.069	0.052
Medial Frontal Gyrus	Bi	0	58	6	264	0.068	0.049
Supplementary Motor Area	Bi	2	6	56	120	0.067	0.048
Anterior Cingulate	R	2	26	36	156	0.064	0.050
Frontal Eye Field	R	2	34	38	133	0.059	0.047
Anterior Cingulate, Medial Frontal Gyrus	Bi	0	44	-8	116	0.059	0.049
Frontal Eye Field	L	-4	34	46	107	0.058	0.047
Dorsolateral PFC	R	2	38	28	126	0.056	0.045
Anterior Cingulate, Medial Frontal Gyrus	R	12	50	0	84	0.055	0.045
Supplementary Motor Area, Anterior Cingulate	L	0	8	44	73	0.055	0.046
Dorsolateral PFC	R	6	44	28	38	0.054	0.044
Anterior Cingulate	Bi	-2	2	44	53	0.054	0.045
Anterior Cingulate	Bi	-2	16	40	86	0.054	0.045
Medial Frontal Gyrus	Bi	8	56	8	47	0.051	0.046
Anterior Cingulate	Bi	4	38	16	77	0.050	0.043
Anterior Cingulate	Bi	0	32	22	54	0.049	0.043

Medial Frontal Gyrus	Bi	-6	40	-8	53	0.049	0.044
Anterior Cingulate	Bi	-6	42	10	99	0.048	0.043
Supplementary Motor Area	Bi	0	-4	54	19	0.045	0.042
Anterior Cingulate	L	-2	26	24	20	0.045	0.042
Inferior Parietal Lobule	R	36	-54	46	715	0.072	0.047
Inferior Parietal Lobule	R	36	-54	46	306	0.072	0.051
Inferior Parietal Lobule	R	44	-46	48	212	0.060	0.047
Inferior Parietal Lobule	R	54	-40	46	98	0.054	0.043
Supramarginal Gyrus	R	56	-50	32	54	0.051	0.042
Supramarginal Gyrus	R	58	-44	32	22	0.046	0.043
Inferior Parietal Lobule	R	48	-52	42	22	0.045	0.042
Inferior Parietal Lobule	L	-32	-54	42	636	0.067	0.046
Inferior Parietal Lobule	L	-32	-54	42	196	0.067	0.049
Inferior Parietal Lobule	L	-44	-42	42	107	0.057	0.046
Inferior Parietal Lobule	L	-48	-52	48	68	0.054	0.044
Superior Parietal Lobule	L	-28	-62	46	78	0.054	0.046
Inferior Parietal Lobule	L	-50	-44	46	43	0.053	0.045
Inferior Parietal Lobule	L	-42	-54	44	78	0.053	0.045
Inferior Parietal Lobule	L	-36	-40	44	30	0.049	0.044
Inferior Parietal Lobule	L	-38	-62	40	36	0.048	0.043
Fusiform Gyrus	L	-20	-90	-10	200	0.059	0.045
Fusiform Gyrus	L	-20	-90	-10	108	0.059	0.046
Fusiform Gyrus	L	-28	-84	-8	45	0.050	0.043
Inferior Occipital Gyrus	L	-18	-92	-2	47	0.047	0.043

B. PES from ROI analyses

Striatum, Midbrain, Insula	Bi	14	12	-6	9117	0.289	0.070
Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	R	14	12	-6	1771	0.289	0.112
Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	Bi	-8	8	-6	2046	0.253	0.098
Midbrain	Bi	0	-18	-10	685	0.116	0.061
Striatum (Putamen), Claustrum	L	-28	18	0	655	0.083	0.045
Midbrain, Hypothalamus, Subgenual Cingulate	R	10	-10	-8	214	0.074	0.047
Insula, Inferior Frontal Gyrus	R	36	20	-2	283	0.073	0.042
Midbrain, Amygdala	L	-12	-12	-14	682	0.072	0.046
Striatum (Caudate, Pallidum, Putamen)	L	-12	0	10	513	0.071	0.045
Striatum (Putamen), Insula, Claustrum	R	30	18	-2	248	0.070	0.049
Amygdala	R	22	-6	-12	254	0.070	0.047
Striatum (Caudate), Insula, Claustrum	R	24	20	-2	220	0.068	0.045
Brainstem	Bi	2	-18	-22	306	0.067	0.044

Striatum (Caudate, Putamen), Caudate	L	-26	20	6	135	0.061	0.042
Midbrain	R	12	-12	-16	131	0.061	0.043
Striatum (Caudate, Putamen)	R	20	10	14	276	0.060	0.042
Midbrain, Amygdala, Parahippocampal Gyrus	R	16	-10	-10	88	0.059	0.041
Striatum (Putamen), Amygdala	R	28	-4	-10	142	0.057	0.042
Insula	R	30	18	8	91	0.047	0.039
Amygdala	R	26	-4	-26	80	0.044	0.035
Striatum (Putamen)	R	32	4	2	76	0.042	0.036
Midbrain	R	14	-16	-2	34	0.038	0.035
Striatum (Putamen)	R	26	2	6	28	0.038	0.034
Insula	R	36	20	14	27	0.037	0.033
Striatum (Caudate)	R	20	22	6	29	0.037	0.033
Amygdala	R	30	-2	-18	48	0.036	0.033
Inferior Frontal Gyrus	R	34	30	8	52	0.035	0.031
Anterior Cingulate, Orbitofrontal Cortex	Bi	-2	44	-6	348	0.054	0.036
Anterior Cingulate	Bi	-2	44	-6	188	0.054	0.037
Orbitofrontal Cortex	Bi	-6	38	-12	103	0.047	0.035
Anterior Cingulate	Bi	2	38	-4	34	0.044	0.036
Anterior Cingulate	Bi	10	44	-6	23	0.032	0.032

Table S8: Signed and Unsigned PE

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Signed PE							
Striatum/Insula/Midbrain/Thalamus/PFC	Bi	10	10	-8	10309	0.338	0.079
Dorsal and Ventral Striatum, Midbrain	R	10	10	-8	2488	0.338	0.107
Dorsal and Ventral Striatum	L	-10	6	-8	2811	0.308	0.101
Inferior Frontal Gyrus	R	36	24	-8	456	0.114	0.065
Inferior Frontal Gyrus	R	34	24	0	509	0.105	0.064
Insula	L	-36	20	0	253	0.090	0.054
Midbrain (Substantia Nigra)	Bi	0	-18	-10	593	0.089	0.052
Midbrain (Substantia Nigra)	Bi	6	-16	-12	255	0.086	0.057
Inferior Frontal Gyrus	L	-30	20	-2	482	0.086	0.056

Insula	R	40	18	2	556	0.084	0.050
Inferior Frontal Gyrus	L	-34	26	-4	191	0.080	0.053
Inferior Frontal Gyrus	L	-38	18	-6	276	0.071	0.049
Caudate	R	16	4	14	263	0.063	0.046
Midbrain (Substantia Nigra)	R	12	-14	-10	159	0.060	0.046
Pallidum	L	-24	-8	0	304	0.060	0.045
Putamen	L	-26	-10	6	96	0.051	0.042
Thalamus	R	6	-12	4	44	0.049	0.039
Inferior Frontal Gyrus	R	36	22	-18	64	0.048	0.041
Thalamus	R	30	-4	8	102	0.048	0.040
Thalamus	L	-10	-6	14	84	0.047	0.040
Thalamus	R	6	-10	10	18	0.045	0.038
Orbitofrontal Cortex	L	44	34	-12	52	0.045	0.039
Pallidum	R	20	-4	4	44	0.044	0.040
Thalamus	R	12	-10	0	24	0.043	0.039
Thalamus	R	2	-18	2	29	0.043	0.038
Orbitofrontal Cortex	L	-42	34	-14	23	0.043	0.039
Clastrum	R	32	2	12	25	0.042	0.039
Inferior Frontal Gyrus	R	46	12	16	16	0.042	0.038
Putamen	R	30	-10	8	33	0.042	0.038
Thalamus	L	12	-8	6	23	0.041	0.038
Thalamus	L	-8	-12	10	17	0.040	0.037
Amygdala	R	32	0	-18	18	0.039	0.037
Anterior Cingulate, Dorsomedial and Ventromedial PFC (Superior Frontal Gyrus/Medial Frontal Gyrus)	Bi	0	50	2	2609	0.077	0.046
Medial PFC	Bi	0	50	2	159	0.077	0.059
Anterior Cingulate	Bi	6	42	0	144	0.074	0.053
Anterior Cingulate	Bi	0	44	-4	361	0.073	0.053
Ventromedial and Dorsomedial PFC (Medial Frontal Gyrus), Anterior Cingulate	Bi	-4	56	4	268	0.068	0.048
Medial PFC (Medial Frontal Gyrus), Anterior Cingulate	R	6	50	-2	119	0.067	0.050
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	R	8	50	4	131	0.062	0.047
Supplementary Motor Area	Bi	2	12	50	133	0.060	0.044

Premotor Area (Medial Frontal Gyrus), Anterior Cingulate	Bi	-4	50	10	133	0.059	0.045
Frontal Eye Field/Supplementary Motor Area	Bi	-2	18	54	85	0.054	0.043
Anterior Cingulate	Bi	0	34	6	89	0.053	0.044
Supplementary Motor Area	Bi	2	6	56	77	0.053	0.042
Anterior Cingulate	Bi	4	38	16	113	0.052	0.042
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	R	8	56	8	70	0.051	0.043
Ventromedial PFC (Medial Frontal Gyrus)	R	8	42	-8	82	0.051	0.043
Anterior Cingulate	R	2	28	36	61	0.049	0.040
Anterior Cingulate	Bi	-6	42	10	92	0.049	0.041
Anterior Cingulate/Supplementary Motor Area	Bi	-2	22	48	63	0.049	0.041
Anterior Cingulate	R	6	36	-8	84	0.048	0.042
Cingulate Gyrus	Bi	0	6	44	79	0.048	0.041
Anterior Cingulate	Bi	4	36	24	95	0.047	0.039
Frontal Eye Field/Cingulate Gyrus	Bi	4	26	46	35	0.047	0.040
Anterior Cingulate	L	-2	16	40	20	0.045	0.040
Anterior Cingulate	L	-4	26	32	36	0.044	0.039
Frontal Eye Field	L	-2	30	42	32	0.044	0.038
Anterior Cingulate	L	-2	26	24	29	0.043	0.039
Cingulate Gyrus	R	8	22	52	16	0.040	0.039
Posterior Cingulate	Bi	-2	-36	34	536	0.074	0.049
Posterior Cingulate	L	-2	-36	34	196	0.074	0.054
Posterior Cingulate	L	-4	-40	40	127	0.064	0.047
Posterior Cingulate	R	4	-36	30	135	0.061	0.047
Posterior Cingulate	R	4	-30	36	78	0.055	0.044
Inferior Parietal Lobule	L	-42	-44	44	314	0.053	0.040
Inferior Parietal Lobule	L	-42	-44	44	80	0.053	0.041
Inferior Parietal Lobule	L	-36	-54	46	135	0.052	0.041
Inferior Parietal Lobule	L	-48	-42	48	27	0.045	0.040
Inferior Parietal Lobule	L	-24	-60	46	47	0.043	0.039
Inferior Parietal Lobule	L	-46	-54	48	25	0.042	0.038
Fusiform/Occipital Gyrus	L	-20	-90	-10	201	0.051	0.041
Fusiform Gyrus	L	-20	-90	-10	130	0.051	0.041
Inferior Occipital Gyrus	L	-28	-84	-8	71	0.048	0.040

B. Unsigned PE							
Insula, Claustrum, Striatum, Inferior Frontal Gyrus	Bi	34	24	-4	3167	0.276	0.101
Insula, Inferior Frontal Gyrus	R	34	24	-4	1009	0.276	0.128
Insula, Claustrum, Inferior Frontal Gyrus	L	-30	20	0	830	0.206	0.108
Striatum (Caudate, Pallidum, Putamen)	R	12	10	-2	411	0.142	0.082
Striatum (Caudate, Pallidum, Putamen)	L	-14	10	2	282	0.130	0.081
Striatum (Caudate)	L	-6	14	-2	184	0.104	0.072
Striatum (Caudate, Putamen), Claustrum	L	-18	18	0	134	0.091	0.070
Striatum (Caudate)	R	18	10	10	89	0.089	0.070
Striatum (Pallidum)	R	12	0	0	54	0.081	0.068
Striatum (Caudate), Insula, Claustrum	R	22	18	4	93	0.078	0.066
Striatum (Pallidum)	L	-12	0	4	57	0.072	0.064
Striatum (Caudate)	L	-4	14	4	21	0.067	0.063
Midbrain	Bi	-2	-22	-14	373	0.118	0.075
Midbrain	L	-2	-22	-14	203	0.118	0.080
Midbrain	R	4	-22	-14	68	0.087	0.071
Midbrain (Substantia Nigra)	L	-12	-12	-10	80	0.081	0.067
Midbrain	Bi	0	-28	-14	22	0.076	0.065
Dorsomedial PFC, Supplementary Motor Area, Frontal Eye Field	R	2	28	48	606	0.115	0.074
Frontal Eye Field	Bi	2	28	48	196	0.115	0.079
Supplementary Motor Area	Bi	4	14	46	101	0.105	0.078
Anterior Cingulate	Bi	6	22	40	87	0.094	0.074
Frontal Eye Field	Bi	0	16	52	103	0.089	0.072
Supplementary Motor Area/Frontal Eye Field	R	4	32	36	94	0.089	0.067
Frontal Eye Field	Bi	0	36	44	25	0.069	0.063
Dorsolateral PFC	R	46	30	16	879	0.107	0.068
Dorsolateral PFC	R	46	30	16	127	0.107	0.076
Dorsolateral PFC	R	48	12	38	242	0.094	0.068
Dorsolateral PFC	R	44	36	20	180	0.091	0.070
Dorsolateral PFC	R	46	20	20	56	0.090	0.065
Dorsolateral PFC	R	52	14	26	83	0.080	0.066
Dorsolateral PFC	R	48	24	30	38	0.077	0.065
Dorsolateral PFC	R	50	18	38	40	0.076	0.066
Dorsolateral PFC	R	54	10	34	22	0.070	0.064

Dorsolateral PFC	R	48	30	26	24	0.068	0.063
Dorsolateral PFC	R	50	30	10	38	0.068	0.062
Dorsolateral PFC	R	34	40	24	29	0.064	0.062
Inferior Parietal Lobule	R	36	-44	48	594	0.105	0.070
Inferior Parietal Lobule	R	36	-44	48	160	0.105	0.076
Inferior Parietal Lobule	R	52	-44	30	79	0.088	0.067
Inferior Parietal Lobule	R	46	-40	44	86	0.085	0.068
Inferior Parietal Lobule	R	42	-46	52	65	0.082	0.070
Inferior Parietal Lobule	R	36	-52	46	106	0.082	0.069
Inferior Parietal Lobule	R	52	-42	44	29	0.075	0.063
Supramarginal Gyrus	R	56	-50	32	23	0.075	0.061
Supramarginal Gyrus	R	58	-40	32	19	0.073	0.067
Inferior Parietal Lobule	R	48	-34	40	26	0.070	0.063
Middle Temporal Gyrus	R	56	-32	-2	273	0.098	0.069
Middle Temporal Gyrus	R	56	-32	-2	143	0.098	0.072
Middle Temporal Gyrus	R	54	-38	-10	54	0.087	0.068
Middle Temporal Gyrus	R	64	-30	-4	41	0.071	0.064
Middle Temporal Gyrus	R	62	-38	-8	35	0.069	0.064

C. Signed > Unsigned PE

Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate, Thalamus	Bi	10	8	-8	3738	0.279	0.085
Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	R	10	8	-8	896	0.279	0.100
Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	R	12	14	-10	628	0.248	0.092
Striatum (Caudate, Pallidum, Putamen), Subgenual Cingulate	L	-10	8	-10	1323	0.243	0.100
Striatum (Caudate)	Bi	-4	8	6	223	0.070	0.046
Striatum (Pallidum, Putamen)	L	-28	2	-2	351	0.066	0.045
Striatum (Caudate)	L	-6	2	10	59	0.056	0.040
Striatum (Caudate)	R	10	0	10	62	0.053	0.038
Striatum (Caudate)	R	18	0	14	27	0.047	0.036
Subgenual Cingulate	Bi	-2	18	-14	68	0.045	0.037
Striatum (Pallidum)	L	-22	-10	0	44	0.043	0.035
Striatum (Putamen)	R	28	4	0	39	0.042	0.035
Striatum (Caudate)	L	-16	2	14	16	0.041	0.035
Posterior Cingulate	Bi	-4	-40	34	439	0.072	0.043
Posterior Cingulate	Bi	-4	-40	34	184	0.072	0.046

Posterior Cingulate	Bi	2	-42	36	231	0.059	0.042
Precuneus	L	-10	-46	32	24	0.035	0.033
Anterior Cingulate, Medial PFC (Medial Frontal Gyrus)	Bi	6	42	0	1614	0.068	0.042
Anterior Cingulate	Bi	6	42	0	107	0.068	0.048
Anterior Cingulate, Medial PFC (Medial Frontal Gyrus)	Bi	2	50	4	102	0.067	0.049
Anterior Cingulate	Bi	-2	38	-2	241	0.066	0.046
Anterior Cingulate	Bi	-6	46	6	145	0.062	0.045
Anterior Cingulate, Medial PFC (Medial Frontal Gyrus)	Bi	6	50	-2	106	0.060	0.044
Anterior Cingulate, Ventromedial PFC (Medial Frontal Gyrus)	Bi	2	40	-8	220	0.059	0.042
Anterior Cingulate, Ventromedial PFC (Medial Frontal Gyrus)	Bi	-4	54	-2	103	0.056	0.040
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	8	50	4	65	0.056	0.042
Anterior Cingulate	Bi	6	38	8	94	0.054	0.041
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	-4	56	4	110	0.053	0.041
Ventromedial PFC (Medial Frontal Gyrus)	Bi	8	42	-8	93	0.051	0.038
Dorsomedial PFC (Medial Frontal Gyrus)	Bi	-8	54	10	66	0.047	0.035
Anterior Cingulate	Bi	8	56	8	57	0.045	0.037
Anterior Cingulate	Bi	0	42	10	49	0.040	0.036
Anterior Cingulate	Bi	14	40	6	38	0.039	0.035
Anterior Cingulate	Bi	4	28	6	17	0.037	0.034
D. Unsigned > Signed PE							
Insula, Inferior Frontal Gyrus	R	34	24	-4	701	-0.179	-0.082
Insula, Inferior Frontal Gyrus	R	34	24	-4	524	-0.179	-0.090
Insula, Inferior Frontal Gyrus	R	26	30	-2	131	-0.102	-0.064
Insula, Inferior Frontal Gyrus	R	46	20	-8	46	-0.054	-0.039
Clastrum, Insula, Inferior Frontal Gyrus	L	-28	20	0	663	-0.126	-0.063
Clastrum, Insula	L	-28	20	0	242	-0.126	-0.071
Inferior Frontal Gyrus	L	-34	20	-8	148	-0.101	-0.061
Inferior Frontal Gyrus	L	-30	28	-2	173	-0.096	-0.062
Inferior Frontal Gyrus	L	-26	28	-8	62	-0.079	-0.056
Inferior Frontal Gyrus	L	-42	20	-4	36	-0.052	-0.038
Dorsolateral PFC, Supplementary Motor Area	R	44	28	18	2067	-0.091	-0.044

Dorsolateral PFC	R	44	28	18	130	-0.091	-0.054
Dorsolateral PFC	R	40	36	20	169	-0.082	-0.053
Dorsolateral PFC	R	46	36	14	168	-0.074	-0.048
Supplementary Motor Area	R	36	6	56	191	-0.073	-0.045
Supplementary Motor Area	R	32	12	54	142	-0.072	-0.049
Supplementary Motor Area	R	28	10	60	112	-0.070	-0.044
Dorsolateral PFC	R	48	12	38	134	-0.069	-0.044
Dorsolateral PFC	R	48	38	20	68	-0.067	-0.047
Supplementary Motor Area	R	30	6	54	56	-0.065	-0.050
Dorsolateral PFC	R	46	20	20	49	-0.062	-0.040
Supplementary Motor Area	R	32	0	56	48	-0.060	-0.045
Dorsolateral PFC	R	52	20	34	70	-0.056	-0.042
Dorsolateral PFC	R	44	28	26	58	-0.055	-0.040
Precentral Gyrus	R	38	8	34	109	-0.055	-0.040
Dorsolateral PFC	R	54	14	24	70	-0.053	-0.041
Dorsolateral PFC	R	40	4	40	73	-0.052	-0.040
Supplementary Motor Area	R	38	-4	58	22	-0.052	-0.039
Supplementary Motor Area	R	22	8	54	58	-0.052	-0.040
Dorsolateral PFC	R	32	44	18	87	-0.051	-0.037
Dorsolateral PFC	R	48	26	36	29	-0.048	-0.037
Dorsolateral PFC	R	34	40	24	48	-0.047	-0.039
Dorsolateral PFC	R	40	12	28	25	-0.046	-0.036
Dorsolateral PFC	R	54	10	34	38	-0.046	-0.037
Dorsolateral PFC	R	30	50	22	63	-0.044	-0.036
Dorsolateral PFC	R	54	22	28	30	-0.043	-0.036
Precentral Gyrus	R	38	10	42	20	-0.042	-0.035
Middle Temporal Gyrus,							
Superior Temporal Gyrus	R	56	-32	-2	1095	-0.088	-0.042
Middle Temporal Gyrus	R	56	-32	-2	246	-0.088	-0.052
Middle Temporal Gyrus	R	54	-38	-10	90	-0.079	-0.048
Middle Temporal Gyrus	R	64	-30	-4	66	-0.064	-0.044
Middle Temporal Gyrus	R	60	-38	-12	80	-0.059	-0.040
Middle Temporal Gyrus	R	50	-66	8	75	-0.050	-0.039
Middle Temporal Gyrus	R	64	-32	-10	47	-0.049	-0.039
Middle Temporal Gyrus	R	54	-48	4	43	-0.047	-0.036
Middle Temporal Gyrus	R	56	-44	-2	53	-0.046	-0.036
Superior Temporal Gyrus	R	52	-48	10	60	-0.043	-0.035
Superior Temporal Gyrus	R	52	-32	4	44	-0.043	-0.036
Inferior Temporal Gyrus	R	56	-54	-12	48	-0.043	-0.036
Superior Temporal Gyrus	R	50	-34	10	30	-0.042	-0.037

Superior Temporal Gyrus	R	46	-40	12	35	-0.042	-0.037
Middle Temporal Gyrus	R	54	-60	8	55	-0.041	-0.036
Middle Temporal Gyrus	R	44	-56	12	52	-0.041	-0.035
Superior Temporal Gyrus	R	56	-36	10	17	-0.038	-0.034
Middle Temporal Gyrus	R	66	-50	-6	54	-0.036	-0.035
Supplementary Motor Area, Frontal Eye Field, Anterior Cingulate							
Supplementary Motor Area	Bi	2	24	44	576	-0.079	-0.043
Anterior Cingulate	R	2	24	44	161	-0.079	-0.047
Supplementary Motor Area	R	4	14	46	65	-0.070	-0.046
Frontal Eye Field	Bi	0	24	52	101	-0.068	-0.044
Frontal Eye Field	Bi	8	24	46	60	-0.060	-0.040
Anterior Cingulate	R	4	14	40	29	-0.056	-0.039
Supplementary Motor Area	R	2	34	36	51	-0.055	-0.040
Frontal Eye Field	L	-2	16	48	34	-0.050	-0.039
Frontal Eye Field	R	4	36	46	29	-0.044	-0.037
Frontal Eye Field	R	0	36	56	40	-0.043	-0.038
Inferior Parietal Lobule							
Inferior Parietal Lobule	R	36	-40	48	1087	-0.077	-0.043
Inferior Parietal Lobule	R	36	-40	48	297	-0.077	-0.046
Inferior Parietal Lobule	R	52	-44	30	113	-0.073	-0.048
Inferior Parietal Lobule	R	42	-48	48	148	-0.063	-0.043
Inferior Parietal Lobule	R	48	-42	38	58	-0.063	-0.042
Inferior Parietal Lobule	R	46	-40	44	69	-0.063	-0.045
Inferior Parietal Lobule	R	50	-34	38	62	-0.059	-0.041
Supramarginal Gyrus	R	58	-40	32	69	-0.058	-0.040
Superior Temporal Gyrus	R	50	-44	20	49	-0.055	-0.042
Superior Temporal Gyrus	R	64	-38	20	65	-0.054	-0.038
Inferior Parietal Lobule	R	40	-32	46	38	-0.047	-0.038
Inferior Parietal Lobule	R	52	-42	44	28	-0.047	-0.037
Supramarginal Gyrus	R	66	-44	24	38	-0.047	-0.039
Supramarginal Gyrus	R	56	-50	32	18	-0.045	-0.037
Supramarginal Gyrus	R	50	-52	28	33	-0.045	-0.038
Cerebellum (Pyramis, Uvula)							
Cerebellum (Pyramis)	L	-18	-82	-32	219	-0.059	-0.039
Cerebellum (Pyramis)	L	-18	-82	-32	107	-0.059	-0.042
Cerebellum (Pyramis)	L	-22	-74	-34	29	-0.046	-0.038
Cerebellum (Pyramis)	L	-14	-72	-30	42	-0.042	-0.037
Cerebellum (Uvula)	L	-14	-86	-26	25	-0.038	-0.036
Cerebellum (Uvula)	L	-16	-80	-26	16	-0.038	-0.035
Supramarginal Gyrus, Inferior Parietal Lobule							
Supramarginal Gyrus	L	-60	-40	32	624	-0.058	-0.039
Supramarginal Gyrus	L	-60	-40	32	131	-0.058	-0.039

Inferior Parietal Lobule	L	-52	-42	30	40	-0.056	-0.042
Inferior Parietal Lobule	L	-56	-44	38	86	-0.054	-0.039
Supramarginal Gyrus	L	-54	-50	30	82	-0.053	-0.040
Inferior Parietal Lobule	L	-64	-28	32	54	-0.052	-0.038
Inferior Parietal Lobule	L	-54	-52	38	92	-0.051	-0.040
Postcentral Gyrus	L	-54	-22	40	72	-0.050	-0.037
Inferior Parietal Lobule	L	-58	-30	34	24	-0.049	-0.038
Inferior Parietal Lobule	L	-50	-50	44	20	-0.042	-0.036
Inferior Parietal Lobule	L	-54	-56	46	22	-0.041	-0.036
Dorsolateral PFC, Inferior Frontal Gyrus							
Dorsolateral PFC	L	-44	18	28	278	-0.057	-0.038
Dorsolateral PFC	L	-44	18	28	90	-0.057	-0.040
Dorsolateral PFC	L	-36	22	28	24	-0.050	-0.037
Inferior Frontal Gyrus	L	-56	10	22	81	-0.048	-0.038
Dorsolateral PFC	L	-38	30	28	22	-0.043	-0.035
Inferior Frontal Gyrus	L	-42	8	24	29	-0.041	-0.036
Dorsolateral PFC	L	-50	30	36	30	-0.040	-0.035
Dorsolateral PFC (Superior Frontal Gyrus)							
Dorsolateral PFC (Superior Frontal Gyrus)	L	-32	56	14	282	-0.056	-0.040
Dorsolateral PFC (Superior Frontal Gyrus)	L	-32	56	14	45	-0.056	-0.042
Dorsolateral PFC (Superior Frontal Gyrus)	L	-32	52	8	49	-0.055	-0.041
Dorsolateral PFC (Middle Frontal Gyrus)	L	-32	52	20	47	-0.055	-0.044
Dorsolateral PFC (Middle Frontal Gyrus)	L	-34	46	14	53	-0.049	-0.038
Dorsolateral PFC (Middle Frontal Gyrus)	L	-24	52	20	20	-0.045	-0.037
Dorsolateral PFC (Middle Frontal Gyrus)	L	-28	46	6	27	-0.043	-0.037
Dorsolateral PFC (Superior Frontal Gyrus)	L	-22	54	10	41	-0.041	-0.036
E. Conjunction: A (Signed PE) and B (Unsigned PE)							
Striatum (Caudate, Pallidum, Putamen), Insula, Inferior Frontal Gyrus							
Striatum (Caudate, Pallidum, Putamen)	Bi	12	10	-2	4610	0.142	0.060
Striatum (Caudate, Pallidum, Putamen)	R	12	10	-2	817	0.142	0.067
Striatum (Caudate, Pallidum, Putamen)	R	-14	10	2	364	0.130	0.072
Inferior Frontal Gyrus	R	36	24	-8	399	0.114	0.064
Inferior Frontal Gyrus	R	34	24	0	321	0.105	0.069

Striatum (Caudate), Subgenual Cingulate	Bi	-6	14	-2	369	0.104	0.060
Insula	L	-36	20	0	191	0.090	0.057
Clastrum, Striatum (Putamen)	L	-26	12	-4	172	0.086	0.056
Inferior Frontal Gyrus	L	-30	20	-2	184	0.086	0.062
Insula	R	40	18	2	300	0.084	0.055
Clastrum	R	24	18	-8	308	0.083	0.055
Striatum (Caudate, Putamen), Clastrum	L	-20	16	-6	193	0.081	0.052
Striatum (Pallidum, Putamen)	R	12	0	0	119	0.081	0.053
Inferior Frontal Gyrus	R	-34	26	-4	167	0.080	0.054
Striatum (Caudate, Putamen), Clastrum	L	-12	0	4	234	0.072	0.052
Striatum (Pallidum, Putamen)	R	16	0	-6	133	0.072	0.050
Inferior Frontal Gyrus	L	-38	18	-6	175	0.071	0.051
Striatum (Caudate)	Bi	-4	14	4	96	0.067	0.049
Inferior Frontal Gyrus	R	46	20	12	68	0.053	0.042
Midbrain	Bi	0	-18	-10	665	0.089	0.052
Midbrain	Bi	0	-18	-10	601	0.089	0.053
Midbrain	L	-16	-10	-14	64	0.055	0.040
Supplementary Motor Area	R	2	12	50	422	0.060	0.041
Supplementary Motor Area	R	2	12	50	117	0.060	0.043
Supplementary Motor Area	L	-2	18	54	68	0.054	0.044
Supplementary Motor Area	R	2	28	36	72	0.049	0.039
Frontal Eye Field	L	-2	22	48	61	0.049	0.041
Frontal Eye Field	L	4	26	46	35	0.047	0.040
Anterior Cingulate	L	-4	18	42	19	0.044	0.040
Frontal Eye Field	L	-2	30	42	31	0.044	0.038
Anterior Cingulate	R	8	22	52	16	0.040	0.039

Table S9: Pavlovian, Instrumental and Perceptual PE

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Conjunction: Pavlovian, Instrumental and Perceptual PE							
Striatum (Caudate, Pallidum, Putamen), Insula, Inferior Frontal Gyrus	Bi	8	10	-4	3301	0.151	0.0687
Striatum (Caudate, Putamen)	R	8	10	-4	371	0.151	0.0786
Insula, Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	R	36	22	-6	1034	0.142	0.0727
Striatum (Pallidum, Putamen)	L	-18	10	0	252	0.125	0.0697
Striatum (Caudate, Putamen), Caudate	R	18	12	2	357	0.12	0.0646
Insula, Caudate	L	-30	20	0	435	0.107	0.0693
Striatum (Caudate, Pallidum)	L	-8	6	0	137	0.102	0.0659
Striatum (Caudate, Pallidum, Putamen)	L	-8	10	-6	90	0.101	0.0668
Striatum (Caudate)	L	-10	4	6	232	0.0923	0.0587
Striatum (Putamen), Caudate	L	-24	14	-4	192	0.0875	0.0605
Ventrolateral PFC (Inferior Frontal Gyrus), Orbitofrontal Cortex	L	-38	18	-6	201	0.0804	0.0561

Table S10: PEs in Whole Brain Contrasts > PEs in ROI Contrasts

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. PEs in Whole-Brain > ROI Contrasts							
Medial and Lateral PFC, Parietal Cortex, Visual Cortex, Temporal Lobe	Bi	38	24	-6	1041	0.133	0.066
Insula, Inferior Frontal Gyrus	R	38	24	-6	910	0.133	0.069
Inferior Frontal Gyrus, Insula	R	44	18	8	121	0.058	0.044
Insula, Inferior Frontal Gyrus	L	-32	26	-2	1140	0.098	0.053
Insula, Inferior Frontal Gyrus	L	-32	26	-2	243	0.098	0.059
Insula, Inferior Frontal Gyrus	L	-32	26	-8	174	0.095	0.060
Insula, Inferior Frontal Gyrus	L	-22	10	-14	94	0.090	0.050
Insula, Inferior Frontal Gyrus	L	-32	18	-6	372	0.090	0.054
Parahippocampal Gyrus, Subgenual ACC	L	-18	4	-16	85	0.087	0.053
Amygdala	L	-24	-2	-16	51	0.058	0.042
Subgenual Cingulate	L	-12	12	-16	27	0.056	0.043

Striatum (Putamen)	L	-26	-2	-8	22	0.049	0.040
Insula, Inferior Frontal Gyrus	L	-40	24	8	72	0.047	0.039
Posterior Cingulate	Bi	0	-40	32	492	0.067	0.047
Posterior Cingulate	Bi	0	-40	32	186	0.067	0.048
Posterior Cingulate	Bi	2	-34	36	158	0.062	0.047
Posterior Cingulate	Bi	-4	-40	40	83	0.058	0.047
Posterior Cingulate	Bi	-4	-30	36	65	0.054	0.044
Frontal Eye Field	L	-2	26	46	1190	0.067	0.043
Frontal Eye Field	L	-2	26	46	156	0.067	0.048
Supplementary Motor Area	R	4	12	50	128	0.066	0.046
Supplementary Motor Area	R	2	6	56	110	0.061	0.043
Supplementary Motor Area	R	2	18	54	114	0.057	0.044
Supplementary Motor Area	R	-4	34	46	117	0.057	0.043
Dorsomedial PFC	L	0	32	34	67	0.055	0.042
Anterior Cingulate	L	-2	2	44	77	0.053	0.040
Anterior Cingulate	L	-2	26	34	59	0.052	0.042
Frontal Eye Field	L	0	24	52	88	0.051	0.042
Anterior Cingulate	R	4	6	46	44	0.049	0.040
Dorsomedial PFC	R	2	34	42	53	0.048	0.040
Anterior Cingulate	R	2	-4	44	23	0.045	0.039
Dorsomedial PFC	R	2	38	28	53	0.045	0.039
Dorsomedial PFC	R	8	38	30	37	0.043	0.039
Anterior Cingulate	L	0	20	36	25	0.043	0.039
Supplementary Motor Area	L	0	-4	54	18	0.042	0.038
Anterior Cingulate	L	-6	18	32	18	0.040	0.037
Inferior Parietal Lobule	R	36	-52	46	703	0.065	0.043
Inferior Parietal Lobule	R	36	-52	46	314	0.065	0.045
Inferior Parietal Lobule	R	44	-46	48	169	0.057	0.043
Inferior Parietal Lobule	R	54	-40	46	71	0.051	0.040
Inferior Parietal Lobule	R	48	-42	42	42	0.049	0.041
Supramarginal Gyrus	R	56	-50	32	28	0.043	0.037
Inferior Parietal Lobule	R	48	-36	44	57	0.043	0.038
Inferior Parietal Lobule	R	52	-50	40	19	0.043	0.038
Inferior Parietal Lobule	L	-32	-54	42	416	0.062	0.041
Inferior Parietal Lobule	L	-32	-54	42	113	0.062	0.045
Inferior Parietal Lobule	L	-44	-42	42	60	0.049	0.040
Inferior Parietal Lobule	L	-48	-52	48	60	0.048	0.039
Inferior Parietal Lobule	L	-46	-40	48	31	0.048	0.040
Superior Parietal Lobule	L	-32	-60	48	57	0.046	0.041
Superior Parietal Lobule	L	-26	-52	48	37	0.045	0.039

Superior Parietal Lobule	L	-42	-54	46	42	0.044	0.039
Inferior Parietal Lobule	L	-40	-48	38	16	0.041	0.037
Dorsomedial PFC	L	-4	58	2	671	0.061	0.043
Dorsomedial PFC	L	-4	58	2	111	0.061	0.044
Dorsomedial PFC	L	-4	52	2	102	0.061	0.045
Dorsomedial PFC	R	2	54	6	84	0.058	0.045
Dorsomedial PFC	L	0	40	4	66	0.054	0.041
Dorsomedial PFC	L	-6	46	6	69	0.054	0.042
Dorsomedial PFC	R	6	46	4	87	0.052	0.041
Dorsomedial PFC	L	-4	54	14	72	0.048	0.041
Dorsomedial PFC	R	10	54	4	42	0.048	0.040
Medial PFC	R	16	50	2	19	0.041	0.038
Anterior Cingulate	R	-2	38	10	19	0.040	0.037
Dorsolateral PFC	R	46	12	32	377	0.056	0.041
Dorsolateral PFC	R	46	12	32	87	0.056	0.042
Dorsolateral PFC	R	52	8	28	73	0.055	0.043
Dorsolateral PFC	R	50	10	22	69	0.053	0.041
Dorsolateral PFC	R	46	10	38	87	0.052	0.041
Dorsolateral PFC	R	40	12	28	41	0.045	0.040
Dorsolateral PFC	R	42	2	38	20	0.041	0.038
Fusiform Gyrus	L	-20	-90	-10	220	0.052	0.040
Fusiform Gyrus	L	-20	-90	-10	103	0.052	0.040
Lingual Gyrus	L	-22	-94	-4	69	0.046	0.039
Inferior Occipital Gyrus	L	-28	-84	-8	31	0.044	0.040
Cuneus	L	-14	-96	2	17	0.042	0.037
Supplementary Motor Area	L	-26	-4	60	191	0.050	0.041
Supplementary Motor Area	L	-26	-4	60	104	0.050	0.041
Supplementary Motor Area	L	-32	-2	58	87	0.050	0.041

Table S11: Points > Money PEs

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. Points > Money PEs							
Medial PFC (Medial and Superior Frontal Gyrus)	R	6	58	6	339	0.197	0.101
Medial PFC (Medial Frontal Gyrus)	R	6	58	6	160	0.197	0.109
Medial PFC (Medial and Superior Frontal Gyrus)	R	12	58	4	58	0.154	0.105
Medial PFC (Medial and Superior Frontal Gyrus)	R	12	58	-2	65	0.118	0.087

Medial PFC (Medial Frontal Gyrus)	R	2	52	-2	56	0.106	0.088
Subgenual Cingulate	Bi	0	6	-6	258	0.170	0.097
Subgenual Cingulate	L	0	6	-6	83	0.170	0.112
Subgenual Cingulate	L	0	10	0	52	0.145	0.097
Subgenual Cingulate	L	-2	6	-14	31	0.141	0.097
Subgenual Cingulate	Bi	4	-2	-10	28	0.118	0.086
Thalamus	R	8	2	0	27	0.109	0.083
Striatum (Accumbens)	L	-6	12	-6	37	0.107	0.080
B. Money > Points PEs							
Subgenual Cingulate	R	10	12	-12	486	-0.236	-0.112
Subgenual Cingulate	R	10	12	-12	169	-0.236	-0.129
Striatum (Caudate)	R	14	12	-6	115	-0.198	-0.117
Striatum (Caudate)	R	16	6	-8	60	-0.157	-0.101
Subgenual Cingulate	R	6	20	-4	93	-0.134	-0.093
Subgenual Cingulate	R	8	4	-14	27	-0.130	-0.095
Subgenual Cingulate	R	2	18	-12	22	-0.094	-0.083
Subgenual Cingulate	L	-12	14	-16	320	-0.165	-0.097
Subgenual Cingulate	L	-12	14	-16	62	-0.165	-0.097
Inferior Frontal Gyrus	L	-18	8	-14	172	-0.164	-0.102
Entorhinal Area	L	-18	2	-16	85	-0.133	-0.089

Table S12: Appetitive > Aversive & Instrumental > Pavlovian Conjunction

Peak coordinates							
Regions of Activation	R/L/Bi	x	y	z	Voxels	Max P	Mean P
A. (Appetitive > Aversive) & (Instrumental > Pavlovian) - Positive							
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	Bi	16	10	-8	972	0.202	0.080
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	R	16	10	-8	150	0.202	0.091
Ventral Striatum (Caudate)	R	8	12	-8	339	0.199	0.099
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-10	10	-12	179	0.150	0.073
Dorsal and Ventral Striatum (Caudate, Putamen)	L	-16	14	-8	144	0.117	0.063
Pallidum, Subgenual Cingulate	R	16	4	-16	80	0.117	0.057
Dorsal and Ventral Striatum (Caudate, Putamen), Pallidum	L	-14	4	-4	41	0.087	0.053
Ventral Striatum (Caudate), Subgenual Cingulate		16	20	-10	39	0.066	0.046

Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	Bi	-4	38	-8	381	0.061	0.043
Anterior Cingulate	L	-4	38	-8	49	0.061	0.043
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	L	-6	48	-2	78	0.060	0.044
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	L	0	48	-2	53	0.059	0.044
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	L	-2	54	-4	46	0.056	0.042
Ventromedial PFC (Medial Frontal Gyrus), Anterior Cingulate	Bi	0	44	-8	64	0.055	0.044
Dorsomedial PFC (Medial Frontal Gyrus)	L	-2	56	6	73	0.051	0.041
Dorsomedial PFC (Medial Frontal Gyrus)	L	-2	62	12	18	0.042	0.036
A. (Appetitive > Aversive) & (Instrumental > Pavlovian) - Negative							
Parahippocampal Gyrus, Amygdala, Insula	L	-18	-6	-22	1454	-0.132	-0.053
Amygdala, Parahippocampal Gyrus	L	-18	-6	-22	167	-0.132	-0.065
Pallidum, Amygdala	L	-14	-6	-12	93	-0.109	-0.065
Amygdala	L	-24	-4	-22	111	-0.109	-0.059
Amygdala, Pallidum	L	-18	-12	-14	64	-0.107	-0.061
Amygdala, Pallidum	L	-22	-6	-14	77	-0.105	-0.061
Thalamus	Bi	0	-4	-6	86	-0.098	-0.053
Insula	L	-40	10	-2	106	-0.095	-0.051
Insula	L	-34	20	4	153	-0.093	-0.051
Thalamus	L	-8	-4	-6	38	-0.080	-0.052
Insula/Precentral Gyrus	L	-34	10	6	66	-0.075	-0.050
Thalamus	R	0	-2	-12	30	-0.075	-0.047
Insula	L	-40	6	6	134	-0.072	-0.046
Clastrum	L	-24	20	6	26	-0.070	-0.048
Insula	L	-42	18	-2	71	-0.069	-0.048
Amygdala	L	-22	4	-22	55	-0.067	-0.050
Striatum (Putamen)	L	-26	-2	8	19	-0.067	-0.042
Insula	L	-32	26	4	20	-0.064	-0.049
Pallidum, Amygdala	L	-24	-12	-12	28	-0.060	-0.044
Insula	L	-42	-8	2	32	-0.054	-0.043
Clastrum	L	-24	22	0	21	-0.052	-0.042
Precentral Gyrus	L	-48	12	0	30	-0.045	-0.039
Precentral Gyrus	L	-48	0	12	21	-0.044	-0.038
Dorsal Striatum (Putamen), Pallidum, Amygdala	R	22	-4	-14	390	-0.115	-0.055
Dorsal Striatum (Putamen), Pallidum, Amygdala	R	22	-4	-14	141	-0.115	-0.065
Dorsal Striatum (Putamen)	R	26	-2	-8	75	-0.075	-0.054

Parahippocampal Gyrus	R	32	0	-20	36	-0.068	-0.050
Amygdala	R	30	-6	-20	47	-0.067	-0.050
Clastrum	R	34	0	-8	30	-0.061	-0.047
Clastrum	R	32	-8	-12	43	-0.056	-0.047
Pallidum	R	18	-4	-2	18	-0.052	-0.042
Insula/Inferior Frontal Gyrus	R	30	30	4	509	-0.104	-0.054
Insula and Inferior Frontal Gyrus	R	30	30	4	98	-0.104	-0.064
Insula	R	42	28	0	117	-0.092	-0.056
Insula	R	36	20	2	96	-0.088	-0.053
Insula	R	30	24	6	47	-0.087	-0.057
Insula	R	38	28	-6	42	-0.080	-0.052
Clastrum	R	24	26	2	26	-0.065	-0.044
Insula	R	38	14	-8	26	-0.063	-0.042
Insula, Ventrolateral PFC (Inferior Frontal Gyrus)	R	42	18	-2	31	-0.063	-0.046
Ventrolateral PFC (Inferior Frontal Gyrus)	R	34	34	-2	25	-0.056	-0.044
Anterior Cingulate, Medial and Superior Frontal Gyrus	L	0	6	56	345	-0.097	-0.051
Anterior Cingulate, Medial Frontal Gyrus	L	0	6	56	107	-0.097	-0.056
Anterior Cingulate, Medial Frontal Gyrus	L	-4	4	48	93	-0.077	-0.051
Medial Frontal Gyrus	L	-2	-2	58	114	-0.060	-0.047
Medial Frontal Gyrus	L	0	4	62	31	-0.059	-0.044
Midbrain	L	-2	-22	-2	170	-0.094	-0.050
Midbrain	L	-2	-22	-2	63	-0.094	-0.052
Midbrain	L	-4	-22	-8	80	-0.092	-0.051
Thalamus	R	6	-20	-4	26	-0.054	-0.043