The Electric Consciousness Hypothesis and The Prediction of Consciousness Neuron

Yuqi Wang yuqieqt@gmail.com

Highlights and Framework

Others: split-brain; memory; emotion; addition; Von Neumann-Wigner interpretation; Music; Personality; etc.

Images are from the internet

Abstract

What makes us assume that our brain generates consciousness? Has there been an experiment to prove it? This article suggests another way to explore consciousness. It is that consciousness may be one of the four fundamental forces instead of being generated.

It proposes a testable hypothesis to explain how consciousness, as an electromagnetic force, cooperates with the neurons in our brain. And explain how this hypothesis can solve the problems, including how free will works in a biological machine, how emotion and memory work, even what will happen after you die, etc. Of course, we should be able to answer the death question after understanding the mechanism of consciousness.

Introduction

Imagine this, if a surgeon cut you in half, and the medical technology is good enough to keep you alive for one second, which part of the body information would you be experiencing? If you live in one of them, and we continue to cut you into another half, which part of the body information would you be experiencing? If we keep doing this on and on, in the end, what will be left in your body? A particle that is not dividable?

The question is interesting but not so convincing. Because if you damaged your brain, your personality would also change. Even we know from [Roger Sperry's split-brain experiment](#) that your consciousness will stay in the left hemisphere of the brain if we cut your brain in half, and there will be another person with his own consciousness in the right hemisphere.

"In his last series of experiments in humans, Sperry showed one object to the right eye of the participants and another object to their left eye. Sperry asked the volunteers to draw what they saw with their left hand only, with closed eyes. All the participants drew the object that they saw with their left eye, controlled by the right hemisphere, and described the object that they saw with their right eye, controlled by the left hemisphere. That supported Sperry's hypothesis that the hemispheres of brain functioned separately as two different brains and did not acknowledge the existence of the other hemisphere, as the description of the object did not match the drawing. Sperry concluded that even though there were no apparent signs of

disability in people with a severed corpus callosum, the hemispheres did not communicate, so it compromised the full function of the brain." (Lienhard, 2017)

To avoid this issue and explain the split-brain phenomenon, I designed a thought experiment.

The Duplicated-human Thought Experiment

This thought experiment is based on the following scientific facts:

1. Every animal is made of particles.
2. Every particle follows the laws of physics.

Therefore, the human body is just a biological machine made of particles, every part of it follows the laws of physics. If the technology is advanced enough, we should be able to duplicate a human with the same type and number of molecules.

METHODS

STEP 1

We put you in an empty room (room A).

STEP 2

There are some molecules in an empty room (room B). The types and number of molecules are the same as the ones in your body.

(Room A and room B are completely isolated. Whatever we do to the molecules in room B won't affect the molecules in room A.)

STEP 3

We rearrange the molecules in room B and make every molecule's position the same as the molecules in room A to create a duplicated version of you. So, if we agree that humans are just biological machines made of particles, now there's someone in room B with the same body structure and neural connections as yours. He (or she) has the same memory, same personality as yours. He has no idea that he's a copy. He thinks he's you.

STEP 4

Exchange the molecules between your body and your copy's body, one by one, from head to toe. Until all the molecules in your body have been moved to your copy's body, and vice versa.

RESULTS

From a third person's perspective, nothing has changed during the whole process. You and your copy have the same types of molecules. Your body structures, including DNA, and neuron connections, are all the same.

From your perspective, when the first molecule in your hair has been exchanged, nothing has happened. You are still you, in room A. You just exchanged a molecule in your hair. When the second molecule has been exchanged, still nothing. Then the third molecule, you are still in room A. However, after all the molecules have been exchanged, all the matter in your body has been transferred into room B. If you are just a biological machine determined by physical materials, it's as if I have transported your whole body into room B. After the experiment, you will therefore find yourself in room B.

Question

During step 4, the exchange process, at what moment, after which molecule is being transferred into room B, you magically found yourself appearing in room B?

You wouldn't be able to notice, though, because the decorations in the two empty rooms are the same. We don't want you and your copy to see different things to change your brain structure. However, if there were a dog outside room A and a cat outside room B, before step 4, you would see a dog if you opened the door, and your copy would see a cat if they opened the door. After step 4, you would see a cat if you opened the door, and your copy would see a dog.

So, in this process, at which moment—after which specific molecule is being transferred into room B, would you see a cat if you opened the door? What's the property of this molecule? Where is it located in your brain?

If we did step 4 on the cell scale, what cell was it?

If we did it on the atomic scale, what atom or ion was it?

If we did it on the subatomic scale, what elementary particle was it?

(If you worry about the no-cloning theorem. We can jump to step 3 and assume that two identical arrangements already exist instead of copying one. Or, we don't need to make the copy identical to you at a quantum level, but molecule level. According to neuroscience, your memory and behaviors are determined by the arrangement of the neurons and synapses in your brain. Quantum effects don't influence it much.)

Discussion

Hypothesis

A particle in your body determines which body's information you receive. You are just a particle that experiences the signals in your body. Your body parts, including your brain parts, are like tools. They store your memories, help you think, and shape your personality. You are just a particle, functioning as a "feeling receptor". If the particle is in the brain in room A, it experiences the body in room A. If it's in the body in room B, it experiences the body in room B.

So, what is this particle? Where is it? How does it receive information from your neurons? Animals have a similar brain structure as humans'. So, will you become an animal if this particle somehow goes into the same spot of an animal's brain? And how can a particle receive so much information from the brain?

(There is another hypothesis, but to cause less confusion, we'll discuss it at the end of the article. And you'll know why the other idea is unlikely to be true.)

You Are Not Your Whole Brain

We used to think we were our whole body, but now we know that's not true. Our body parts are just tools. Our hands help us grab things, our legs help us walk, our organs help us digest, breathe, etc. We can live without some of them, and we can even implant artificial organs to help us live better. Millions of cells die in our body every second; in seven years, most of your cells get replaced at least once.

Therefore, nowadays, most people agree that we are our brains. **However, we are probably making the same mistake again. Most of our brain activities are outside of our conscious experience. And with more and more cases of brain surgeries, we know that our consciousness can continue to exist without many brain parts. They are just like tools:**

Cerebellums store our muscle memories; Hippocampi generate new neurons to form new memories; Amygdalae play a significant role in our emotions, etc. We can live without some of them, and there were children who got one of their hemispheres removed and still lived a conscious life. With some of the brain parts damaged, it might affect our memories, personalities, thinking abilities. But it doesn't conflict with the hypothesis – your brain parts determine your memories and personality; you may be just a small part of your brain, maybe just a particle.

There are too many cases in history. You can easily google thousands of them. So I won't list the references here one by one.

You Can Only Receive Limited Conscious Information at Every Moment

Another problem with this hypothesis is how a particle can simultaneously experience so much conscious information in your brain?

The answer is it can't. Our consciousness cannot receive multiple signals simultaneously. The most straightforward example is, think about the moment when you were taking a boring class, but your brain was thinking about something fun like the TV show you watched last night. When you came back to reality, you realized that ten minutes had passed, and you hadn't heard a single word from your teacher.

Here are some psychological experiments you can do by yourself.

Experiment 1

Step 1

Try to search 'park' on google image, open a picture with many people in it. Take a look at the picture for only 1 second and quickly close it.

Step 2

Try to recall what you saw.

Results & discussion

You saw people, trees, maybe buildings or some large objects like a slide if there was any. But if I ask you for details such as the color of the guy's pants on the far left or the color of the guy's clothes on the far right, you wouldn't be able to answer them.

We used to think conscious experience is like movies, that was right. However, just like watching movies, we don't process all the details on every movie scene. If I ask you to rewatch a movie that you watched before and focus on the details in the background, you will notice many things you've never noticed before. Such as the objects in the environment, the pattern

of the floor and walls, the outfits of the pedestrians. Our brain doesn't work like a computer, processing all the GBs of movie files but grabbing some critical information from every scene in a limited time. That's why movie creators have to make close-up shots to ensure that we will catch the details they want us to notice.

Experiment 2

Step 1

Try to imagine an orange cat in your brain for 1 second.

Step 2

Stop imagining more about the orange cat. But try to tell some details about the cat you imagined in step1.

(In step 1, the cat you saw in your brain is just a blurred image. The reason you didn't notice it's blurred is that that's how you see stuff in real life. Only when you are being asked about the details, such as the exact pattern of its butt, its paws, hairs on the edge of its ears, number of orange streaks on its tail, and you just start to picture. But not in that 1 second.)

Step 3

Now try to imagine and picture the detail of the orange cat's ear, the outlines of the ear, the hairs on the ear.

(While you are doing this, you find out that you just lost all the images of the cat's legs, paws, tail during this moment)

Step 4

Try to imagine the paw, the patterns on the paw, and the detail of the pattern on the claws.

(While you are doing this, you find out that the ear is not in the picture in your head at this moment.)

Experiment 3

Step1

Try to imagine a triangle for 1 second.

Step 2

The triangle you imagined in the last step was also a blurred symbol. You can't see how long each side is or if every part of the line segment is straight. Try to check one side of the triangle, measure how long it is, check if every small part of the line segment is straight.

(When you are doing this, you can't see the details of how long the other two sides are and if every small line segment on the other two sides is straight.)

Discussion

At any given moment, our consciousness has very limited access to information. We can't even picture a simple geometric figure with all the details simultaneously. So, the idea of "you are just a particle" is possible since a particle can't receive too much information simultaneously.

Before we discovered that different lights were just electromagnetic waves with different frequencies, we thought that different colors were different things and even gave them different meanings. So, is it possible that our consciousness particle also receives information as waves with different shapes? And the interaction may cause the particle to be at different quantum states that represent different conscious concepts?

What's more, ten minutes ago, when you read this article, have you been thinking about your mother, your father, or a friend you met in your childhood? Probably not until I mentioned it, even they are such important memories deeply engraved in our brain. But your consciousness wasn't always experiencing them all the time. It shows that you are just in a small region in the brain, and the memories are stored in other parts of your brain. You only experience them when something triggers the neurons which store those memories in your brain, such as receiving a call from your dad, eating a familiar dish, or when you read this paragraph. Even now you think of them, you wouldn't notice what shoes they wear and the detailed pattern of the clothes until I mention it. If you want to picture more details, it takes time for your brain to deliver them to you one by one.

THE MECHANISM OF CONSCIOUSNESS

Solving the Free Will Paradox

The law of free will

Every particle in your body follows the laws of physics, then why do we think we have free will?

Here's the key. When people talk about free will, they tend to ignore that our so-called free will also follows a rule – you only do things that give you positive feelings, including pleasure, happiness, fun, interest, etc. And avoid negative feelings, including pain, fear,

sadness, etc. When the feelings are mixed, you choose the more positive or the less negative ones.

For example, A father would sacrifice himself to save his kid from a car accident. Because he would feel worse watching his kid getting hurt than himself getting hurt. Mike doesn't like his job, but he will continue doing it. Because he can get pleasure from the money and every positive feeling the money brings to him. A hungry drug addict would choose drugs over food. Because he thought the drugs would give him more pleasure than food at that moment.

You can think of more examples. But no matter what example you think of. When you choose to do something that gives you negative feelings, positive feelings always drive you. The positive feelings could be interest, pleasure, happiness, etc. For example, even if you squeeze your face right now to make yourself feel pain for no reason, but it's not "no reason." You did that because you felt interested and wanted to test the theory. If you've never read this article, would you do that for no reason today? The positive feelings drive you.

[An experiment conducted by James Olds](#) showed how easily free will could be manipulated. (Olds, 1956)

Why is our free will following such weird rules? To answer the question, we need to know the properties of the consciousness particle

The first block of Domino

The duplicated human thought experiment proposes that you are a physical particle, so what is this particle? What properties does it have?

Think about the moment when you saw a delicious burger but worried about the calories, but eventually, you decided to reach out your hand to grab the burger on the table. From your perspective, it was your consciousness controlling your hand to touch the burger. However, from a third person's perspective, who thinks you are just a machine made of atoms. It's a Domino chain from your brain to your finger, and every particle involved in this train is a Domino block. Therefore, if a human body is a biological machine made of physical particles, then your consciousness must be the first block of the Domino chain of every **consciousness-motivated action (Not unconscious movements. Details on page 17).**

Now try to think from the perspective of God. What would you make if you want to make a machine that will move by itself, using existing physical matters as materials?

How about a spring-powered toy duck? Or a rubber-powered airplane?

It doesn't matter what it's powered with. To move the second block of the Domino, the first Domino must contain a certain amount of energy. And according to Newton's first law,

the first block of the Domino must be able to apply force to change the movement state of the second block of the Domino.

Thus, we got the properties of the consciousness particle—it's in a structure that contains energy, and it can apply force to other particles in your body.

The location of the consciousness particle

What if the particle is in a structure that functions like a spring? And your free will is also following the law of physics? When the spring gets pressed, you feel bad. When the spring gets loosened, you feel good. And the loosened spring pushes the second Domino block. So you do things that make you happy. And you are one of the particles inside the spring repelling each other. So, is there any structure functioning like a spring in your brain?

It turned out that this kind of spring is everywhere. There are 86 billion of them in your brain – the membrane of a neuron.

The electric consciousness hypothesis

[How can an electrode control James Olds's rat's behavior?](#) How can simple molecules like dopamine, methamphetamine control our free will and behavior? (Olds, 1956)

Hypothetically, the first block of Domino, the "spring", is a neuron membrane. And the neuron is located in a highly integrated region and has anatomical connections all over your brain. It could be one of the giant neurons recently discovered (but not necessarily). It's a critical neuron for decision-making and motor activity.

You are a particle with an electric charge in the neuron, contributing to the membrane potential. As the "spring" gets loosened (depolarization), the increasing positive electric force in the soma repels the second block of the Domino—[gating charges inside a voltage-gated sodium channel](#), then the gating charges pull the linkers, and the linkers pull open the gate. (Catterall, 2014) This is the beginning of your every conscious action.

Your brain constantly sends signals to this consciousness neuron to make decisions. When you feel positive feelings (like happiness, pleasure, interest, etc.), this neuron receives excitatory neurotransmitters, the membrane reaches action potential, and the neuron sends feedback to your brain and approves the plan.

When you feel negative feelings (like pain, fear, sadness, etc.), this neuron receives inhibitory neurotransmitters, the membrane potential drops and denies the plan.

According to the duplicated-human thought experiment at the beginning of this article, you are a particle in the neuron. You also carry electric charges that contribute to the spring – membrane potential. And you get positive feelings when you detect increasing positive electric fields in the soma. And you get negative feelings when you detect negative electric

fields in the soma. Therefore, to let your free will follow the law of physics, you should be a negatively charged particle – an electron in a molecule in the consciousness neuron.

Though the function of consciousness is decision-making, not all the signals sent to the consciousness neuron will excite or inhibit the neuron. Sometimes it's between the resting potential and the action potential. Those are the normal things you experience in daily life. They won't give you too much pleasure or negative feelings, but they still change the electric field in the soma. All conscious signals will change your quantum state and the force you are experiencing. Therefore, you'll see things slightly beautiful or ugly, but most are too neutral to notice. Every state of the electron represents a conscious segment, and a minor membrane potential change can give you different conscious experiences.

Consciousness is an electron's first-person perspective. Different electric charges cause positive and negative conscious feelings. But consciousness experience may be more than electric charge. It may include the electron's quantum states.

You perceive information to make decisions based on you like them or dislike them. Some information is beautiful, and some are ugly; some give you pleasure, and some give you pain. After millions of years of evolution, things that give you positive feelings usually benefit the survival of your genes, such as a beautiful mate, delicious food. Things that give you negative feelings usually harm you, such as acrophobia and tryphobia. The fear stops you from getting close to cliffs and parasites.

However, increasing the survival rate is not the reason for consciousness's existence. Consciousness is fundamental. Just like we use oxygen for breathing, but it doesn't mean that oxygen exists for us. It is just the result of evolution. Organisms just use consciousness feelings (electromagnetic force) as gears in their body. We can still find some individuals receive positive feelings from harmful things, and it decreases their chance to reproduce.

If we could locate and test this neuron, it would explain everything.

This hypothesis matches many things:

1. It explains the duplicated-human thought experiment at the beginning of the paper.
2. It explains all the brain removal surgeries.
3. It explains why consciousness could only experience limited information at any given moment while we have such a massive brain with 86 billion neurons.
4. It explains why a [split-brain](#) patient's left hemisphere doesn't know what his right hemisphere thinks: Two hemispheres are two individuals. You are an electron in the decision-making neuron in the left hemisphere. Once the corpus callosum is severed, you lose connection to the right hemisphere.
5. It explains how "free will" works in a machine made of physical particles.

6. How [dopamine](#) (Wolfram, 2002) causes pleasure has always been a mystery in neuroscience. This hypothesis proposes that dopamine may work as excitatory neurotransmitters on the consciousness neuron.
7. It explains why your consciousness always follows your physical body while most cells in your body die every day and are replaced by new materials due to metabolism. It's because many brain neurons can live through your lifespan. So if we are determined by physical matter, it should be the matter in neurons.
8. Consciousness needs to have fast and wide connections to many other neurons in the brain and body. So, it would be perfect if it's located in a neuron's membrane in a highly integrated region in the brain.
9. It matches [Von Neumann-Wigner interpretation](#): Quantum decoherence is caused by the [entanglement](#) among you (the electron), the object you observe, and the neurons.

About the "plans" I mentioned in the last section

Every "plan" your brain makes is extremely small. It only lasts a few milliseconds to increase or decrease the membrane potential of the consciousness neuron. Every "big plan" is made of thousands to millions of those "small plans". For example, when you try to get a cake from the fridge. To execute this "big plan", your brain must constantly send you excitatory neurotransmitters to make you go to the kitchen and open the fridge door. Your consciousness neuron must keep approving the small plans until you finish the big plan. During this time, any small plan changes can stop you, such as thinking about health and calories, then your brain will send you inhibitory neurotransmitters to stop the plan. After you hesitate for a while, you might continue to finish the plan due to the excitatory neurotransmitters produced by the desire or keep resisting the desire with the inhibitory neurotransmitters. Or you decide not to think about it and to do something else. Therefore, resisting desire is painful. The best way not to do something is to distract yourself with a new plan.

This is one of the reasons why playing video games makes you happy: you are constantly making small decisions and receiving excitatory neuron transmitters. It's also one of the reasons why music makes you happy and why happy music tends to have a higher BPM than sad music: your brain is constantly predicting the next sound and approving meaningless actions like nodding your head, moving your leg, shaking your body. And those movements are always synchronized with the beats. If the music is unpredictable, that's called noise.

So even when you are feeling minor negative feelings such as upset or tooth pain, you can still continue making conscious actions. Because as long as you are doing normal thinking, your brain is constantly sending you excitatory neuron transmitters (glutamate or dopamine). And since your consciousness can only experience one signal at every moment, when your brain is busy thinking, you won't experience the pain. So, for example, when you are focusing on your favorite video game, the tooth pain will be ignored during the period. But if you are sitting in a room doing nothing, the tooth pain can be severe and annoying.

However, if you try to touch or move the teeth intensely, it'll cause your membrane potential to drop to under the resting potential for hundreds of milliseconds. That's why you stop the behavior when you feel pain. Other extreme negative feelings such as intense fear can also cause membrane potential to drop to under the resting potential constantly, causing animals to freeze for seconds and be unable to execute their plans.

Of course, you can still do things that make you feel pain if you want to. But the reason you "want to" is because you received excitatory neurotransmitters from your frontal cortex. So you feel interested or have other positive feelings depending on what makes you do the behavior. For example, you can squeeze yourself to feel pain whenever you want. But think about it, would you squeeze yourself hard for no reason today if you didn't read this article?

How to prove this hypothesis?

Mapping the brain can prove this hypothesis. However, if we could locate the consciousness neuron first, it would be solid evidence already.

One option is to trace the neural pathways of negative feelings such as pain, depression. We don't have to map the entire network of the whole brain. We just need to map where the pain signals go and which neuron they end up with. When the pain signals reach the adjacent neuron of the Consciousness neuron, the adjacent neuron will release inhibitory neurotransmitters to the consciousness neuron. That's where the pain signal ends. However, the pain signals will also stimulate other neurons to trigger a reflex action. So, we must distinguish that. Also, some inhibition doesn't directly work on the consciousness neuron but the adjacent neurons. And it will also affect the conscious experience.

Another option is to use neuroanatomy, find some candidate neurons that possibly be the consciousness neuron, and then test their membrane potential. Whenever the individual feels pleasure, the consciousness neuron will fire (There are too many neurons like this.) However, whenever the individual feels pain or depression **from any source**, the membrane potential of the Consciousness neuron will always drop. This could be the unique property of the Consciousness neuron.

For example, one candidate we have now is [the giant neuron](#) across the whole brain and [the claustrum](#). (Reardon, 2017)

"The claustrum is a thin, irregular, sheet-like neuronal structure hidden beneath the inner surface of the neocortex in the general region of the insula. Its function is enigmatic. Its anatomy is quite remarkable in that it receives input from almost all regions of cortex and projects back to almost all regions of cortex. We here briefly summarize what is known about the claustrum, speculate on its possible relationship to the processes that give rise to integrated conscious

percepts, propose mechanisms that enable information to travel widely within the claustrum and discuss experiments to address these questions." (Koch, 2005)

[In this case, the woman stopped her action](#) maybe because the electrode stimulated the other neurons to release inhibitory neurotransmitters to the consciousness neuron, stopping the action potential in the consciousness neuron. She didn't form a short-term memory because once the consciousness neuron got inhibited, there were no other synapses involved besides the ones between the stimulated neurons and the consciousness neuron. So even she felt depressed, she wouldn't be able to tell.

"Despite decades of electrocortical stimulation mapping as a routine procedure in patients with epilepsy, to our knowledge, the disruption of consciousness that we herein describe has never been precipitated by electrical stimulation of any other site in the human brain, including the hippocampus, amygdala, cingulate cortex, or various areas of the insula and other neocortical regions [8–10]. The immediate impairment of consciousness due to direct stimulation of the left anterior-dorsal insula/claustrum region, without any after discharges, suggests that this effect arises from functional interruption of the anterior insula, the claustrum, or both. The anterior-dorsal insula seems to play a role in self-awareness and integrates emotional and cognitive inputs, setting the context for actions [11]. However, there have been no previous reports that stimulations of different parts of the insula result in an alteration of consciousness [9]. AI4 was the closest contact to the claustrum, and the stimulation of neighboring contacts that were within 2.7 mm did not elicit such phenomena. Thus, the claustrum – a region in which the effects of electrical stimulations have never been reported to our knowledge in humans – could be a key component of the network supporting "conscious awareness" during wakefulness. The claustrum could constitute a common gate to the "external" and "internal" awareness networks. This could explain why the electrical stimulation of the claustrum, and the resulting alteration of its normal function, would cause an impairment of consciousness, including an absence of recollection of the external events and of internal/interoceptive experience. This may support previous hypotheses that the claustrum is related to the processes that give rise to integrated conscious percepts." (Mohamad Z. Koubeissi, 2014)

"Another hypothesis regarding the alteration of consciousness that accompanies seizures, the "network inhibition hypothesis", suggests that propagation of ictal discharges from the mesial temporal structures to the brainstem and diencephalon results in inhibition of the subcortical arousal system, which results in widespread depression of cortical activity [6]. Because of a widespread connectivity with neocortical areas, it is possible that the claustrum participates in the widespread cortical depression." (Mohamad Z. Koubeissi, 2014)

So right now, we do need to build a method to test a neuron's membrane potentials in a living animal brain. If this giant neuron in the claustrum matches the theory's prediction, then we got lucky, and we can do further tests on emotions to confirm the theory. If it's not the

neuron we are looking for, we can still use the same method to test other possible neurons. Or replicate the stop-action experiment on rodents and trace the signals to see which neuron it ends up at. Though the structure of the claustrum and the giant neuron is so convincing, neural pathways in the brain are still complex, and we know so little about them. There are still other highly integrated areas in the brain, and the giant neuron and the other neurons in the claustrum may not be the only candidates. It could be one of the dopamine-producing neurons in the ventral tegmental area, dopamine-receptor neurons in the nucleus accumbens, or another neuron with connections to many different areas. But there's one thing for sure, the more neural pathways we map out, the closer we get to the truth. The hard problem is solvable, and we'll solve it surprisingly soon.

Details About "Consciousness is The First Domino Block"

Since it's a brand-new theory, some ideas can be counterintuitive and contradict our former understanding. For example, some people believe that "conscious awareness happens after actions." Such as sometimes you don't realize that you have already grabbed the food from the table until seconds later.

The misunderstanding is because they didn't distinguish between unconscious and conscious actions.

Most of our daily actions are unconscious and controlled by our subconscious part of the brain and muscle memories outside of consciousness: we can grab food while talking; clean the floor while thinking something else; we don't need to be aware of how we walk or type, etc. And these sometimes cause problems, such as accidentally drinking someone else's water on the dinner table.

A conscious action requires attention and decision-making. For example, when we think about health issues while deciding to touch or not touch the food. Or when we see the price and decide to put the product into the shopping cart or not. Or when we see a snake and decide to touch it or not. In those cases, consciousness happens before action. And it's the first block of the Domino to execute the action.

Our brain is constantly thinking while doing irrelevant things. Even when we are doing relevant things, there is still a large portion of our brain outside of our consciousness controlling some of our body movement, as we know from the split-brain experiment. So, no matter what we do, there are always unconscious movements involved. Then when our consciousness is suddenly aware of it, the action has been done, but they are irrelevant. So the statement

"consciousness awareness comes after actions" was not accurate. In cases that require decision-making, conscious awareness always presents before action.

Before the Domino train

A paper published in 2008 told us that the [brain makes decisions before consciousness awareness](#), which is correct and fits the electric consciousness theory.

"We found that the outcome of a decision can be encoded in brain activity of prefrontal and parietal cortex up to 10 s before it enters awareness. This delay presumably reflects the operation of a network of high-level control areas that begin to prepare an upcoming decision long before it enters awareness." (Soon, 2008)

The plans have already been made in the cortex before being delivered to your consciousness neuron. The activities in the former neural pathways have already determined whether your consciousness neuron would receive excitatory or inhibitory neurotransmitters. It can be understood that your consciousness is the final step of decision making depending on your feelings. It can also be understood that your cortex has already made the decision because they already decided what feelings you would receive.

"We think our decisions are conscious, but these data show that consciousness is just the tip of the iceberg," says John-Dylan Haynes, who led the study.

The study reinforces the idea that consciousness is in a small region, and it's the final gate to experience and approve plans based on our conscious feelings. And the feeling we experience has already been determined by the signals sent to our consciousness. Consciousness is the final gate of decision-making. It's also the first Domino block of a conscious action after the decision is made.

So, consciousness is very likely to be in a structure that can receive input from many cortex regions and projects back to many cortex regions to execute the plans.

Note that the results don't mean that consciousness doesn't interact with the cortex before the final decision. When the volunteers were asked to press one of the buttons, they already started to think about whether they should press the button or not, and the cortex already started to interact with the consciousness neuron. So, technically, the plan was partially made by the communication between the cortex and the consciousness neuron. They can only choose to press one of the buttons but cannot dance. And the activities in the unconscious part of the cortex contribute to the final urge to press the button. That's why they were not aware of it until the urge came in.

Definition of "unconscious part of the cortex": Any part of the cortex with neural activities but isn't sending signals to the consciousness neuron at the current moment.

What Can This Hypothesis Explain

If we could prove this hypothesis, we could further explain more phenomena, including memory, emotion, behavioral addiction, death, etc. Note that the following prediction is based on if the electric consciousness hypothesis is proven correct.

Memory

Most neurons in your brain are multipolar neurons. Each of them has many dendrites (inputs) and axon branches (outputs). Your memories are stored in these neurons all over your brain. When one of these memory neurons is being stimulated, it'll send signals to the consciousness neuron, changing the membrane potential. That's how you experience memories. At the same time, the first memory neuron also sends signals via the other branches of the axon to the nearby memory neurons, and the nearby memory neurons also have connections to the consciousness neuron and send another electric signal to it. That's how you experience the second memory associated with the first one.

The same rule applies to groups of neurons. For example, if you are an English speaker, you'll think of a cat just by hearing the sound "kæ ". The sound "kæ " is memorized in a neural circuit made of many neurons. When it's being stimulated, the circuit "kæ " sends the signal to the consciousness neuron, causing you to hear the sound "kæ ". At the same time, the circuit "kæ " also stimulates nearby circuits – the sound of "t" and the nearby circuit "cat." So after you hear the sound "kæ ", you'll think of the word "cat", because the circuit "cat" also sends signals to the consciousness neuron. And then the same thing will happen to more nearby circuits, causing you to experience the image of the cats you are familiar with. And then, more nearby memory neurons are stimulated. You'll think of pet, tiger, lion, and on and on, depending on what's in your memories. If you also speak other languages, you may think of "cat" in another

language. Or if you were familiar with someone named Katarina, when you heard the sound "kæ ", you may think of her instead of a cat. [This is why a recent study shows that related words are located in close regions of the brain.](#) (Alexander G. Huth, 2016)

In fact, In your daily life, you experience almost everything through your memory neurons. For example, you don't have to observe every object around you when you walk around in your house.

"You can stil raed this sentnece eevn I msed up the spell. Becuase when you stimluate one momery nueron, it automaitcally triggres adjaent nuerons in order. "

What are emotions

Emotion is a complex psychological state involving three distinct components: subjective experience (conscious feelings), physiological response, and behavioral response. We already know what physiological and behavioral responses are. In this section, we'll focus on explaining the subjective experience.

If we could locate the consciousness neuron and test the membrane potential inside it, we should be able to illustrate different emotions with graphs.

(Since we haven't mapped the brain yet, the following charts are not accurate, but just an example to help you understand how consciousness and emotions work. We assume the resting and action potential in the consciousness neuron are -70mV and -55 mV.)

Fear

When you are experiencing extreme fear, the membrane potential change over time can be illustrated like this.

Most of the time, the membrane potential will be decreased under -70mV due to the inhibitory neurotransmitters released to it caused by the amygdala directly or indirectly, giving you negative feelings and causing your action to stop. It will stop you from doing whatever behavior that might danger you, like going close to a snake or a cliff. That's also the reason why some animals freeze while experiencing intense fear.

Sometimes, the membrane potential will be between -70mV to -55mV . Those are the normal conscious signals with neutral feelings, mostly sent from your cortex and your body.

When you calm down a little bit, your frontal cortex starts to make rational decisions, sending you positive signals, causing the adjacent neurons to release excitatory neurotransmitters to the Consciousness neuron, increasing the membrane potential over the threshold (-55mV). And approve the fight or flight plan.

When you see a pattern that is being recognized as a great threat in your brain, the neurons that store the memory of the pattern are being stimulated. Those neurons may be in the amygdala itself or have links to the amygdala. Then the amygdala directly or indirectly increases the release of inhibitory neurotransmitters to the consciousness neuron, causing the membrane potential of the consciousness neuron to drop, stopping the dangerous action. At the same time, the amygdala also sends signals to the hypothalamus, increasing your heart rate, making you sweat, breathe rapidly. Then your body parts send those feedback to your brain, and your consciousness neuron receives these signals. So, when someone's amygdala is damaged, it doesn't send signals to the consciousness neuron or the hypothalamus. Therefore, the patient doesn't experience fear. But even without the amygdala, there are still neurons that can release inhibitory neurotransmitters to your consciousness neuron. Stimulate those neurons, and you can still feel negative feelings. If there are circuits that connect to both those

neurons and the hypothalamus to trigger your adrenal gland to release adrenaline, amygdala-damaged patients may still feel feelings similar to fear.

The subjective feeling of emotion is just the feeling of the electron when it's interacting with other electric fields in the soma. When you are experiencing fear, you are mostly experiencing negative electric fields.

Happiness

On the opposite, when you are experiencing positive feelings such as happiness, excitement, joy, interest, you are mostly experiencing positive electric fields.

All graphs of positive emotions are similar and made of two parts — the positive feelings (-55mV to 30 mV) and the normal conscious signals with neutral feelings (-70mV to -55mV). The more frequently the spikes (-55mV to 30 mV) appear, the more pleasure you feel, such as Seeing beautiful things < being interested < feeling happy < feeling excited < taking cocaine. The normal conscious signals (-70mV to -55mV) tell you what you are doing, what you are encountering.

Since the consciousness neuron is the key neuron to approve decisions, the more spikes appear, the more you want to execute the plans associated with these spikes. That's why you love to do things that give you good feelings and how dopamine makes you happy.

(You might have a question here — Since the positive feeling is when the electron experiences positive electric fields around it, what about when the membrane potential is between -55mV to 0mV? The explanation is, even the electron is in the negatively charged soma, but it's also close to the atomic nucleus. Or if it's in a negatively charged amino acid residue, for example, in a [sodium channel](#), it may also be close to some positively charged amino acid residues. So, when the consciousness neuron is in resting potential, the electric field around the electron may be close to neutral or slightly positive.)

Pain

Similar to feeling fear. When you are experiencing pain, the pain signals sent to the consciousness neuron area cause the adjacent neurons to release inhibitory neurotransmitters to the Consciousness neuron. Therefore, the membrane potential will be decreased under -70mV. The range of it depends on how much pain you are feeling. The sharper the pain is, the lower the membrane potential will be.

After you had a painful experience with something, for example, being cut by a knife. Now the neurons that store the memories of the knife scene have connections to the adjacent neurons of your Consciousness neuron. You can feel the negative feelings when you put your finger lightly on the edge of a knife, but it feels different from actually being cut, it's because the amount of the released inhibitory neurotransmitters is different, and the quantum state of the electron is also different. That's how you experience two kinds of negative feelings differently. And the normal conscious signals (-70mV to -55mV) sent from your cortex also tell you what's happening in your body and the environment.

Some fear experience is learned by experiencing pain, like trauma after a car accident or being bitten by dogs. It's because those memories are associated with the inhibitory neurotransmitter-releasing neurons.

Emotional pain and physical pain are both negative feelings and are illustrated by similar charts. There's not a clear boundary to separate them. That's why people sometimes use "heartbreak", "can't breathe" to describe some emotional pains.

Anger

Anger is an emotion mixed with both negative and positive feelings. When you are thinking about the things that upset or hurt you, the amygdala causes the membrane potential of the consciousness neuron to drop. At the same time, it stimulates other parts of the brain, your heart rate increases, your breathing gets quicker. Your brain simply made a quick fight response plan to solve the problem, for example, smashing things whatever is in your hand. Without rational thinking, the membrane potential of the consciousness neuron increased over the threshold and approved the plan, smashed your phone on the ground.

However, every spike only lasts a few milliseconds, and you usually need seconds to minutes to finish an action. So it takes thousands of spikes for you to eventually finish doing something you regret. During this period, your prefrontal cortex has pretty much time to realize that you are holding an expensive phone, and then the memories of the phone are associated with the memories of money, the memories of money related to hard work. Smashing the phone means more hard work. In the end, your prefrontal cortex associates the plan "smashing the phone" with negative feelings. Decrease the membrane potential in the Consciousness neuron. Cause the action to stop.

So, anger is an emotion mixed with both negative and positive feelings. That's why sometimes we actually enjoy anger by imagining destroying things and relationships.

The best way to control anger is to build up more rational memories associated with negative feelings when you think about doing things that'll cause a negative consequence. For example, a person with a stronger sense of law is more unlikely to kill a person in public in the same circumstance.

Boredom

You are an electron in the Consciousness neuron experiencing conscious signals by detecting the change of the electric field in the soma. Most of the signals of ordinary objects reach the Consciousness neuron as a small dose of excitatory neurotransmitters, but the amount is not enough to raise the membrane potential over the threshold.

When you are sitting in a boring room, all you see are ordinary objects, and nothing interests you or terrifies you, and you are not thinking anything interesting in your brain. The Consciousness neuron receives ordinary conscious signals. Most of the time, the membrane potential will be between -70 to -55 mV. There will be some spikes because your brain is still constantly thinking, but the frequency is low.

Addiction

We already know one factor that causes drug addiction is that the drugs damage dopamine receptors on the dendrites. They make the receptors less responsive and decrease the number of receptors. Therefore, you need more and more drugs to help you reach the same pleasure level.

However, there's another factor—behavioral addiction caused by memories and decision-making. Hypothetically, dopamine and glutamate work as excitatory neurotransmitters on the consciousness neuron. Behaviors that result in massive dopamine release on the consciousness neuron will always cause the consciousness neuron to reach the action potential and approve the plan in your brain, such as buying drugs or playing video games. Unless you think of the bad consequence during that moment, your brain will temporarily release inhibitory neurotransmitters to inhibit the consciousness neuron. The inhibition won't last for long if you are already highly addicted to it.

Because the more addictive activities, the more long-term memories associated with the addictive source have been formed in the brain. It means that your brain has a higher chance of thinking of addictive behaviors at every moment. And your brain will frequently send you excitatory neurotransmitters to ask you to do the activity. As a result, your frontal cortex will eventually get too tired to think of the bad consequence, and you'll do the addictive behaviors again to form more memories. This positive feedback loop is what causes behavioral addiction.

What will happen after you die

If this hypothesis is proven correct, then the answer will be obvious. After you die, the electron will not be destroyed but go to the environment as your remains get decomposed. Suppose the electron gets absorbed by a pregnant animal and becomes a part of the nerve system in the embryo, and it is luckily located in the consciousness neuron. In that case, you will start to experience a new life as a newborn animal.

If you are in other parts of the nerve system, for example, in the motor neuron of the knee-jerk reflex, then you'll only experience consciousness while the neuron is being stimulated. And this kind of conscious experience is not like the experience in the consciousness neuron in the brain. You will only feel a few milliseconds of positive feelings, and then you lose consciousness, that's all.

It is because other parts of your body don't have a connection to the motor neuron in your knee. If someone touched your arm, there's no membrane potential change in the neuron in your knee. You can sense everything when you are in the brain because the consciousness neuron has connections to almost every neuron in your brain, and all the sensory inputs will reach the consciousness neuron. It's like the busiest crossway in a city's traffic system. That's why you have all the access to the memory neurons in your brain. But you won't be able to sense the neural activities that don't require consciousness, like the knee-jerk reflex. And you won't know if a bug is landing on the top of your hair because the consciousness neuron doesn't have a connection to it.

For example, if you are in a cat's consciousness neuron, you'll have all the cat's memory. The earliest memory in your brain is that you saw a bunch of other cats in a cave with you. Of course, you don't know you are a cat because there's no neural circuit of the meaning of "cat" in your brain. You don't know what you look like. You'll even attack your reflection in the mirror the first time you see it. You'll think like a cat, act like a cat, and have all the urges a cat would have. The cat's brain controls you. You are just an electron following the law of physics.

When someone hasn't wholly understood this theory, they often ask, "but is that cat me still me? The personality has changed, the memories have changed."

Try to compare yourself to the child when you were nine years old. Your personality has changed, your memories have changed. But you are still the one feeling every pain, every happiness in your body.

The definition of "you" is not your whole body, not your personality or memory. Your body parts can be removed and replaced. Your memories change every second, and your personality

changes because of memory change. Every ten years, you'll see a big change in your personality. And death is just a huge change in your memories and personality. You are dying every second. There's no death in this world, only the change of the positions of fundamental particles.

There's not a scientific boundary between your body and the environment, and they are constantly exchanging matter with each other. Technically, your body is a part of the environment. You are just an electron. It's just the electron's location is special, has massive neural connections all over the body, so its experiences become complicated. Every visible photon on the retina will affect it, every touch on the skin will affect it, every taste on the tongue will affect it.

With this hypothesis, I could continue to explain willpower, personality, dreams, quantum decoherence, why the world exists, etc. However, those are predictions based on this hypothesis. I'm not sure if I should overwhelm you right now, so I'll leave them in another manuscript.

The problem with the idea of "brain generates consciousness."

Let's rewind to the thought experiment at the beginning of the paper. Some people may come up with another hypothesis. It's that "a portion of matters in your brain generates consciousness", or "consciousness is a product of your whole brain". Which is what many people nowadays agree with.

If we apply this hypothesis to the thought experiment, it will come with many problems. First of all, the same question. When you appeared in room B, what was the last particle we exchanged? Why does this particle matter? Secondly, what happened to your subjective experience when half of the portion has been exchanged? Will you be experiencing both bodies? How is it possible for the sensory neuron in room A to fire when I only hit the guy in room B? If you can only experience one body, then what's the point of the other half portion? Finally, the most crucial question, how is it possible for a group of physical materials to create a subjective experience? Does it even make sense in physics?

How did we come up with the idea that a portion of physical matter can create a subjective experience? Why did we assume that? You see, we believe something is correct or wrong by observation and experiences. The more experiences we have, the deeper we believe it. However, we haven't experienced a case where a portion of physical matter can generate subjective experience.

Then, what makes us believe that a portion of matter can generate consciousness? One reason is we have an illusion of "everything is made." We saw chairs made in factories, apples made in trees, babies made in wombs, so we assumed that everything must be made. However,

our past experiences tricked us. If you see the fundamental of the world, nothing was made anywhere. A chair is just a group of countless particles. Everything is just fundamental particles changing positions. They have been here all the time.

And there was no experiment that proved physical matter can generate subjective experience. All we did was just observe human and animal behaviors. But those behaviors can also be explained as reactions of a biological machine. And the subjective experience can also be explained as a particle's fundamental property in the machine. It's just the machine gets bigger and more complex, so the particle in that integrated region in the machine feels more complex forces. And it matches why consciousness could only experience limited information at any given moment while we have such a massive machine with 86 billion neurons.

So, if we haven't made progress with the idea of "brain generates consciousness" for so long, why don't we keep an open mind and try it another way?

Conclusion

The idea of "brain generates consciousness" and "consciousness is fundamental" are both possible to explain consciousness. However, the latter has fewer assumptions and can explain consciousness more clearly, and it is also testable.

The electric consciousness hypothesis is based on the assumption that consciousness is fundamental instead of created. **If this assumption is correct, then the only materialism explanation for the duplicated-human thought experiment is that your identity is a physical particle instead of your whole body.** It also matches all the brain removal surgeries and the psychological experiences of "you can only receive limited conscious information at every moment", even the split-brain phenomenon.

We know consciousness can apply one of the four fundamental forces due to the psychological experience of "consciousness is the first block of the Domino" and the law of inertia: the first block of the Domino must be able to apply a force on the second Domino block.

Then we further use neuroscience, and the law of free will, to hypothesize that the first block of the Domino is a neuron's membrane. Our positive and negative feelings control our free will because excitatory and inhibitory neurotransmitters excite and inhibit the decision-making neuron. And identify the particle as an electron, the fundamental force as electromagnet force. And predict the existence of the consciousness neuron and its behaviors.

So, please note, this hypothesis has two assumptions: 1. Consciousness is fundamental. 2. The first block of the Domino is a neuron's membrane.

Besides these two assumptions, it is based on the scientific facts:

1. Every particle in the universe follows the laws of physics. You are made of physical particles. And the duplicated-human thought experiment based on materialism.
2. Clinical cases: Most of your body and brain parts don't belong to you. They can be removed and replaced.
3. Clinical cases: Split-brain patients have no conscious information access to the other hemisphere. While the other hemisphere has a consciousness of its own. (Lienhard, 2017)
4. Psychological experience: Your consciousness has very limited access to information every moment.
5. Psychological experience: Your free will follows the law – do things that give you positive feelings, avoid negative feelings. When the feelings are mixed, you choose the more positive one or the less negative one.
6. Experiment on rodents: electrode stimulation controls mouse's behavior. (Olds, 1956)
7. Psychological experience: your consciousness is the first block of the Domino that causes your body to move when you are making a conscious decision.
8. Domino effect and the law of inertia: the first block of the Domino is physical and can apply force to other physical particles in our body.
9. The four fundamental forces: stronger force, weak force, electromagnetic force, gravitational force. And gravity is not a force but a consequence of masses moving along geodesic lines in a curved spacetime caused by the uneven mass distribution. And there is no nuclear reaction in our body. Brain activities are based on the membrane potential created by the flow of ions, so the only possible force is the electromagnetic force.
10. [Von Neumann-Wigner interpretation](#): quantum decoherence is caused by the [entanglement](#) among consciousness, the object you observe, and the neurons.
11. Dopamine and addictive drugs are just molecules applied on receptors on neurons, which can make our subjective experience feel pleasure.

Even the two assumptions are based on: There hasn't been an experiment proving that a portion of matter can create a subjective experience. And neuroanatomy shows that the most likely structure to be the first block of the Domino is a neuron's membrane.

This will be a successful theory if we can locate this neuron and test its membrane potential or analyze the neurotransmitters released by its adjacent neurons. **Dopamine keeps making your decision-making neuron reach action potential. You are an electron inside it feeling positive electric fields. That's how you feel happy and keep doing things that make you happy. The critical information we need now to prove this hypothesis is whether inhibitory neurotransmitters inhibit the decision-making neuron to stop our action when we feel negative feelings, just like the opposite way how excitatory neurotransmitters do.** [According to the consciousness disruption case](#), there should be some neurons that got inhibited. It also fits the hypothesis's explanation of why she didn't form memory to know she might feel depressed during the stimulation.

Though we have so much evidence to convince us to try this hypothesis, we should still keep an open mind on the two assumptions. This article would be worthless if the first assumption, "consciousness is not created," was wrong, which is very unlikely. If it's just the second assumption, "the spring is a neuron's membrane," being wrong, then we can still use the duplicated-human thought experiment, law of free will, and the Domino effect to search for another spring-like structure. Even though it's also unlikely to be wrong according to neuroscience.

But those worries will be gone once we locate the consciousness neuron or understand the neural pathways of pain and decision-making. Solving the hard problem is not impossible if we can get close to the easy problem.

It's a dangerous hypothesis. We might suffer a lot if we don't know that we may repeatedly be reborn as random creatures after death. However, this hypothesis would also bring peace to the world if it's proven correct and the world is aware of it.

References

- Alexander G. Huth, W. A. (2016). Natural speech reveals the semantic maps that tile human cerebral cortex. *Nature*, 532, 453–458. doi:<https://doi.org/10.1038/nature17637>
- Catterall, W. (2014). *Electrical Signaling: Life in the Fast Lane – Sodium channels*. Retrieved from ibiology: <https://www.ibiology.org/neuroscience/sodium-channels/#part-2>
- Koch, F. C. (2005). What is the function of the claustrum? *Phil. Trans. R. Soc. B*, 360, 1271-1279. doi:<https://doi.org/10.1098/rstb.2005.1661>
- Lienhard, D. A. (2017, 12 27). Roger Sperry's Split Brain Experiments (1959–1968). *Embryo Project Encyclopedia*. Retrieved from <http://embryo.asu.edu/handle/10776/13035>
- Mohamad Z. Koubeissi, F. B. (2014). Electrical stimulation of a small brain area reversibly disrupts consciousness. *Epilepsy & Behavior*, 37. doi:<https://doi.org/10.1016/j.yebeh.2014.05.027>
- Olds, J. (1956). Pleasure Centers in the Brain. *Scientific American*, 195. Retrieved from <https://www.jstor.org/stable/24941787>
- Reardon, S. (2017). A giant neuron found wrapped around entire mouse brain. *Nature*, 543(7643), 14-15. Retrieved 12 9, 2021, from <https://nature.com/news/a-giant-neuron-found-wrapped-around-entire-mouse-brain-1.21539>
- Soon, C. S.-J.-D. (2008). Unconscious determinants of free decisions in the human. *Nature neuroscience*, 11(5), 543-545. doi:<https://doi.org/10.1038/nn.2112>
- Wolfram, S. (2002). Getting formal with dopamine and reward. *Neuron*, 36(2), 241-263. doi:[https://doi.org/10.1016/S0896-6273\(02\)00967-4](https://doi.org/10.1016/S0896-6273(02)00967-4)

Highlights and Framework

Others: split-brain; memory; emotion; addition; Von Neumann-Wigner interpretation; Music; Personality; etc.

Images are from the internet