Contributions of fixed mindsets and hopelessness to anxiety and depressive symptoms:

A commonality analysis approach

Michael Mullarkey, M.A.

University of Texas at Austin

Jessica L. Schleider, Ph.D.

Stony Brook University

Jessica L. Schleider is the corresponding author.

E-mail: jessica.schleider@stonybrook.edu

Postal Address:

Stony Brook University, Psychology B Building Office Office B-340

Stony Brook, NY 11794-2500

Declarations of interest: None

Abstract

Background. Fixed mindsets (beliefs that personal traits are unchangeable) show consistent associations with internalizing symptoms. However, the mindset-internalizing symptom link has previously been studied in isolation of other maladaptive cognitions that relate to internalizing symptoms. Thus, the unique contributions of mindsets to internalizing symptoms remains unclear. **Method.** We used commonality analysis (CA), which yields unique *and* shared effects of independent variables on an outcome, to assess unique contributions of *emotion* and *anxiety* mindsets to anxiety and depression symptoms, relative to the contributions of hopelessness. Participants in two online studies ($Ns=200, 430$) self-reported depression and anxiety symptoms, hopelessness, and emotion and anxiety mindsets.

Results. In Study 1, neither mindset type contributed unique variance to depression or anxiety beyond the contribution of hopelessness. In Study 2, emotion mindsets again explained no unique symptom variance. Anxiety mindsets uniquely contributed 2.0% and 6.5% of depression and anxiety variance, respectively—but far larger proportions of symptom variance (20.0%-60.9%) were contributed by hopelessness alone, variance shared by hopelessness and anxiety mindsets, and variance shared among hopelessness, anxiety mindsets, and emotion mindsets. **Limitations.** The cross-sectional design precludes causal conclusions, and the non-referred adult samples may limit generalizability. **Discussion.** Mindsets contributed little unique variance to internalizing symptoms beyond hopelessness. Interventions teaching growth mindsets have been shown to reduce internalizing problem in past studies. However, these interventions might not necessarily operate by shaping mindsets; rather, they may affect symptom change by shaping closely-linked maladaptive cognitions—like hopelessness—with stronger ties to internalizing distress.

Keywords: commonality analysis, emotion mindset, anxiety mindset, hopelessness, depression, anxiety

Contributions of fixed mindsets and hopelessness to anxiety and depressive symptoms:

A commonality analysis approach

To navigate the social world, humans rely on *guiding cognitions* to interpret and respond to interactions and experiences. Whether or not these cognitions are accurate, they shape our responses to everyday events, particularly those involving adversity. As such, contemporary models emphasize cognitions' roles in the onset, maintenance, and course of depression and anxiety (Beck, 2002; Disner et al., 2011; Lewinsohn et al., 2001). Numerous maladaptive cognitions have been implicated in the etiology of depression *and* anxiety, including negative attributional style (Fresco et al., 2006; Luten et al., 1997), hopelessness (Starr and Davila, 2011; Strohmeier et al., 2016), interpretation biases (Everaert et al., 2018; Stuijzand et al., 2018), and psychological inflexibility (Kashdan and Rottenberg, 2010). Recently, increased attention has focused on another kind of guiding cognition—implicit theories, or *mindsets*—with possible relevance to internalizing psychopathology (for a review, see Schleider et al., 2015). Mindsets are core assumptions about the malleability of personal traits (Molden and Dweck, 2006). Whereas individuals with a growth mindset view personal traits (e.g. intelligence, likeability, anxiety, or sadness) as inherently malleable and changeable through effort, those with a fixed mindset view these attributes as fixed and thus unchangeable through effort (Dweck and Leggett, 1988; Molden and Dweck, 2006).¹ Individuals holding growth (versus fixed) mindsets tend to cope more adaptively and recover more rapidly following setbacks (Burnette et al., 2013; Erdley et al., 1997; Yeager et al., 2013), potentially because they view setbacks as opportunities for personal growth rather than indicators of permanent, personal deficits. Further, fixed mindsets of multiple attributes correlate with and predict higher levels of depression and anxiety in youth and adults (for reviews, see Schleider et al., 2015; Schleider and Schroder, 2018), and brief interventions teaching individuals to adopt growth mindsets

¹ In this article, as in much of the mindset literature, fixed and growth mindsets are discussed as dichotomies for the sake of convenience; in reality, people hold mindsets that lie along the continuous fixed-to-growth dimension (Dweck and Sorich, 1999), reflected in their operationalization as continuous rather than binary scores.

have reduced internalizing problems in high-risk and community samples (Kneeland et al., 2016; Miu and Yeager, 2014; Schleider et al., 2019; Schleider and Weisz, 2016; Schleider and Weisz, 2018).

Thus, research identifies fixed mindset as a possible cognitive vulnerability factor for internalizing problems. However, the degree to which mindsets independently explain variance in these problems—and even change in emotional symptoms following “growth mindset” interventions—remains unclear. This is because fixed mindsets correlate with other well-established cognitive vulnerabilities for emotional problems, such as perceived control over behavior and emotion (Schleider & Weisz, 2016), perfectionism (Schroder et al., 2014), and problematic worry (Schroder et al., 2016). Indeed, construct overlap across cognitive vulnerability factors is a recognized challenge to identifying key contributors to internalizing distress (Abela and Sarin, 2002; Hong and Cheung, 2015). This overlap makes it difficult to disentangle each factor’s independent versus shared links with clinical outcomes. To clarify the potentially independent role of mindsets, we examined *independent* and *shared* contributions of two types of mindsets (of *emotion* and *anxiety*) to anxiety and depression symptoms, versus the independent contributions of hopelessness—an established risk factor for internalizing psychopathology (Alloy et al., 2016; Miranda and Mennin, 2007) that is conceptually similar to fixed mindsets. Indeed, measures of mindsets and hopelessness are both derived from learned helplessness theory (Dweck, 2017, 1975); therefore, directly assessing the unique and shared contributions of these constructs is all the more relevant. Emotion mindsets involve beliefs about whether emotions can be changed, especially through effort (Schroder et al., 2014; Tamir et al., 2007), while anxiety mindsets involve beliefs about whether symptoms of anxiety can be changed (Schroder et al., 2014). To overcome interpretive challenges created by construct overlap, we used commonality analysis (CA) to identify unique and shared links of mindsets and hopelessness to internalizing psychopathology. Beyond clarifying the role of mindsets in emotional distress, this study may offer a roadmap for using CA to parse independent and common contributions of correlated vulnerability factors to clinical outcomes.

Challenges to testing cognitive vulnerability models of internalizing problems. Equifinality and multicollinearity present challenges to modeling predictors of internalizing problems. Equifinality is

the theory that multiple variables contribute to, and serve as distinct pathways toward, a given clinical outcome (Cicchetti and Rogosch, 1996). Given evidence reviewed above, equifinality is virtually certain in the etiology of depression and anxiety, suggesting the need to assess multiple predictors to gain a cohesive understanding of the onset and maintenance of anxiety and depression.

Acknowledging equifinality means relying on multivariate etiological models, leading to the challenge of *multicollinearity* in interpreting those models. Multicollinearity arises when at least two correlated predictors are assessed simultaneously in a linear regression – a type of statistical model that tests simultaneous predictors of an outcome. The adverse effect of multicollinearity on regression output is well-recognized (Farrar and Glauber, 1967; Goodhue et al., 2017; Vatcheva et al., 2016). Problems due to multicollinearity include unstable, biased standard errors leading to unreliable *p*-values for predictors and untenable interpretations of effects (Hoffmann and Shafer, 2015; Mason et al., 1975; Tu et al., 2004). Linear regression aims to compare relative associations of various predictors to an outcome, but even modest multicollinearity can obscure computation of key independent effects due to the information that collinear predictors share. Multicollinearity among predictors is often unavoidably common in tests of cognitive models of depression and anxiety, particularly those aiming to differentiate effects of specific cognitive predictors (e.g., hopelessness; negative attributional style; fixed mindset, which often covary).

Addressing Multicollinearity: Challenges and Solutions. There are approaches to addressing multicollinearity. One such approach involves the creation of latent variables within structural equation models, in which multiple scores indexing various types of cognitive risk are loaded onto a single “cognitive vulnerability” factor. However, this approach precludes tests of whether specific factors relate differentially to outcomes. Likewise, other approaches (e.g., using partial least squares regression or factor analysis to generate and remove highly-correlated model components) result in some degree of lost predictive information by virtue of combining and removing various predictors. Thus, these approaches cannot identify *individual* key correlates and predictors, nor can they quantify shared variance among specific correlated predictors.

Commonality analysis (CA) is an effective but underutilized technique for determining individual predictors' contributions to an outcome. CA was developed in the 1960s (Newton and Spurrell, 1967) but remains infrequently used compared to regression, factor analysis, and SEM among clinical scientists (Kraha et al., 2012; for examples of CA applied in non-clinical social science research see Nimon et al., 2010). CA decomposes regression output, R^2 , into unique and common effects (Newton and Spurrell, 1967). *Unique effects* indicate how much variance is independently accounted for in the outcome by a single independent variable. *Common effects* indicate how much variance in the outcome is common to a specific set of two or more predictors (Nathans et al., 2012). It establishes not only whether various predictor-outcome associations exist, but also the degree to which each predictor—and all possible predictor combinations—share common variance with that outcome. Thus, CA is one way of gauging the relative importance of multiple individual predictors to an outcome of interest (McPhee and Seibold, 1979).

Parsing the influence of individual vulnerabilities using CA or groups of vulnerabilities (versus latent variables or factors) may inform more precise etiological models. For example, CA has identified hopelessness as contributing more unique variance to depression in adults than other cognitive vulnerabilities such as rumination and dysfunctional attitudes (Marchetti et al., 2016). However, no studies known to these authors have directly examined the relative contributions of hopelessness and mindsets to psychopathology outcomes (Ford et al., 2018 controlled for hopelessness when predicting use of cognitive reappraisal, but not when evaluating whether emotion mindsets predicted depression symptoms).

Present study. Given the paucity of research on the independent links between fixed mindsets, hopelessness, and psychopathology, we examined the degree to which two types of fixed mindsets (emotion; anxiety) accounted for unique and shared variance in depression and anxiety symptoms relative to *hopelessness*, a well-established cognitive vulnerability for internalizing symptoms. Using CA, we examined these associations in two community samples of adults who are parents (recruited for a prior study; Schleider & Weisz, 2018). We expected both fixed mindsets and hopelessness to show bivariate

associations to depression and anxiety sum-scores, but given the novelty of the specific research questions (regarding the magnitude of unique and shared associations), we had no specific hypotheses. Our specific objective was to evaluate how much variance in internalizing symptoms were unique to individual predictors vs. shared among those predictors. We also utilized a CA approach for individual depression symptoms (Fried and Nesse, 2015) given evidence that different depression symptoms may be differentially related to certain risk factors (Fried et al., 2013). Beyond parsing the relative associations of mindsets and hopelessness to parents' internalizing psychopathology, a secondary aim of this study is to demonstrate a clinically-relevant application of CA: an underutilized, high-potential analytic technique for clinical science. Beyond this study, CA may be used to identify the most meaningful correlates, predictors, and mechanisms of psychopathology, overcoming many of the interpretive challenges that multicollinearity and equifinality present.

Methods

Participants

206 Amazon Mechanical Turk (mTurk) participants completed Study 1, which involved completion of a variety of self-report measures at one time point only (a cross-sectional study) online. Participants provided informed consent online, and were told they could withdraw from the study at any time. MTurk workers located in the United States with a >95% task approval rate for prior human intelligence tasks (HITs: online tasks which mTurk workers can complete in exchange for payment) were eligible. Participants were also required to be parents of one or more children ages 7–17; this inclusion criterion reflects the objectives of the original study for which these data were collected (procedure for identifying parent status, and unrelated previous analyses and study objectives, are detailed in Schleider & Weisz, 2018). There were no other inclusion or exclusion criteria.

MTurk participants consistently perform tasks similarly to laboratory participants (Hauser and Schwarz, 2016) and provide reliable, valid survey data on psychopathology (Chandler and Shapiro, 2016). Here, we excluded six participants who completed the study in an unusually short or long period, which can indicate inattention to questions and/or extended breaks (3 SDs above/below mean completion

time, 22.13 min), resulting in a sample of 200 participants (49.5% male; *Mage* = 36.24 years, range = 24–64 years; 50.50% college graduates, 25.0% single parents, 70.40% Caucasian). 31.60% reported having received mental health treatment at some point in their lives (of these participants, 13.80% had received psychotherapy, 43.08% medication, and 43.12% both types of treatment).

459 mTurk participants completed Study 2. Study 2, originally conducted for a separate project, involved a randomized, online trial of a single-session online intervention targeting parents of youths ages 7 to 17. For present purposes, we used baseline questionnaire data from participants, all of which were collected prior to intervention condition randomization. Inclusion and exclusion criteria were identical to Study 1, except for excluding 9 participants who exited the study prior to the randomization procedure, which was unrelated to present analyses (Schleider & Weisz, 2018). An additional 15 participants were excluded for completing the survey in an unusually short or long time (3 SDs above or below the mean completion time). Thus, analyses included 430 participants (44.70% male; *Mage* = 36.31, range 24–63 years; 75.80% Caucasian; 45.6% college graduates; 24.88% single parents). 40.00% reported having received mental health treatment at some point in their lives (of these parents, 21.76% had received psychotherapy; 33.54% medication, and 44.71% both types of treatment). All procedures, including the consent process in both samples, were approved by the appropriate institutional review board.

Procedure

Study 1 and 2 participants provided informed consent prior to data collection; the university's IRB approved all procedures. All participants completed a questionnaire battery including the following measures:

Demographic and treatment history questionnaire. This questionnaire asks about socioeconomic and demographic information (e.g., age, sex, number of children, marital status, educational attainment) and information about mental health treatment history (lifetime history of receiving psychotherapy, medication-based treatment, or both for mental health-related problems).

Mind-set measures. Participants' malleability beliefs about emotions and anxiety were assessed using previously validated measures of four items each (Schroder et al., 2014; Tamir et al., 2007). For

each item, respondents indicate agreement or disagreement with a given statement (e.g., “The truth is, people have very little control over their emotions”; “Your anxiety is something about you that you cannot change very much”). The anxiety mind-set scale includes four statements worded in the fixed-minded framework (Schroder et al., 2014); the emotion mind-set scale includes two fixed-minded statements and two growth-minded statements (e.g., “Everyone can learn to change the emotions that they have”). After reverse-coding, higher summed scores on both scales indicate stronger fixed mindsets of anxiety or emotion. Both scales have shown strong internal consistency and construct validity (Schroder et al., 2014; Tamir et al., 2007). Studies suggest that mind-sets across domains are associated but psychometrically distinct (Schroder et al., 2014), such that (for instance) individuals can hold a fixed anxiety mindset while holding growth emotion or intelligence mindsets. Reliabilities for the emotion and anxiety mind-set measures were $\alpha = .88$ and $\alpha = .94$, respectively in Study 1 and $\alpha = .85$ and $\alpha = .92$ respectively in Study 2.

Beck’s Hopelessness Scale-4 (BHS-4). Participants’ hopelessness were assessed using a previously validated 4-item self-report scale (Forintos et al., 2013). Respondents indicate agreement or disagreement with four statements (e.g., “My future seems dark to me”; “Things just won’t work out the way I want them to”). Higher summed scores indicate higher hopelessness. The internal consistency and validity of the BHS-4 are similar to the full version of Beck’s Hopelessness Scale (Yip and Cheung, 2006). Internal consistencies were $\alpha = .93$ in Study 1 and $\alpha = .92$ in Study 2.

Brief Symptom Inventory-18: Depression and Anxiety. Psychological distress was measured using the BSI-18, a self-report questionnaire measuring anxiety and depression (Derogatis, 2001). Respondents indicate on a 0-4 scale the extent to which they are troubled by each of five depression symptoms (*anhedonia, loneliness, feeling down, worthlessness, pessimism*) and six anxiety symptoms (*nervousness, tension, suddenly scared, panic, restlessness, fear*). One item assessing suicidal ideation associated with depression was removed. The sum-score of each subscale yields a total depression score and a total anxiety score. The BSI-18 Depression and Anxiety subscales are widely-used psychiatric screening tools in clinical settings, and epidemiological studies and suggest adequate construct validity

(Franke et al., 2017). Reliability was $\alpha = .90$ for Depression and $\alpha = .92$ for Anxiety in Study 1, and $\alpha = .91$ for Depression and $\alpha = .90$ for Anxiety in Study 2.

Analytic Plan

For each dependent variable in both studies, we first ran a multiple regression with hopelessness (BHS-4), anxiety mindsets, and emotion mindsets as independent variables. We then calculated the total amount of variance the entire model shared with the dependent variable (R^2) for each of X dependent variables (e.g. 59.7% R^2 for sum score depression in Study 1). We then conducted a commonality analysis using the R package *yhat* 2.0, which decomposes the total R^2 of the model into non-overlapping unique and common partitions. These partition scores add up to the total R^2 of the model, and include: unique variance in the dependent variable associated with hopelessness (U1); unique variance in the dependent variable associated with anxiety mind-sets (U2); unique variance in the dependent variable associated with emotion mind-sets (U3); common variance in the dependent variable explained by hopelessness and anxiety mind-sets only (C1); common variance in the dependent variable explained by hopelessness and emotion mind-sets only (C2); common variance in the dependent variable explained by anxiety mind-sets and emotion mind-sets only (C3); and common variance in the dependent variable explained by all of hopelessness, anxiety mind-sets, and emotion mind-sets (C4).

Given our focus on the relative contributions of hopelessness and mindset to psychopathology, our analyses focus on the partitions of unique variance (sections U1, U2, and U3). For our analyses, we scaled these partitions by converting them to the relative variance shared by the partition (adds up to 100% instead of R^2) and then multiplying them by the model R^2 value to improve interpretability. This common practice allows us to estimate the amount of unique absolute variance each independent variable contributed to the dependent variable, accounting for the contributions of all other variables in the model. This procedure is carried about because it is possible for an independent variable to look very relatively important (e.g. uniquely sharing 50% of the variance in the dependent variable) while being unimportant in an absolute sense (the overall model shares 0.3% of the variance in the construct of interest, leading the “large” unique relative independent variable to only share 0.15% of the absolute variance in the construct

of interest). Therefore, while multiple regression can include statistically significant independent variables with little practical relevance and no direct analysis of shared variance among independent variables, commonality analysis focuses on absolute variance shared and explicitly evaluates independent variables' unique and shared variance.

We also performed bootstrapping (1,000 bootstraps) around our partition estimates to determine their precision and examine whether certain variables shared more unique variance in each dependent variable than other independent variables. This bootstrapping procedure, however, cannot tell us whether a construct shares greater than 0 variance as unique partitions in commonality analysis cannot be less than 0. Instead, we can interpret the point estimate as effect sizes (Marchetti et al., 2018, < 1% negligible, > 1% small, > 9% moderate, and > 25% large, see 2016) and see whether the confidence intervals from the bootstrapping extend into the negligible range.

Results Study 1

Hopelessness, anxiety mind-sets, and emotion mind-sets accounted for 59.70% of the variance in sum-score depression in a multiple regression in this sample. Hopelessness was uniquely associated with 33.00% of that variance (95% CI: 21.21%, 45.81%), while anxiety mind-sets was uniquely associated with 0.60% (95% CI: 0.00%², 2.80%) and emotion mind-sets was uniquely associated with 0.00% (95% CI: 0.00%, 0.80%). Therefore, hopelessness shared significantly more unique variance in sum-score depression than anxiety or emotion mind-sets, which did not differ from one another. The confidence intervals for both anxiety and emotion mind-sets included negligible (<1%) values. We then directly examined the shared variance of emotion and anxiety mindsets with hopelessness while with sum score depression as the dependent variable. 98.3% of variance accounted for by emotion and anxiety mindsets was shared with hopelessness. This is direct evidence that hopelessness shares more unique variance with sum score depression and accounts for the vast majority of the variance mindsets share with the outcome.

² Here and throughout the paper we use 0.00 to denote that the point estimate or lower end of the confidence interval was 0 to at least three decimal places (i.e. 0.000). It is highly unlikely that the estimate is literally 0, but the statistical software used does not calculate enough significant digits to assess the contribution beyond the practical equivalent of 0.000.

Hopelessness, anxiety mind-sets, and emotion mind-sets accounted for 50.89% of the variance in sum score anxiety in a multiple regression in this sample. Hopelessness was uniquely associated with 28.20% of that variance (95% CI: 17.60%, 39.50%), while anxiety mind-sets was uniquely associated with 0.66% (95% CI: 0.00%, 3.80%) and emotion mind-sets was uniquely associated with 0.00% (95% CI: 0.00%, 1.30%). Therefore, hopelessness shared significantly more unique variance in sum score depression than anxiety or emotion mind-sets, which did not differ from one another. The confidence intervals for both anxiety and emotion mind-sets included negligible (<1%) values. We then directly examined the shared variance of emotion and anxiety mindsets with hopelessness with sum score anxiety as the dependent variable. 98.1% of variance accounted for by emotion and anxiety mindsets was shared with hopelessness. This is direct evidence that hopelessness shares more unique variance with sum score anxiety and accounts for the vast majority of the variance mindsets share with the outcome. The depression and anxiety results follow the same pattern whether or not participants have previously received mental health treatment (See Supplementary Material).

We then took a symptom-level approach to depression given its heterogeneous nature (Fried & Nesse, 2015) and the known instances of risk factors relating differentially to different symptoms using regression-based (Beevers et al., 2018; Fried, Nesse, Zivin, Guille, & Sen, 2014) and commonality (Marchetti et al., 2018; Marchetti, Loeys, Alloy, & Koster, 2016) approaches. Hopelessness, anxiety mind-sets, and emotion mind-sets account for 29.60% - 57.84% of the variance in individual depression symptoms in multiple regressions in Sample 1. For all individual symptoms, hopelessness shared significantly more unique variance in sum score depression than anxiety or emotion mind-sets, which did not differ from one another and whose confidence intervals included negligible (<1%) values (Figure 2).

Results Study 2

Hopelessness, anxiety mind-sets, and emotion mind-sets accounted for 65.42% of the variance in sum score depression in a multiple regression in this sample. Hopelessness was uniquely associated with 39.84% of that variance (95% CI: 31.51%, 48.71%), while anxiety mind-sets was uniquely associated with 1.37% (95% CI: 0.40%, 3.10%) and emotion mind-sets was uniquely associated with 0.00% (95%

CI: 0.00%, 0.50%). Therefore, hopelessness shared significantly more unique variance in sum score depression than anxiety or emotion mind-sets, which did not differ from one another. The confidence intervals for both anxiety and emotion mind-sets included negligible (<1%) values. We then directly examined the shared variance of emotion and anxiety mindsets with hopelessness with sum score depression as the dependent variable. 96.9% of variance accounted for by emotion and anxiety mindsets was shared with hopelessness. This is direct evidence that hopelessness shares more unique variance with sum score depression and accounts for the vast majority of the variance mindsets share with the outcome.

Hopelessness, anxiety mind-sets, and emotion mind-sets accounted for 48.58% of the variance in sum-score anxiety in a multiple regression in this sample. Hopelessness was uniquely associated with 22.79% of that variance (95% CI: 15.00%, 30.99%), while anxiety mind-sets was uniquely associated with 3.16% (95% CI: 1.20%, 6.30%) and emotion mind-sets was uniquely associated with 0.05% (95% CI: 0.00%, 0.80%). Therefore, hopelessness shared significantly more unique variance in sum score depression than anxiety or emotion mind-sets, which did not differ from one another. Confidence intervals for emotion mind-sets included negligible (<1%) values, while anxiety mindsets' confidence interval indicated a small but significant unique contribution to sum-score anxiety. We then directly examined the shared variance of emotion and anxiety mindsets with hopelessness with sum score anxiety as the dependent variable. 90.1% of variance accounted for by emotion and anxiety mindsets was shared with hopelessness, indicating that hopelessness shares more unique variance with sum-score anxiety and accounts for the vast majority of the variance mindsets share with the outcome. The depression and anxiety results follow the same pattern whether or not participants have previously received mental health treatment (See Supplementary Material).

We then took a symptom-level approach to depression. Hopelessness, anxiety mind-sets, and emotion mind-sets accounted for 39.79% - 59.59% of the variance in each individual depression symptom in multiple regressions in Sample 1. Hopelessness shared significantly more unique variance in each individual depression symptom than anxiety or emotion mind-sets, which did not differ from one another and whose confidence intervals included negligible (<1%) values (Figure 3).

Discussion

Commonality analyses in two large adult samples revealed hopelessness consistently shared significantly more unique variance with anxiety, depression, and individual depression symptoms than emotion mindsets and anxiety mindsets. Hopelessness shared 22.79% - 39.84% more unique variance than emotion mindsets (medium-large effect sizes) and 19.63% - 38.47% more unique variance than anxiety mindsets (medium to large effect sizes) across all outcomes. Anxiety mindsets shared a substantive, though small (3.16%), amount of variance with anxiety in the larger sample, but hopelessness shared nearly 7 times as much unique variance (22.79%) with the same outcome. Emotion mindsets did not share substantive unique variance with any outcome in either sample. Further, most variance emotion and anxiety mindsets shared with the outcomes was also shared with hopelessness (90.1% - 98.3%): That is, nearly all variance that mindsets shared with depression and anxiety were accounted for by concurrent hopelessness levels.

The origin and intended application of mindset theory (and mindset measures) might explain these results. Mindset theory was derived from the theory of learned helplessness (Dweck, 2017, 1975), a precursor to hopelessness theory (Abramson et al., 1989, 1978). However, the original measures designed to assess mindsets were developed in the contexts outside of clinical psychology, such as studies examining racial achievement gaps and intergroup conflict (Dweck, 2012); all subsequently-created mindset measures have followed these original templates. Measures primarily developed to predict outcomes such as odds of attempting more challenging math problems (Dweck and Leggett, 1988) might naturally share less unique variance with internalizing psychopathology than an assessment (i.e. hopelessness) with similar theoretical lineage developed for clinical science contexts.

Differences between the learned helplessness and hopelessness theories of depression may further explain the primacy of hopelessness, versus mindsets, for depression symptom variance. The learned helplessness theory of depression emphasized causal, negative attributions about the self and future consequences as key etiological processes in depression (Abramson et al., 1978). According to mindset theory's integration with the process model of emotion regulation, these negative, self-directed

attributions result from fixed mindsets key affect outcomes, like internalizing symptoms, particularly following stressful situations (e.g., life transitions; Yeager, 2017). In contrast, hopelessness theory explicitly *deemphasizes* the direct role of negative, self-directed attributions in the etiology of depression (Abramson et al., 1989). In the hopelessness theory framework, negative attributions about the self and future consequences do not precipitate depression directly; rather, they exacerbate hopelessness, which in turn contributes to depressive symptoms and disorders. Our results for sum-score and symptom-level depression, where hopelessness consistently shares more unique variance than emotion and anxiety mindsets, fit with hopelessness theory rather than helplessness theory.

Original formulations of hopelessness theory primarily addressed the comorbidity of anxiety and depression rather than predicting anxiety directly (Maser, 1990). Early and more recent empirical work indicates hopelessness may increase risk for both anxiety and depression symptoms (Ahrens and Haaga, 1993; Fassett-Carman et al., 2019; Reardon and Williams, 2007). However, hopelessness does not predict anxiety symptoms in all circumstances (e.g. Waszczuk et al., 2016), and the theoretical process by which hopelessness leads to anxiety symptoms is less clear. Interestingly, in the present samples, hopelessness still shared far more unique variance with anxiety than emotion or even anxiety mindsets. Anxiety mindsets may have a small unique role to play in anxiety, but future investigations should explicitly test when anxiety mindsets provide information above and beyond hopelessness.

There are no studies known to these authors where interventions targeting emotion or anxiety mindsets directly improve anxiety or depression symptoms, though such interventions have been proposed in response to previous findings (Schroder et al., 2018, 2014); note that interventions targeting other mindset types, e.g. personality, have directly reduced internalizing distress (Schleider & Weisz, 2018). Three different interventions teaching emotion malleability beliefs have improved the perceived efficacy of psychotherapy in parents (Schleider and Weisz, 2018; Smith et al., 2018), school-related well-being in adolescents (Schleider and Weisz, 2018; Smith et al., 2018), and adaptive emotion regulation strategy use (e.g., increased acceptance and perspective-taking) in adults (Kneeland et al., 2016). The substantial overlap in variance shared with anxiety and depression between mindsets and hopelessness

implies that interventions that effectively target emotion and anxiety mindsets may be able to effectively target hopelessness. Future work should assess whether interventions targeting emotion and anxiety mindsets also target hopelessness, and to what extent changes in hopelessness versus mindsets might drive psychopathology-related outcomes.

Notably, these emotion mindset interventions were brief (as short as eight minutes) and scalable (administered online at no cost). Importantly, reducing interventions' length may not sacrifice effectiveness; single session interventions have similar effect sizes for reducing psychopathology as multi-session interventions, implying hyper-brief treatment may in some cases be similarly effective as longer-term treatment (Schleider and Weisz, 2017). Future studies may directly test whether brief emotion mindset interventions can reduce hopelessness—and in turn, internalizing distress. Such studies will help elucidate the potential of brief interventions to mitigate a critical contributor to psychiatric risk.

These analyses have limitations. Their cross-sectional nature cannot establish causality, and other designs are better suited to evaluating to what extent hopelessness is a causal risk factor, relative to mindsets. However, the minimal unique variance shared between emotion and anxiety mindsets and internalizing psychopathology after accounting for hopelessness implies they might be less-than-ideal intervention targets for intervention, *unless* such interventions also targeted the variance those mindsets share with hopelessness. This possibility has yet to be tested and should be prioritized in future trials of these interventions. Analyses were also conducted in a non-selected sample. It is possible results would differ in a clinical sample, although present results did not differ by participants' mental health treatment histories. Finally, both samples in these analyses included only parents of children aged 7-17, so it is possible that these results do not generalize to non-parents or parents of children at different ages.

Using commonality analysis in these samples disentangled unique and shared variance among hopelessness, emotion mindsets, anxiety mindsets, and internalizing psychopathology. In the context of internalizing psychopathology, studying fixed mindsets separately from hopelessness puts us at risk for committing a version of the jangle fallacy – assuming two constructs contribute above and beyond one another because we give them different names. We can capitalize on the structure and scalability of

mindset interventions to conduct well-powered studies that identify the relative contributions of potential intervention mechanisms (e.g. hopelessness, anxiety mindsets, emotion mindsets). The commonality analysis approach could be applied to other situations where the unique and shared variance for several predictors is of theoretical and clinical interest. For example, the relative and shared contributions of psychological flexibility and interpretation, two potential risk factors for internalizing distress in youth, could be evaluated directly using this method (Everaert et al., 2018; Kashdan and Rottenberg, 2010). Therefore, using commonality analysis more often could pave the way to deeper theoretical understanding and better targeted clinical interventions.

Funding sources: This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Contributions: MCM and JLS contributed to the research design. MCM takes responsibility for data analysis and JLS takes responsibility for data integrity. MCM and JLS take responsibility for interpretation of the results. JLS held responsibility for data collection. MCM and JLS drafted the paper, and all authors provided critical revisions. All authors approved the final version of the paper for submission.

References

- Abela, J.R.Z., Sarin, S., 2002. Cognitive Vulnerability to Hopelessness Depression: A Chain Is Only as Strong as Its Weakest Link. *Cognit. Ther. Res.* 26, 811–829.
- Abramson, L.Y., Metalsky, G.I., Alloy, L.B., 1989. Hopelessness depression: A theory-based subtype of depression. *Psychol. Rev.* 96, 358–372.
- Abramson, L.Y., Seligman, M.E., Teasdale, J.D., 1978. Learned helplessness in humans: Critique and reformulation. *J. Abnorm. Psychol.* 87, 49–74.
- Ahrens, A.H., Haaga, D.A.F., 1993. The specificity of attributional style and expectations to positive and negative affectivity, depression, and anxiety. *Cognit. Ther. Res.* 17, 83–98.
- Alloy, L.B., Abramson, L., Stange, J., Salk, R., 2016. Cognitive Vulnerability and Unipolar Depression.
- Beck, A.T., 2002. Cognitive models of depression, in: R.L. Leahy, E.T. Dowd (Eds.), *Clinical Advances in Cognitive Psychotherapy: Theory and Application*. Springer Publishing Company, New York, NY, pp. 29–61.
- Burnette, J.L., O’Boyle, E.H., VanEpps, E.M., Pollack, J.M., Finkel, E.J., 2013. Mind-sets matter: a meta-analytic review of implicit theories and self-regulation. *Psychol. Bull.* 139, 655–701.
- Chandler, J., Shapiro, D., 2016. Conducting Clinical Research Using Crowdsourced Convenience Samples. *Annu. Rev. Clin. Psychol.* 12, 53–81.
- Cicchetti, D., Rogosch, F.A., 1996. Equifinality and multifinality in developmental psychopathology. *Dev. Psychopathol.* 8, 597.
- Derogatis, L.R., 2001. BSI 18, Brief Symptom Inventory 18: Administration, Scoring and Procedures Manual.
- Disner, S.G., Beevers, C.G., Haigh, E.A.P., Beck, A.T., 2011. Neural mechanisms of the cognitive model of depression. *Nat. Rev. Neurosci.* 12, 467–477.
- Dweck, C.S., 2017. The Journey to Children’s Mindsets-and Beyond. *Child Dev. Perspect.* 11, 139–144.
- Dweck, C.S., 2012. Mindsets and human nature: promoting change in the Middle East, the schoolyard,

- the racial divide, and willpower. *Am. Psychol.* 67, 614–622.
- Dweck, C.S., 1975. The role of expectations and attributions in the alleviation of learned helplessness. *J. Pers. Soc. Psychol.* 31, 674–685.
- Dweck, C.S., Leggett, E.L., 1988. A social^cognitive approach to motivation and personality. *Psychol. Rev.* 95, 256–273.
- Erdley, C.A., Cain, K.M., Loomis, C.C., Dumas-Hines, F., Dweck, C.S., 1997. Relations among children's social goals, implicit personality theories, and responses to social failure. *Dev. Psychol.* 33, 263–272.
- Everaert, J., Bronstein, M.V., Cannon, T.D., Joormann, J., 2018. Looking Through Tinted Glasses: Depression and Social Anxiety Are Related to Both Interpretation Biases and Inflexible Negative Interpretations. *Clin. Psychol. Sci.* 6, 517–528.
- Farrar, D.E., Glauber, R.R., 1967. Multicollinearity in Regression Analysis: The Problem Revisited. *Rev. Econ. Stat.* 49, 92.
- Fassett-Carman, A., Hankin, B.L., Snyder, H.R., 2019. Appraisals of dependent stressor controllability and severity are associated with depression and anxiety symptoms in youth. *Anxiety Stress Coping* 32, 32–49.
- Ford, B.Q., Lwi, S.J., Gentzler, A.L., Hankin, B., Mauss, I.B., 2018. The cost of believing emotions are uncontrollable: Youths' beliefs about emotion predict emotion regulation and depressive symptoms. *J. Exp. Psychol. Gen.* 147, 1170–1190.
- Franke, G.H., Jaeger, S., Glaesmer, H., Barkmann, C., Petrowski, K., Braehler, E., 2017. Psychometric analysis of the brief symptom inventory 18 (BSI-18) in a representative German sample. *BMC Med. Res. Methodol.* 17, 14.
- Fresco, D.M., Alloy, L.B., Reilly–Harrington, N., 2006. Association of Attributional Style for Negative and Positive Events and the Occurrence of Life Events with Depression and Anxiety. *J. Soc. Clin. Psychol.* 25, 1140–1160.
- Fried, E.I., Nesse, R.M., 2015. Depression sum-scores don't add up: why analyzing specific depression

- symptoms is essential. *BMC Med.* 13. <https://doi.org/10.1186/s12916-015-0325-4>
- Fried, E.I., Nesse, R.M., Zivin, K., Guille, C., Sen, S., 2013. Depression is more than the sum score of its parts: individual DSM symptoms have different risk factors. *Psychol. Med.* 44, 2067–2076.
- Goodhue, D.L., University of Georgia, Lewis, W., Thompson, R., Wake Forest University, 2017. A Multicollinearity and Measurement Error Statistical Blind Spot: Correcting for Excessive False Positives in Regression and PLS. *Miss. Q.* 41, 667–684.
- Hauser, D.J., Schwarz, N., 2016. Attentive Turkers: MTurk participants perform better on online attention checks than do subject pool participants. *Behav. Res. Methods* 48, 400–407.
- Hoffmann, J.P., Shafer, K., 2015. *Linear Regression Analysis: Assumptions and Applications*.
- Hong, R.Y., Cheung, M.W.-L., 2015. The Structure of Cognitive Vulnerabilities to Depression and Anxiety: Evidence for a Common Core Etiologic Process Based on a Meta-Analytic Review. *Clin. Psychol. Sci.* 3, 892–912.
- Kashdan, T.B., Rottenberg, J., 2010. Psychological flexibility as a fundamental aspect of health. *Clin. Psychol. Rev.* 30, 865–878.
- Kneeland, E.T., Nolen-Hoeksema, S., Dovidio, J.F., Gruber, J., 2016. Beliefs about emotion's malleability influence state emotion regulation. *Motiv. Emot.* 40, 740–749.
- Kraha, A., Turner, H., Nimon, K., Zientek, L.R., Henson, R.K., 2012. Tools to support interpreting multiple regression in the face of multicollinearity. *Front. Psychol.* 3, 44.
- Lewinsohn, P.M., Joiner, T.E.J., Rohde, P., 2001. Evaluation of cognitive diathesis-stress models in predicting major depressive disorder in adolescents. *J. Abnorm. Psychol.* 110, 203–215.
- Luten, A.G., Ralph, J.A., Mineka, S., 1997. Pessimistic attributional style: is it specific to depression versus anxiety versus negative affect? *Behav. Res. Ther.* 35, 703–719.
- Marchetti, I., Everaert, J., Dainer-Best, J., Loeys, T., Beevers, C.G., Koster, E.H.W., 2018. Specificity and overlap of attention and memory biases in depression. *J. Affect. Disord.* 225, 404–412.
- Marchetti, I., Loeys, T., Alloy, L.B., Koster, E.H.W., 2016. Unveiling the Structure of Cognitive Vulnerability for Depression: Specificity and Overlap. *PLoS One* 11, e0168612.

- Maser, J.D., 1990. Comorbidity of Mood and Anxiety Disorders. American Psychiatric Pub.
- Mason, R., Gunst, R.F., Webster, J.T., 1975. Regression Analysis and Problems of Multicollinearity. *Communications in Statistics - Simulation and Computation* 4, 277–292.
- McPhee, R.D., Seibold, D.R., 1979. Rationale, Procedures, and Applications for Decomposition of Explained Variance in Multiple Regression Analyses. *Communic. Res.* 6, 345–384.
- Miranda, R., Mennin, D.S., 2007. Depression, Generalized Anxiety Disorder, and Certainty in Pessimistic Predictions about the Future. *Cognit. Ther. Res.* 31, 71–82.
- Miu, A.S., Yeager, D.S., 2014. Preventing Symptoms of Depression by Teaching Adolescents That People Can Change. *Clin. Psychol. Sci.* 3, 726–743.
- Molden, D.C., Dweck, C.S., 2006. Finding “meaning” in psychology: a lay theories approach to self-regulation, social perception, and social development. *Am. Psychol.* 61, 192–203.
- Newton, R.G., Spurrell, D.J., 1967. Examples of the Use of Elements for Clarifying Regression Analyses. *Appl. Stat.* 16, 165.
- Nimon, K., Henson, R.K., Gates, M.S., 2010. Revisiting Interpretation of Canonical Correlation Analysis: A Tutorial and Demonstration of Canonical Commonality Analysis. *Multivariate Behav. Res.* 45, 702–724.
- Perczel Forintos, D., Forintos, D.P., Rózsa, S., Pilling, J., Kopp, M., 2013. Proposal for a Short Version of the Beck Hopelessness Scale Based on a National Representative Survey in Hungary. *Community Ment. Health J.* 49, 822–830.
- Reardon, J.M., Williams, N.L., 2007. The specificity of cognitive vulnerabilities to emotional disorders: anxiety sensitivity, looming vulnerability and explanatory style. *J. Anxiety Disord.* 21, 625–643.
- Schleider, J., Burnette, J., Widman, L., Hoyt, C., Prinstein, M., 2019. Randomized trial of a single-session growth mindset intervention for rural adolescents’ internalizing and externalizing problems. *J. Clin. Child Adolesc. Psychol.*
- Schleider, J.L., Abel, M.R., Weisz, J.R., 2015. Implicit theories and youth mental health problems: a random-effects meta-analysis. *Clin. Psychol. Rev.* 35, 1–9.

- Schleider, J.L., Schroder, H.S., n.d. Implicit Theories of Personality Across Development: Impacts on Coping, Resilience and Mental Health, in: *The SAGE Handbook of Personality and Individual Differences: Volume I: The Science of Personality and Individual Differences*. pp. 152–166.
- Schleider, J.L., Weisz, J.R., 2018. Parent Expectancies and Preferences for Mental Health Treatment: The Roles of Emotion Mind-Sets and Views of Failure. *J. Clin. Child Adolesc. Psychol.* 1–17.
- Schleider, J.L., Weisz, J.R., 2017. Little Treatments, Promising Effects? Meta-Analysis of Single-Session Interventions for Youth Psychiatric Problems. *J. Am. Acad. Child Adolesc. Psychiatry* 56, 107–115.
- Schleider, J.L., Weisz, J.R., 2016. Reducing risk for anxiety and depression in adolescents: Effects of a single-session intervention teaching that personality can change. *Behav. Res. Ther.* 87, 170–181.
- Schleider, J., Weisz, J., 2018. A single-session growth mindset intervention for adolescent anxiety and depression: 9-month outcomes of a randomized trial. *J. Child Psychol. Psychiatry* 59, 160–170.
- Schroder, H.S., Dawood, S., Yalch, M.M., Brent Donnellan, M., Moser, J.S., 2016. Evaluating the Domain Specificity of Mental Health–Related Mind-Sets. *Soc. Psychol. Personal. Sci.* 7, 508–520.
- Schroder, H.S., Dawood, S., Yalch, M.M., Brent Donnellan, M., Moser, J.S., 2014. The Role of Implicit Theories in Mental Health Symptoms, Emotion Regulation, and Hypothetical Treatment Choices in College Students. *Cognit. Ther. Res.* 39, 120–139.
- Schroder, H.S., Kneeland, E.T., Silverman, A.L., Beard, C., Björgvinsson, T., 2018. Beliefs About the Malleability of Anxiety and General Emotions and Their Relation to Treatment Outcomes in Acute Psychiatric Treatment. *Cognit. Ther. Res.* <https://doi.org/10.1007/s10608-018-9985-7>
- Smith, E.N., Romero, C., Donovan, B., Herter, R., Paunesku, D., Cohen, G.L., Dweck, C.S., Gross, J.J., 2018. Emotion theories and adolescent well-being: Results of an online intervention. *Emotion* 18, 781–788.
- Starr, L.R., Davila, J., 2011. Responding to Anxiety with Rumination and Hopelessness: Mechanism of Anxiety-Depression Symptom Co-Occurrence? *Cognit. Ther. Res.* 36, 321–337.
- Strohmeier, C.W., Rosenfield, B., DiTomasso, R.A., Russell Ramsay, J., 2016. Assessment of the relationship between self-reported cognitive distortions and adult ADHD, anxiety, depression, and

- hopelessness. *Psychiatry Res.* 238, 153–158.
- Stuijzand, S., Creswell, C., Field, A.P., Pearcey, S., Dodd, H., 2018. Research Review: Is anxiety associated with negative interpretations of ambiguity in children and adolescents? A systematic review and meta-analysis. *J. Child Psychol. Psychiatry* 59, 1127–1142.
- Tamir, M., John, O.P., Srivastava, S., Gross, J.J., 2007. Implicit theories of emotion: Affective and social outcomes across a major life transition. *J. Pers. Soc. Psychol.* 92, 731–744.
- Tu, Y.-K., Clerehugh, V., Gilthorpe, M.S., 2004. Collinearity in linear regression is a serious problem in oral health research. *Eur. J. Oral Sci.* 112, 389–397.
- Vatcheva, K.P., Lee, M., McCormick, J.B., Rahbar, M.H., 2016. Multicollinearity in Regression Analyses Conducted in Epidemiologic Studies. *Epidemiology* 6. <https://doi.org/10.4172/2161-1165.1000227>
- Waszczuk, M.A., Coulson, A.E., Gregory, A.M., Eley, T.C., 2016. A longitudinal twin and sibling study of the hopelessness theory of depression in adolescence and young adulthood. *Psychol. Med.* 46, 1935–1949.
- Yeager, D.S., 2017. Dealing with Social Difficulty During Adolescence: The Role of Implicit Theories of Personality. *Child Dev. Perspect.* 11, 196–201.
- Yeager, D.S., Miu, A.S., Powers, J., Dweck, C.S., 2013. Implicit theories of personality and attributions of hostile intent: a meta-analysis, an experiment, and a longitudinal intervention. *Child Dev.* 84, 1651–1667.
- Yip, P.S.F., Cheung, Y.B., 2006. Quick assessment of hopelessness: a cross-sectional study. *Health Qual. Life Outcomes* 4. <https://doi.org/10.1186/1477-7525-4-13>

Funding sources: This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Conflicts of Interest: All authors declare that they have no conflicts of interest.

Contributors: MCM and JLS contributed to the research design. MCM takes responsibility for data analysis and JLS takes responsibility for data integrity. MCM and JLS take responsibility for interpretation of the results. JLS held responsibility for data collection. MCM and JLS drafted the paper, and all authors provided critical revisions. All authors approved the final version of the paper for submission.

Limitations: The cross-sectional nature of these analyses cannot establish causality, and other designs are better suited to evaluating to what extent hopelessness is a causal risk factor, relative to mindsets. However, the minimal unique variance shared between emotion and anxiety mindsets and internalizing psychopathology after accounting for hopelessness implies they might be less-than-ideal intervention targets for intervention, *unless* such interventions also targeted the variance those mindsets share with hopelessness. This possibility has yet to be tested and should be prioritized in future trials of these interventions. Analyses were also conducted in a non-selected sample. It is possible results would differ in a clinical sample, although present results did not differ by participants' mental health treatment histories.

Acknowledgments. Funding for this study was provided by the William H. Talley Award, awarded to JLS by the Harvard University Department of Psychology.

Commonality Analysis of Emotion Mindsets, Anxiety Mindsets, and Hopelessness

Michael Mullarkey

February 05, 2019

```
## Packages

## Packages (Will load even if you haven't previously installed them)
if(!require(psych)){install.packages('psych')}
library(psych)
if(!require(Hmisc)){install.packages('Hmisc')}
library(Hmisc)
if(!require(yhat)){install.packages('yhat')}
library(yhat)
if(!require(boot)){install.packages('boot')}
library(boot)
if(!require(tidyverse)){install.packages('tidyverse')}
library(tidyverse)
if(!require(VennDiagram)){install.packages('VennDiagram')}
library(VennDiagram)
```

Preparing Data

This script allows us to read in the data and select the variables relevant for analysis.

```
## Working Directory (Will need to change from computer to computer to be
reproducible)

# setwd("/Users/Carbonite/Documents/PhD/R")

## Read in data

headers = read.csv("MMdatastudy1.csv", header = F, nrow = 1, as.is = T)
emhop1 <- read.csv("MMdatastudy1.csv", skip = 2, header = F)
colnames(emhop1)= headers

emhop2 <- read.csv("Study2MMdata.csv")
```

Emotion and Anxiety Mindsets Share Negligible Unique Variance with Depression and Anxiety Sum Scores in Study 1

In Study 1, anxiety and emotion theories both predict negligible unique variance in sum score depression and anxiety (their confidence intervals contain 0).

```
##### Study 1 #####

## Alright, going to do a commonality analysis with sum score depression first
```

```

## 55.2% for Hopelessness, CI does not contain 0
## 1.0% for Anxiety Theories, CI contains 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsidep <- lm(BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsidep)

##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -10.9431  -1.4825  -0.5482   1.4850  11.0151
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.337477   0.681953   0.495   0.6212
## BHS          1.007945   0.079602  12.662 <2e-16 ***
## IT_Anxiety   0.118886   0.069925   1.700   0.0907 .
## IT_Emotion   0.008838   0.081621   0.108   0.9139
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.216 on 196 degrees of freedom
## Multiple R-squared:  0.5971, Adjusted R-squared:  0.591
## F-statistic: 96.84 on 3 and 196 DF,  p-value: < 2.2e-16

# emwhope_bsidep <- lm(BSI_Dep ~ RecdTx + Sex,data = emhop1)
# summary(emwhope_bsidep)

class(emwhope_bsidep)

## [1] "lm"

## Getting total model R2

summary(emwhope_bsidep)$r.squared

## [1] 0.5971443

## Doing one time commonality model

regrOutdep1<-calc.yhat(emwhope_bsidep)

regrOutdep1

## $PredictorMetrics
##              b Beta      r    rs   rs2 Unique Common  CD:0  CD:1  CD:2
## BHS          1.008 0.698 0.766 0.991 0.982  0.330  0.257 0.586 0.365 0.330
## IT_Anxiety   0.119 0.119 0.502 0.650 0.422  0.006  0.246 0.252 0.036 0.006
## IT_Emotion   0.009 0.007 0.454 0.588 0.346  0.000  0.206 0.206 0.010 0.000
## Total        NA    NA    NA    NA  1.750  0.336  0.709 1.044 0.411 0.336
##              GenDom Pratt  RLW
## BHS          0.427 0.534 0.426

```

```

## IT_Anxiety 0.098 0.060 0.099
## IT_Emotion 0.072 0.003 0.072
## Total      0.597 0.597 0.597
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS       1     1 1 1 1       1       1     1     1     1     1     1     1
## IT_Anxiety 2     2 2 2 2       2       2     2     2     2     2     2     2
## IT_Emotion 3     3 3 3 3       3       3     3     3     3     3     3     3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety                1     1 1
## BHS>IT_Emotion                1     1 1
## IT_Anxiety>IT_Emotion         1     1 1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                          0.330      0.552 0.586      NA
## IT_Anxiety                    0.006      0.010 0.252    0.345
## IT_Emotion                    0.000      0.000 0.206    0.385
## BHS,IT_Anxiety                0.055      0.093 0.597      NA
## BHS,IT_Emotion                0.015      0.026 0.591      NA
## IT_Anxiety,IT_Emotion          0.005      0.008 0.268    0.330
## BHS,IT_Anxiety,IT_Emotion      0.186      0.312 0.597      NA
## Total                         0.597      1.000      NA      NA
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.011          0.005
## IT_Anxiety                    NA          0.016
## IT_Emotion                    0.061          NA
## BHS,IT_Anxiety                NA          0.000
## BHS,IT_Emotion                0.006          NA
## IT_Anxiety,IT_Emotion          NA          NA
## BHS,IT_Anxiety,IT_Emotion      NA          NA
## Total                         NA          NA

## Getting commonality metrics for Hopelessness, Anxiety Mindsets, and Emotion
Mindsets

regrOutdep1$APSRRelatedMetrics$`% Total`[1:3]

## [1] 0.552 0.010 0.000

## Getting the total "Commonality" Score for converting CI from bootstrap to % Total

regrOutdep1$APSRRelatedMetrics$Commonality[8]

## [1] 0.597

## Need to bootstrap this 1,000 times

boot.outdep1<-boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep,regrou0=regrOutdep1)

resultdep1<-booteval.yhat(regrOutdep1,boot.outdep1,bty="perc")
resultdep1$combCIaps

```

```

##                                Commonality                                R2
## BHS                          0.330(0.212,0.456) 0.586(0.471,0.696)
## IT_Anxiety                   0.006(0.000,0.028) 0.252(0.135,0.384)
## IT_Emotion                   0.000(0.000,0.008) 0.206(0.107,0.314)
## BHS,IT_Anxiety               0.055(0.013,0.116) 0.597(0.488,0.702)
## BHS,IT_Emotion               0.015(-0.003,0.047) 0.591(0.482,0.699)
## IT_Anxiety,IT_Emotion        0.005(-0.004,0.021) 0.268(0.154,0.395)
## BHS,IT_Anxiety,IT_Emotion    0.186(0.103,0.273) 0.597(0.490,0.703)
##                                BHS.Inc      IT_Anxiety.Inc
## BHS                                NA 0.011(0.000,0.041)
## IT_Anxiety                        0.345(0.221,0.474)      NA
## IT_Emotion                        0.385(0.278,0.507) 0.061(0.015,0.129)
## BHS,IT_Anxiety                    NA      NA
## BHS,IT_Emotion                    NA 0.006(0.000,0.028)
## IT_Anxiety,IT_Emotion              0.330(0.212,0.456)      NA
## BHS,IT_Anxiety,IT_Emotion          NA      NA
##                                IT_Emotion.Inc
## BHS                                0.005(0,0.026)
## IT_Anxiety                        0.016(0,0.051)
## IT_Emotion                        NA
## BHS,IT_Anxiety                    0.000(0,0.008)
## BHS,IT_Emotion                    NA
## IT_Anxiety,IT_Emotion              NA
## BHS,IT_Anxiety,IT_Emotion          NA
## Lower confidence interval commonality values

resultdep1$lowerCIaps$Commonality[1:3]

## [1] 0.212 0.000 0.000

## Upper confidence interval commonality values

resultdep1$upperCIaps$Commonality[1:3]

## [1] 0.456 0.028 0.008

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep1_lcipercent <- resultdep1$lowerCIaps$Commonality[1:3] /
regrOutdep1$APSRRelatedMetrics$Commonality[8]

resultdep1_hcipercent <- resultdep1$upperCIaps$Commonality[1:3] /
regrOutdep1$APSRRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep1_est_r2 <- regrOutdep1$APSRRelatedMetrics$`% Total`[1:3] *
summary(emwhope_bsidep)$r.squared

resultdep1_lci_r2 <- resultdep1_lcipercent * summary(emwhope_bsidep)$r.squared

resultdep1_uci_r2 <- resultdep1_hcipercent * summary(emwhope_bsidep)$r.squared

```



```

## Creating a category variable for the plot

category <- c("Hopelessness", "Anxiety Mindsets", "Emotion Mindsets")

## Create a data frame with the variables necessary for plotting

dfdep1 <- data.frame(category,
                      resultdep1_est_r2,
                      resultdep1_lci_r2,
                      resultdep1_uci_r2)

## Plot Depression Sum Study 1

ggplot(dfdep1, aes(x = category, y = resultdep1_est_r2)) +
  geom_point() +
  geom_errorbar(aes(ymin = resultdep1_lci_r2, ymax = resultdep1_uci_r2), width = 0.2)
+
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Sum Score Depression in Study 1 (R2)", x =
NULL) +
  theme_bw() +
  theme(panel.grid.major=element_blank(),
        panel.grid.minor=element_blank(),
        panel.border=element_blank(),
        axis.line=element_line(),
        text=element_text(family='Times'),
        legend.title=element_blank()) +
  geom_text(aes(label = format(dfdep1$resultdep1_est_r2*100,
digits = 2),
y = resultdep1_uci_r2 + 0.02), position = position_dodge(0.9),
vjust = 0)

```

```
## For all the symptoms, could create a class for each set of symptoms, then ggplot
it that way. Avoids all the hideous CI overlap from previous plots! Will have to
check relative x-axes, maybe figure out how to force them all to be the same? That
way not only are hopelessness and mindsets visually comparable, but absolute
contributions to the various symptoms as well! Can do this with sum scores as well?
```

```
## Now let's get the % of overlapping variance with hopelessness; 98.3% of variance
accounted for by mindsets was also shared by hopelessness
```

```
resultdep1_est_shared_r2 <- regrOutdep1$APSRRelatedMetrics$` % Total `[c(4:5,7)] *
summary(emwhope_bsidep)$r.squared
```

```
resultdep1_est_shared_r2_cum_sum <- resultdep1_est_shared_r2[1] +
resultdep1_est_shared_r2[2] + resultdep1_est_shared_r2[3] + resultdep1_est_r2[1]
```

```
resultdep1_est_shared_r2_percent <-
resultdep1_est_shared_r2_cum_sum/summary(emwhope_bsidep)$r.squared
```

```
## Alright, now going to do a commonality analysis with sum score anxiety
## 55.4% for Hopelessness, CI does not contain 0
## 1.3% for Anxiety Theories, CI contains 0
## 0.0% for Emotion Theories, CI contains 0
```

```

emwhope_bsianx <- lm(BSI_Anxiety ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsianx)

##
## Call:
## lm(formula = BSI_Anxiety ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -12.603  -1.840  -0.791   1.681  20.036
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.36013    0.85248   0.422   0.673
## BHS          1.05563    0.09951  10.609 <2e-16 ***
## IT_Anxiety   0.14295    0.08741   1.635   0.104
## IT_Emotion  -0.01850    0.10203  -0.181   0.856
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.021 on 196 degrees of freedom
## Multiple R-squared:  0.5089, Adjusted R-squared:  0.5014
## F-statistic: 67.71 on 3 and 196 DF, p-value: < 2.2e-16

regrOutanx1 <- calc.yhat(emwhope_bsianx)
regrOutanx1

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1  CD:2
## BHS          1.056  0.645 0.706 0.990 0.981  0.282  0.217 0.499 0.312 0.282
## IT_Anxiety   0.143  0.126 0.466 0.653 0.426  0.007  0.210 0.217 0.034 0.007
## IT_Emotion -0.018 -0.014 0.412 0.577 0.333  0.000  0.169 0.169 0.007 0.000
## Total        NA      NA      NA      NA 1.740  0.289  0.596 0.885 0.353 0.289
##
##              GenDom Pratt RLW
## BHS          0.365  0.456 0.364
## IT_Anxiety   0.086  0.059 0.086
## IT_Emotion   0.059 -0.006 0.059
## Total        0.510  0.509 0.509
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common  CD:0  CD:1  CD:2 GenDom Pratt RLW
## BHS          1   1 1 1 1      1      1      1      1      1      1      1
## IT_Anxiety   2   2 2 2 2      2      2      2      2      2      2      2
## IT_Emotion   3   3 3 3 3      3      3      3      3      3      3      3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety      1   1 1
## BHS>IT_Emotion      1   1 1
## IT_Anxiety>IT_Emotion 1   1 1
##
## $APSRRelatedMetrics
##              Commonality % Total      R2 BHS.Inc
## BHS          0.282      0.554 0.499      NA
## IT_Anxiety   0.007      0.013 0.217      0.292
## IT_Emotion   0.000      0.000 0.169      0.333

```

```
## BHS,IT_Anxiety      0.051      0.100 0.509      NA
## BHS,IT_Emotion      0.010      0.020 0.502      NA
## IT_Anxiety,IT_Emotion 0.003      0.006 0.227      0.282
## BHS,IT_Anxiety,IT_Emotion 0.156      0.307 0.509      NA
## Total              0.509      1.000      NA      NA
##
##              IT_Anxiety.Inc IT_Emotion.Inc
## BHS              0.010              0.003
## IT_Anxiety              NA              0.010
## IT_Emotion      0.058              NA
## BHS,IT_Anxiety              NA              0.000
## BHS,IT_Emotion      0.007              NA
## IT_Anxiety,IT_Emotion              NA              NA
## BHS,IT_Anxiety,IT_Emotion              NA              NA
## Total              NA              NA
```

Need to bootstrap this 1,000 times

```
boot.outanx1<-boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsianx,regrou0=regrOutanx1)
```

```
resultanx1<-booteval.yhat(regrOutanx1,boot.ouanx1,bty="perc")
resultanx1$combCIaps
```

```
##              Commonality      R2
## BHS      0.282(0.178,0.397) 0.499(0.364,0.632)
## IT_Anxiety 0.007(0.000,0.035) 0.217(0.117,0.340)
## IT_Emotion 0.000(0.000,0.012) 0.169(0.080,0.284)
## BHS,IT_Anxiety 0.051(0.010,0.108) 0.509(0.379,0.641)
## BHS,IT_Emotion 0.010(-0.010,0.044) 0.502(0.370,0.637)
## IT_Anxiety,IT_Emotion 0.003(-0.011,0.019) 0.227(0.131,0.357)
## BHS,IT_Anxiety,IT_Emotion 0.156(0.081,0.245) 0.509(0.380,0.643)
##              BHS.Inc      IT_Anxiety.Inc
## BHS              NA 0.010(0.000,0.042)
## IT_Anxiety      0.292(0.188,0.407)      NA
## IT_Emotion      0.333(0.232,0.449) 0.058(0.013,0.132)
## BHS,IT_Anxiety              NA      NA
## BHS,IT_Emotion              NA 0.007(0.000,0.035)
## IT_Anxiety,IT_Emotion 0.282(0.178,0.397)      NA
## BHS,IT_Anxiety,IT_Emotion              NA      NA
##              IT_Emotion.Inc
## BHS      0.003(0,0.025)
## IT_Anxiety 0.010(0,0.050)
## IT_Emotion      NA
## BHS,IT_Anxiety 0.000(0,0.012)
## BHS,IT_Emotion      NA
## IT_Anxiety,IT_Emotion      NA
## BHS,IT_Anxiety,IT_Emotion      NA
```

Now need to divide both of these by commonality score from first one to get them on the % Total metric

```
resultanx1_lcipercent <- resultanx1$lowerCIaps$Commonality[1:3] /
regrOutanx1$APSRRelatedMetrics$Commonality[8]
```

```
resultanx1_hcipercent <- resultanx1$upperCIaps$Commonality[1:3] /
regrOutanx1$APSRRelatedMetrics$Commonality[8]
```

```

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultanx1_est_r2 <- regrOutanx1$APSRRelatedMetrics$` % Total`[1:3] *
summary(emwhoep_bsianx)$r.squared

resultanx1_lci_r2 <- resultanx1_lcipercent * summary(emwhoep_bsianx)$r.squared

resultanx1_uci_r2 <- resultanx1_hcipercent * summary(emwhoep_bsianx)$r.squared

## Create a data frame with the variables necessary for plotting

dfanx1 <- data.frame(category,
                      resultanx1_est_r2,
                      resultanx1_lci_r2,
                      resultanx1_uci_r2)

## Plot Anxiety Sum Study 1

ggplot(dfanx1, aes(x = category, y = resultanx1_est_r2)) +
  geom_point() +
  geom_errorbar(aes(ymax = resultanx1_uci_r2, ymin = resultanx1_lci_r2), width = 0.2)
+
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Sum Score Anxiety in Study 1 (R2)", x =
NULL) +
  theme_bw() +
  theme(panel.grid.major=element_blank(),
        panel.grid.minor=element_blank(),
        panel.border=element_blank(),
        axis.line=element_line(),
        text=element_text(family='Times'),
        legend.title=element_blank()) +
  geom_text(aes(label = format(dfanx1$resultanx1_est_r2*100,
digits = 2),
y = resultanx1_uci_r2 + 0.02), position = position_dodge(0.9),
vjust = 0)

```

Now let's get the % of overlapping variance with hopelessness; 98.1% of variance accounted for by mindsets was also shared by hopelessness

```
resultanx1_est_shared_r2 <- regrOutanx1$APSRRelatedMetrics$`% Total`[c(4:5,7)] *  
summary(emwhope_bsianx)$r.squared
```

```
resultanx1_est_shared_r2_cum_sum <- resultanx1_est_shared_r2[1] +  
resultanx1_est_shared_r2[2] + resultanx1_est_shared_r2[3] + resultanx1_est_r2[1]
```

```
resultanx1_est_shared_r2_percent <-  
resultanx1_est_shared_r2_cum_sum / summary(emwhope_bsianx)$r.squared
```

Emotion Mindsets Share Negligible Unique Variance with Depression and Anxiety Sum Scores in Study 2

In Study 2, emotion theories predict negligible unique variance in sum score depression (0%) and anxiety (0.1%), with 0 in the confidence interval in both cases.

But Anxiety Mindsets Share a Small Amount of Unique Variance with Depression and Anxiety Sum Scores in Study 2

Anxiety mindsets predict a small amount of unique variance in both sum score depression (2.1%) and sum score anxiety (6.5%), and neither confidence interval contains 0.

```
##### Study 2 #####

## Alright, going to do a commonality analysis with sum score depression first
## 60.9% for Hopelessness, CI does not contain 0
## 2.1% for Anxiety Theories, CI does not contain 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsidep2 <- lm(BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre, data = emhop2)
summary(emwhope_bsidep2)

##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -8.9799 -1.8224 -0.6441  1.9111 13.5953
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.20699    0.45616   0.454   0.650
## BHS           1.15708    0.05229  22.128 < 2e-16 ***
## IT_Anxiety_Pre 0.17449    0.04235   4.120 4.55e-05 ***
## IT_Emotion_Pre -0.02798    0.05340  -0.524   0.601
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.125 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.6542, Adjusted R-squared:  0.6518
## F-statistic: 268.1 on 3 and 425 DF, p-value: < 2.2e-16

regrOutdep2 <- calc.yhat(emwhope_bsidep2)

regrOutdep2

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           1.157   0.720 0.796 0.984 0.969  0.398  0.236 0.634 0.451
## IT_Anxiety_Pre 0.174   0.175 0.505 0.625 0.390  0.014  0.242 0.255 0.069
## IT_Emotion_Pre -0.028  -0.021 0.371 0.459 0.210  0.000  0.137 0.138 0.003
## Total          NA      NA    NA    NA  1.569  0.412  0.615 1.027 0.523
##              CD:2 GenDom  Pratt  RLW
## BHS           0.398  0.494  0.574 0.497
## IT_Anxiety_Pre 0.014  0.113  0.088 0.111
## IT_Emotion_Pre 0.000  0.047 -0.008 0.046
## Total          0.412  0.654  0.654 0.654
```

```
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1     1 1 1 1         1     2     1     1     1         1     1
## IT_Anxiety_Pre 2     2 2 2 2         2     1     2     2     2         2     2
## IT_Emotion_Pre 3     3 3 3 3         3     3     3     3     3         3     3
##           RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1     1   1
## BHS>IT_Emotion_Pre           1     1   1
## IT_Anxiety_Pre>IT_Emotion_Pre 1     1   1
##
## $APSRRelatedMetrics
##                               Commonality % Total    R2 BHS.Inc
## BHS                               0.398    0.609 0.634    NA
## IT_Anxiety_Pre                     0.014    0.021 0.255    0.399
## IT_Emotion_Pre                     0.000    0.000 0.138    0.503
## BHS,IT_Anxiety_Pre                 0.104    0.160 0.654    NA
## BHS,IT_Emotion_Pre                 0.000    0.000 0.640    NA
## IT_Anxiety_Pre,IT_Emotion_Pre      0.006    0.009 0.256    0.398
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  0.131    0.200 0.654    NA
## Total                             0.654    1.000    NA    NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.020                0.006
## IT_Anxiety_Pre                     NA                0.000
## IT_Emotion_Pre                     0.118                NA
## BHS,IT_Anxiety_Pre                 NA                0.000
## BHS,IT_Emotion_Pre                 0.014                NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA                NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA                NA
## Total                             NA                NA

## Need to bootstrap this 1,000 times

boot.outdep2<-boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2,regrou0=regrOutdep2)

resultdep2<-booteval.yhat(regrOutdep2,boot.outdep2,bty="perc")
resultdep2$combCIaps

##                               Commonality                               R2
## BHS                     0.398(0.313,0.480) 0.634(0.565,0.699)
## IT_Anxiety_Pre          0.014(0.004,0.030) 0.255(0.177,0.341)
## IT_Emotion_Pre          0.000(0.000,0.005) 0.138(0.079,0.210)
## BHS,IT_Anxiety_Pre      0.104(0.057,0.161) 0.654(0.591,0.714)
## BHS,IT_Emotion_Pre      0.000(-0.004,0.010) 0.640(0.573,0.703)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.006(-0.004,0.018) 0.256(0.179,0.343)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.131(0.074,0.191) 0.654(0.591,0.715)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.020(0.007,0.040)
## IT_Anxiety_Pre                   0.399(0.314,0.482)    NA
```



```

## IT_Emotion_Pre          0.503(0.426,0.580) 0.118(0.067,0.182)
## BHS,IT_Anxiety_Pre      NA                      NA
## BHS,IT_Emotion_Pre      NA 0.014(0.004,0.030)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.398(0.313,0.480)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA                      NA
## IT_Emotion_Pre.Inc
## BHS          0.006(0.001,0.018)
## IT_Anxiety_Pre 0.000(0.000,0.011)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.000(0.000,0.005)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep2_lcipercent <- resultdep2$lowerCIaps$Commonality[1:3] /
regrOutdep2$APSRRelatedMetrics$Commonality[8]

resultdep2_hcipercent <- resultdep2$upperCIaps$Commonality[1:3] /
regrOutdep2$APSRRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep2_est_r2 <- regrOutdep2$APSRRelatedMetrics$`% Total`[1:3] *
summary(emwhoep_bsidep2)$r.squared

resultdep2_lci_r2 <- resultdep2_lcipercent * summary(emwhoep_bsidep2)$r.squared

resultdep2_uci_r2 <- resultdep2_hcipercent * summary(emwhoep_bsidep2)$r.squared

## Creating a category variable

category <- c("Hopelessness", "Anxiety Mindsets", "Emotion Mindsets")

## Create a data frame with the variables necessary for plotting

dfdep2 <- data.frame(category,
                      resultdep2_est_r2,
                      resultdep2_lci_r2,
                      resultdep2_uci_r2)

## Plot Depression Sum Study 2

ggplot(dfdep2, aes(x = category, y = resultdep2_est_r2)) +
  geom_point() +
  geom_errorbar(aes(ymax = resultdep2_uci_r2, ymin = resultdep2_lci_r2), width = 0.2)
+
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Sum Score Depression in Study 2 (R2)", x =
NULL) +

```

```

theme_bw() +
  theme(panel.grid.major=element_blank(),
        panel.grid.minor=element_blank(),
        panel.border=element_blank(),
        axis.line=element_line(),
        text=element_text(family='Times'),
        legend.title=element_blank()) +
  geom_text(aes(label = format(dfdep2$resultdep2_est_r2*100,
                              digits = 2),
                y = resultdep2_uci_r2 + 0.06), position = position_dodge(0.9),
            vjust = 0)

```

Now let's get the % of overlapping variance with hopelessness; 98.3% of variance accounted for by mindsets was also shared by hopelessness

```

resultdep2_est_shared_r2 <- regrOutdep2$APSRelatedMetrics` % Total`[c(4:5,7)] *
summary(emwhope_bsidep2)$r.squared

```

```

resultdep2_est_shared_r2_cum_sum <- resultdep2_est_shared_r2[1] +
resultdep2_est_shared_r2[2] + resultdep2_est_shared_r2[3] + resultdep2_est_r2[1]

```

```

resultdep2_est_shared_r2_percent <-
resultdep2_est_shared_r2_cum_sum/summary(emwhope_bsidep2)$r.squared

```

```
## Alright, going to do a commonality analysis with sum score anxiety
## 46.9% for Hopelessness, CI does not contain 0
## 6.5% for Anxiety Theories, CI does not contain 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsianx2 <- lm(BSI_Anxiety ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre, data = emhop2)
summary(emwhope_bsianx2)

##
## Call:
## lm(formula = BSI_Anxiety ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -11.9844  -2.1552  -0.4373   1.8382  14.0408
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -0.47975    0.55500  -0.864    0.388
## BHS             0.87304    0.06362  13.722 < 2e-16 ***
## IT_Anxiety_Pre  0.26370    0.05153   5.118 4.69e-07 ***
## IT_Emotion_Pre -0.03443    0.06498  -0.530    0.596
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.802 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.4858, Adjusted R-squared:  0.4822
## F-statistic: 133.9 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2 <- calc.yhat(emwhope_bsianx2)

regrOutanx2

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0 CD:1
## BHS             0.873   0.545 0.662 0.950 0.902   0.228 0.211 0.438 0.275
## IT_Anxiety_Pre  0.264   0.265 0.508 0.729 0.531   0.032 0.226 0.258 0.086
## IT_Emotion_Pre -0.034  -0.026 0.364 0.522 0.273   0.000 0.132 0.132 0.008
## Total           NA      NA      NA      NA 1.706   0.260 0.569 0.828 0.369
##              CD:2 GenDom Pratt  RLW
## BHS             0.228 0.314 0.361 0.318
## IT_Anxiety_Pre  0.032 0.125 0.135 0.122
## IT_Emotion_Pre  0.000 0.047 -0.009 0.046
## Total           0.260 0.486 0.487 0.486
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS             1   1 1 1 1      1      2   1   1   1      1      1
## IT_Anxiety_Pre  2   2 2 2 2      2      1   2   2   2      2      2
## IT_Emotion_Pre  3   3 3 3 3      3      3   3   3   3      3      3
##              RLW
## BHS             1
## IT_Anxiety_Pre  2
## IT_Emotion_Pre  3
```

```
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1     1     1
## BHS>IT_Emotion_Pre           1     1     1
## IT_Anxiety_Pre>IT_Emotion_Pre 1     1     1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                          0.228      0.469 0.438      NA
## IT_Anxiety_Pre                0.032      0.065 0.258      0.228
## IT_Emotion_Pre                0.000      0.001 0.132      0.322
## BHS,IT_Anxiety_Pre            0.094      0.193 0.486      NA
## BHS,IT_Emotion_Pre            0.000     -0.001 0.454      NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.016      0.032 0.258      0.228
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.117      0.240 0.486      NA
## Total                         0.486      1.000      NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.047              0.016
## IT_Anxiety_Pre                     NA              0.000
## IT_Emotion_Pre                     0.126              NA
## BHS,IT_Anxiety_Pre                  NA              0.000
## BHS,IT_Emotion_Pre                  0.032              NA
## IT_Anxiety_Pre,IT_Emotion_Pre        NA              NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre    NA              NA
## Total                              NA              NA

## Need to bootstrap this 1,000 times

boot.outanx2<-boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsianx2,regrou0=regrOutanx2)

resultanx2<-booteval.yhat(regrOutanx2,boot.outanx2,bty="perc")
resultanx2$combCIaps

##                               Commonality R2
## BHS                          0.228(0.155,0.310) 0.438(0.348,0.525)
## IT_Anxiety_Pre                0.032(0.011,0.060) 0.258(0.183,0.335)
## IT_Emotion_Pre                0.000(0.000,0.007) 0.132(0.081,0.191)
## BHS,IT_Anxiety_Pre            0.094(0.054,0.140) 0.486(0.405,0.568)
## BHS,IT_Emotion_Pre            0.000(-0.004,0.006) 0.454(0.372,0.543)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.016(-0.001,0.038) 0.258(0.186,0.338)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.117(0.072,0.163) 0.486(0.406,0.570)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.047(0.020,0.083)
## IT_Anxiety_Pre                    0.228(0.156,0.308)      NA
## IT_Emotion_Pre                    0.322(0.237,0.407) 0.126(0.073,0.186)
## BHS,IT_Anxiety_Pre                NA      NA
## BHS,IT_Emotion_Pre                NA 0.032(0.011,0.060)
## IT_Anxiety_Pre,IT_Emotion_Pre    0.228(0.155,0.310)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
##                               IT_Emotion_Pre.Inc
## BHS                          0.016(0.004,0.039)
## IT_Anxiety_Pre                0.000(0.000,0.008)
## IT_Emotion_Pre                NA
## BHS,IT_Anxiety_Pre            0.000(0.000,0.007)
```

```

## BHS,IT_Emotion_Pre                                NA
## IT_Anxiety_Pre,IT_Emotion_Pre                      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre                  NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultanx2_lcipercent <- resultanx2$lowerCIaps$Commonality[1:3] /
regrOutanx2$APSRelatedMetrics$Commonality[8]

resultanx2_hcipercent <- resultanx2$upperCIaps$Commonality[1:3] /
regrOutanx2$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultanx2_est_r2 <- regrOutanx2$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhope_bsi anx2)$r.squared

resultanx2_lci_r2 <- resultanx2_lcipercent * summary(emwhope_bsi anx2)$r.squared

resultanx2_uci_r2 <- resultanx2_hcipercent * summary(emwhope_bsi anx2)$r.squared

## Create a data frame with the variables necessary for plotting

dfanx2 <- data.frame(category,
                      resultanx2_est_r2,
                      resultanx2_lci_r2,
                      resultanx2_uci_r2)

## Plot Anxiety Sum Study 2

ggplot(dfanx2, aes(x = category, y = resultanx2_est_r2)) +
  geom_point() +
  geom_errorbar(aes(ymax = resultanx2_uci_r2, ymin = resultanx2_lci_r2), width = 0.2)
+
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Sum Score Anxiety in Study 2 (R2)", x =
NULL) +
  theme_bw() +
  theme(panel.grid.major=element_blank(),
        panel.grid.minor=element_blank(),
        panel.border=element_blank(),
        axis.line=element_line(),
        text=element_text(family='Times'),
        legend.title=element_blank()) +
  geom_text(aes(label = format(dfanx2$resultanx2_est_r2*100,
digits = 1),
y = resultanx2_uci_r2 + 0.06), position = position_dodge(0.9),
vjust = 0)

```

```
resultanx2_est_shared_r2 <- regrOutanx2$APSRelatedMetrics$` % Total`[c(4:5,7)] *
summary(emwhope_bsi anx2)$r.squared

resultanx2_est_shared_r2_cum_sum <- resultanx2_est_shared_r2[1] +
resultanx2_est_shared_r2[2] + resultanx2_est_shared_r2[3] + resultanx2_est_r2[1]

resultanx2_est_shared_r2_percent <-
resultanx2_est_shared_r2_cum_sum/summary(emwhope_bsi anx2)$r.squared
```

Looking at Commonality Analysis of Individual Depression Symptoms in Both Samples

Symptom 2 Anhedonia

```
## Study 1
## For symptom 2, Anhedonia
## 27.5% for Hopelessness, CI does not contain 0
## 0.7% for Anxiety Theories, CI contains 0
## 2.0% for Emotion Theories, CI contains 0

emwhope_bsidep1_2 <- lm(BSI18_2 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsidep1_2)
```

```
##
## Call:
## lm(formula = BSI18_2 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.4305 -0.5131 -0.2582  0.4755  3.2944
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.07783    0.19508   5.525 1.04e-07 ***
## BHS           0.13349    0.02277   5.862 1.91e-08 ***
## IT_Anxiety    0.01489    0.02000   0.744  0.458
## IT_Emotion    0.03020    0.02335   1.294  0.197
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9201 on 196 degrees of freedom
## Multiple R-squared:  0.296, Adjusted R-squared:  0.2852
## F-statistic: 27.46 on 3 and 196 DF, p-value: 7.167e-15
```

```
regrOutdep1_2<-calc.yhat(emwhope_bsidep1_2)
```

```
regrOutdep1_2
```

```
## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common  CD:0  CD:1  CD:2
## BHS           0.133 0.427 0.525 0.964 0.930  0.123  0.152 0.275 0.142 0.123
## IT_Anxiety    0.015 0.069 0.386 0.710 0.504  0.002  0.147 0.149 0.018 0.002
## IT_Emotion    0.030 0.117 0.388 0.713 0.508  0.006  0.144 0.150 0.021 0.006
## Total          NA    NA    NA    NA 1.942  0.131  0.443 0.574 0.181 0.131
##              GenDom Pratt  RLW
## BHS           0.180 0.224 0.182
## IT_Anxiety    0.057 0.027 0.055
## IT_Emotion    0.059 0.045 0.059
## Total          0.296 0.296 0.296
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS           1  1 1 1 1 1 1 1 1 1 1 1 1 1
## IT_Anxiety    3  3 3 3 3 3 2 3 3 3 3 3 3 3
## IT_Emotion    2  2 2 2 2 2 3 2 2 2 2 2 2 2
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety 1 1 1
## BHS>IT_Emotion 1 1 1
## IT_Anxiety>IT_Emotion 0 0 0
##
## $APSRRelatedMetrics
##              Commonality % Total R2 BHS.Inc
## BHS           0.123 0.417 0.275 NA
## IT_Anxiety    0.002 0.007 0.149 0.141
## IT_Emotion    0.006 0.020 0.150 0.144
## BHS,IT_Anxiety 0.020 0.068 0.290 NA
## BHS,IT_Emotion 0.017 0.058 0.294 NA
```

```
## IT_Anxiety,IT_Emotion      0.013      0.043 0.173      0.123
## BHS,IT_Anxiety,IT_Emotion  0.114      0.386 0.296      NA
## Total                      0.296      1.000      NA      NA
##
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.015          0.019
## IT_Anxiety                   NA            0.023
## IT_Emotion                   0.022          NA
## BHS,IT_Anxiety               NA            0.006
## BHS,IT_Emotion               0.002          NA
## IT_Anxiety,IT_Emotion        NA            NA
## BHS,IT_Anxiety,IT_Emotion    NA            NA
## Total                        NA            NA
```

```
boot.out1_2<-
```

```
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep1_2,regrou0=regrOutdep1_2)
```

```
resultdep1_2<-booteval.yhat(regrOutdep1_2,boot.out1_2,bty="perc")
resultdep1_2$combCIaps
```

```
##                               Commonality      R2
## BHS                      0.123(0.047,0.232) 0.275(0.165,0.399)
## IT_Anxiety                0.002(0.000,0.033) 0.149(0.064,0.264)
## IT_Emotion                0.006(0.000,0.039) 0.150(0.059,0.262)
## BHS,IT_Anxiety            0.020(-0.005,0.055) 0.290(0.184,0.420)
## BHS,IT_Emotion            0.017(-0.004,0.049) 0.294(0.185,0.420)
## IT_Anxiety,IT_Emotion     0.013(-0.006,0.046) 0.173(0.079,0.301)
## BHS,IT_Anxiety,IT_Emotion 0.114(0.050,0.187) 0.296(0.193,0.429)
##
##                               BHS.Inc IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          NA 0.015(0,0.065) 0.019(0,0.069)
## IT_Anxiety                   0.141(0.057,0.253)      NA 0.023(0,0.079)
## IT_Emotion                   0.144(0.066,0.251) 0.022(0,0.079)      NA
## BHS,IT_Anxiety               NA      NA 0.006(0,0.039)
## BHS,IT_Emotion               NA 0.002(0,0.033)      NA
## IT_Anxiety,IT_Emotion        0.123(0.047,0.232)      NA      NA
## BHS,IT_Anxiety,IT_Emotion    NA      NA      NA
```

```
## Now need to divide both of these by commonality score from first one to get them
on the % Total metric
```

```
resultdep1_2_lcipercent <- resultdep1_2$lowerCIaps$Commonality[1:3] /
regrOutdep1_2$APSRelatedMetrics$Commonality[8]
```

```
resultdep1_2_hcipercent <- resultdep1_2$upperCIaps$Commonality[1:3] /
regrOutdep1_2$APSRelatedMetrics$Commonality[8]
```

```
## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)
```

```
resultdep1_2_est_r2 <- regrOutdep1_2$APSRelatedMetrics$`% Total`[1:3] *
summary(emwhope_bsidep1_2)$r.squared
```

```
resultdep1_2_lci_r2 <- resultdep1_2_lcipercent * summary(emwhope_bsidep1_2)$r.squared
```

```
resultdep1_2_uci_r2 <- resultdep1_2_hcipercent * summary(emwhope_bsidep1_2)$r.squared
```



```
## Study 2
## For symptom 2, Anhedonia
## 56.7% for Hopelessness, CI does not contain 0
## 2.3% for Anxiety Theories, CI does not contain 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsidep2_2 <- lm(BSI18_2 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre, data =
emhop2)
summary(emwhope_bsidep2_2)

##
## Call:
## lm(formula = BSI18_2 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.6174 -0.5404 -0.2420  0.5222  3.0920
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.09055     0.12898   8.455 4.51e-16 ***
## BHS             0.20229     0.01479  13.681 < 2e-16 ***
## IT_Anxiety_Pre  0.03274     0.01197   2.734 0.00652 **
## IT_Emotion_Pre  0.00512     0.01510   0.339 0.73474
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8836 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.437, Adjusted R-squared:  0.433
## F-statistic: 109.9 on 3 and 425 DF, p-value: < 2.2e-16

regrOutdep2_2<-calc.yhat(emwhope_bsidep2_2)

regrOutdep2_2

## $PredictorMetrics
##              b Beta      r    rs   rs2 Unique Common  CD:0  CD:1
## BHS           0.202 0.568 0.646 0.977 0.954  0.248  0.169 0.417 0.283
## IT_Anxiety_Pre 0.033 0.148 0.433 0.655 0.429  0.010  0.177 0.187 0.049
## IT_Emotion_Pre 0.005 0.017 0.334 0.505 0.255  0.000  0.111 0.111 0.006
## Total          NA    NA    NA    NA  1.638  0.258  0.457 0.715 0.338
##              CD:2 GenDom Pratt   RLW
## BHS           0.248  0.316 0.367 0.318
## IT_Anxiety_Pre 0.010  0.082 0.064 0.080
## IT_Emotion_Pre 0.000  0.039 0.006 0.039
## Total          0.258  0.437 0.437 0.437
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2  2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3  3 3 3 3 3 3 3 3 3 3 3
```

```

##          RLW
## BHS          1
## IT_Anxiety_Pre  2
## IT_Emotion_Pre  3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1    1    1
## BHS>IT_Emotion_Pre           1    1    1
## IT_Anxiety_Pre>IT_Emotion_Pre 1    1    1
##
## $APSRRelatedMetrics
##                               Commonality % Total    R2 BHS.Inc
## BHS                          0.248      0.567 0.417    NA
## IT_Anxiety_Pre                0.010      0.023 0.187    0.250
## IT_Emotion_Pre                0.000      0.000 0.111    0.316
## BHS,IT_Anxiety_Pre            0.068      0.155 0.437    NA
## BHS,IT_Emotion_Pre            0.002      0.004 0.427    NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.010      0.023 0.189    0.248
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.100      0.229 0.437    NA
## Total                         0.437      1.000    NA    NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.020      0.010
## IT_Anxiety_Pre                     NA      0.002
## IT_Emotion_Pre                     0.078      NA
## BHS,IT_Anxiety_Pre                 NA      0.000
## BHS,IT_Emotion_Pre                 0.010      NA
## IT_Anxiety_Pre,IT_Emotion_Pre       NA      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre   NA      NA
## Total                             NA      NA

boot.out2_2<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2_2,regrou0=regrOutdep2_2)

resultdep2_2<-booteval.yhat(regrOutdep2_2,boot.out2_2,bty="perc")
resultdep2_2$combCIaps

##                               Commonality          R2
## BHS                      0.248(0.172,0.328) 0.417(0.340,0.495)
## IT_Anxiety_Pre           0.010(0.001,0.033) 0.187(0.122,0.269)
## IT_Emotion_Pre           0.000(0.000,0.009) 0.111(0.057,0.177)
## BHS,IT_Anxiety_Pre       0.068(0.033,0.110) 0.437(0.363,0.513)
## BHS,IT_Emotion_Pre       0.002(-0.003,0.013) 0.427(0.352,0.505)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.010(-0.003,0.026) 0.189(0.124,0.270)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.100(0.056,0.148) 0.437(0.364,0.514)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.020(0.003,0.050)
## IT_Anxiety_Pre                   0.250(0.173,0.329)      NA
## IT_Emotion_Pre                   0.316(0.243,0.400) 0.078(0.035,0.135)
## BHS,IT_Anxiety_Pre               NA      NA
## BHS,IT_Emotion_Pre               NA 0.010(0.001,0.033)
## IT_Anxiety_Pre,IT_Emotion_Pre   0.248(0.172,0.328)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
##                               IT_Emotion_Pre.Inc
## BHS                      0.010(0,0.030)
## IT_Anxiety_Pre          0.002(0,0.018)

```

```
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.000(0,0.009)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep2_2_lcipercent <- resultdep2_2$lowerCIaps$Commonality[1:3] /
regrOutdep2_2$APSRelatedMetrics$Commonality[8]

resultdep2_2_hcipercent <- resultdep2_2$upperCIaps$Commonality[1:3] /
regrOutdep2_2$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep2_2_est_r2 <- regrOutdep2_2$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhope_bsidep2_2)$r.squared

resultdep2_2_lci_r2 <- resultdep2_2_lcipercent * summary(emwhope_bsidep2_2)$r.squared

resultdep2_2_uci_r2 <- resultdep2_2_hcipercent * summary(emwhope_bsidep2_2)$r.squared
```

Symptom 5 - Loneliness

```
## Study 1
## For symptom 5, Loneliness
## 63.0% for Hopelessness, CI does not contain 0
## 0.8% for Anxiety Theories, CI contains 0
## 0.3% for Emotion Theories, CI contains 0

emwhope_bsidep1_5 <- lm(BSI18_5 ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsidep1_5)

##
## Call:
## lm(formula = BSI18_5 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -3.2289 -0.4369 -0.3329  0.5576  3.6457
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.33833    0.20637   6.485 7.05e-10 ***
## BHS          0.22399    0.02409   9.299 < 2e-16 ***
## IT_Anxiety   0.02170    0.02116   1.025  0.306
## IT_Emotion  -0.01542    0.02470  -0.624  0.533
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9733 on 196 degrees of freedom
```

```
## Multiple R-squared:  0.4118, Adjusted R-squared:  0.4028
## F-statistic: 45.74 on 3 and 196 DF,  p-value: < 2.2e-16

regrOutdep1_5<-calc.yhat(emwhope_bsidep1_5)

regrOutdep1_5

## $PredictorMetrics
##           b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1  CD:2
## BHS        0.224  0.619  0.639  0.996  0.992  0.259  0.149  0.409  0.281  0.259
## IT_Anxiety  0.022  0.087  0.384  0.598  0.358  0.003  0.144  0.147  0.022  0.003
## IT_Emotion -0.015 -0.052  0.331  0.516  0.266  0.001  0.108  0.110  0.003  0.001
## Total      NA      NA      NA      NA  1.616  0.263  0.401  0.666  0.306  0.263
##           GenDom  Pratt  RLW
## BHS        0.316  0.396  0.314
## IT_Anxiety  0.058  0.033  0.059
## IT_Emotion  0.038 -0.017  0.038
## Total      0.412  0.412  0.411
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common  CD:0  CD:1  CD:2 GenDom Pratt RLW
## BHS        1   1  1  1   1       1       1   1   1   1       1   1   1
## IT_Anxiety  2   2  2  2   2       2       2   2   2   2       2   2   2
## IT_Emotion  3   3  3  3   3       3       3   3   3   3       3   3   3
##
## $PairedDominanceMetrics
##           Comp Cond Gen
## BHS>IT_Anxiety      1   1  1
## BHS>IT_Emotion      1   1  1
## IT_Anxiety>IT_Emotion 1   1  1
##
## $APSRRelatedMetrics
##           Commonality % Total      R2 BHS.Inc
## BHS           0.259    0.630 0.409      NA
## IT_Anxiety     0.003    0.008 0.147  0.263
## IT_Emotion     0.001    0.003 0.110  0.299
## BHS,IT_Anxiety 0.040    0.096 0.411      NA
## BHS,IT_Emotion 0.004    0.009 0.409      NA
## IT_Anxiety,IT_Emotion -0.001 -0.003 0.152  0.259
## BHS,IT_Anxiety,IT_Emotion 0.106  0.257 0.412      NA
## Total          0.412    1.000      NA      NA
##           IT_Anxiety.Inc IT_Emotion.Inc
## BHS              0.002      0.000
## IT_Anxiety        NA      0.005
## IT_Emotion        0.043      NA
## BHS,IT_Anxiety     NA      0.001
## BHS,IT_Emotion     0.003      NA
## IT_Anxiety,IT_Emotion NA      NA
## BHS,IT_Anxiety,IT_Emotion NA      NA
## Total             NA      NA

boot.out1_5<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep1_5,regrou0=regrOutdep1_5)

resultdep1_5<-booteval.yhat(regrOutdep1_5,boot.out1_5,bty="perc")
resultdep1_5$combCIaps
```

```
##                                Commonality                                R2
## BHS                        0.259(0.142,0.384) 0.409(0.278,0.552)
## IT_Anxiety                0.003(0.000,0.031) 0.147(0.071,0.268)
## IT_Emotion                0.001(0.000,0.021) 0.110(0.036,0.223)
## BHS,IT_Anxiety            0.040(0.005,0.100) 0.411(0.281,0.556)
## BHS,IT_Emotion            0.004(-0.017,0.035) 0.409(0.279,0.552)
## IT_Anxiety,IT_Emotion     -0.001(-0.013,0.013) 0.152(0.075,0.281)
## BHS,IT_Anxiety,IT_Emotion 0.106(0.034,0.193) 0.412(0.284,0.561)
##                                BHS.Inc      IT_Anxiety.Inc
## BHS                                NA 0.002(0.000,0.030)
## IT_Anxiety                        0.263(0.149,0.389)      NA
## IT_Emotion                        0.299(0.177,0.426) 0.043(0.007,0.117)
## BHS,IT_Anxiety                    NA      NA
## BHS,IT_Emotion                    NA 0.003(0.000,0.031)
## IT_Anxiety,IT_Emotion              0.259(0.142,0.384)      NA
## BHS,IT_Anxiety,IT_Emotion          NA      NA
##                                IT_Emotion.Inc
## BHS                                0.000(0,0.019)
## IT_Anxiety                        0.005(0,0.042)
## IT_Emotion                        NA
## BHS,IT_Anxiety                    0.001(0,0.021)
## BHS,IT_Emotion                    NA
## IT_Anxiety,IT_Emotion              NA
## BHS,IT_Anxiety,IT_Emotion          NA
```

Now need to divide both of these by commonality score from first one to get them on the % Total metric

```
resultdep1_5_lcipercent <- resultdep1_5$lowerCIaps$Commonality[1:3] /
regrOutdep1_5$APSRelatedMetrics$Commonality[8]
```

```
resultdep1_5_hcipercent <- resultdep1_5$upperCIaps$Commonality[1:3] /
regrOutdep1_5$APSRelatedMetrics$Commonality[8]
```

After that need to multiply all values by the total r squared value of the regression model (Gets it out of relative variance and into absolute variance)

```
resultdep1_5_est_r2 <- regrOutdep1_5$APSRelatedMetrics$`% Total`[1:3] *
summary(emwhoep_bsidep1_5)$r.squared
```

```
resultdep1_5_lci_r2 <- resultdep1_5_lcipercent * summary(emwhoep_bsidep1_5)$r.squared
```

```
resultdep1_5_uci_r2 <- resultdep1_5_hcipercent * summary(emwhoep_bsidep1_5)$r.squared
```

```
## Study 2
## For symptom 5, Loneliness
## 63.0% for Hopelessness, CI does not contain 0
## 2.2% for Anxiety Theories, CI does not contain 0
## 0.1% for Emotion Theories, CI contains 0
```

```
emwhoep_bsidep2_5 <- lm(BSI18_5 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhoep_bsidep2_5)
```

```
##
## Call:
## lm(formula = BSI18_5 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.5644 -0.5580 -0.2759  0.5506  3.3567
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.169424   0.143212   8.166 3.68e-15 ***
## BHS           0.214619   0.016417  13.073 < 2e-16 ***
## IT_Anxiety_Pre 0.033209   0.013296   2.498  0.0129 *
## IT_Emotion_Pre -0.006602   0.016766  -0.394  0.6939
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9811 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3979, Adjusted R-squared:  0.3936
## F-statistic: 93.62 on 3 and 425 DF,  p-value: < 2.2e-16

regrOutdep2_5<-calc.yhat(emwhope_bsidep2_5)

regrOutdep2_5

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           0.215   0.562 0.621 0.984 0.969  0.242  0.143 0.385 0.274
## IT_Anxiety_Pre 0.033   0.140 0.394 0.625 0.391  0.009  0.147 0.156 0.043
## IT_Emotion_Pre -0.007  -0.021 0.287 0.455 0.207  0.000  0.082 0.083 0.002
## Total          NA      NA      NA      NA 1.567  0.251  0.372 0.624 0.319
##              CD:2 GenDom  Pratt   RLW
## BHS           0.242  0.301  0.349 0.302
## IT_Anxiety_Pre 0.009  0.069  0.055 0.068
## IT_Emotion_Pre 0.000  0.028 -0.006 0.028
## Total          0.251  0.398  0.398 0.398
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1   1 1 1 1      1      2   1   1   1      1      1
## IT_Anxiety_Pre 2   2 2 2 2      2      1   2   2   2      2      2
## IT_Emotion_Pre 3   3 3 3 3      3      3   3   3   3      3      3
##              RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety_Pre      1   1   1
## BHS>IT_Emotion_Pre      1   1   1
## IT_Anxiety_Pre>IT_Emotion_Pre 1   1   1
##
## $APSRRelatedMetrics
```

```
##                               Commonality % Total    R2 BHS.Inc
## BHS                          0.242      0.609 0.385    NA
## IT_Anxiety_Pre               0.009      0.022 0.156    0.242
## IT_Emotion_Pre               0.000      0.001 0.083    0.307
## BHS,IT_Anxiety_Pre           0.064      0.162 0.398    NA
## BHS,IT_Emotion_Pre           0.000      0.000 0.389    NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.003      0.008 0.156    0.242
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.079    0.198 0.398    NA
## Total                        0.398      1.000    NA    NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                          0.012              0.004
## IT_Anxiety_Pre               NA              0.000
## IT_Emotion_Pre               0.073              NA
## BHS,IT_Anxiety_Pre           NA              0.000
## BHS,IT_Emotion_Pre           0.009              NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA              NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA              NA
## Total                        NA              NA
```

```
boot.out2_5<-
```

```
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2_5,regrou0=regrOutdep2_5)
```

```
resultdep2_5<-booteval.yhat(regrOutdep2_5,boot.out2_5,bty="perc")
```

```
resultdep2_5$combCIaps
```

```
##                               Commonality                               R2
## BHS                          0.242(0.170,0.316) 0.385(0.300,0.466)
## IT_Anxiety_Pre               0.009(0.000,0.030) 0.156(0.098,0.221)
## IT_Emotion_Pre               0.000(0.000,0.008) 0.083(0.037,0.136)
## BHS,IT_Anxiety_Pre           0.064(0.029,0.108) 0.398(0.314,0.475)
## BHS,IT_Emotion_Pre           0.000(-0.005,0.008) 0.389(0.307,0.468)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.003(-0.008,0.015) 0.156(0.101,0.222)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.079(0.038,0.120) 0.398(0.314,0.479)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                          NA 0.012(0.001,0.034)
## IT_Anxiety_Pre               0.242(0.17,0.317) NA
## IT_Emotion_Pre               0.307(0.23,0.381) 0.073(0.032,0.129)
## BHS,IT_Anxiety_Pre           NA NA
## BHS,IT_Emotion_Pre           NA 0.009(0.000,0.030)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.242(0.17,0.316) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
##                               IT_Emotion_Pre.Inc
## BHS                          0.004(0,0.017)
## IT_Anxiety_Pre               0.000(0,0.013)
## IT_Emotion_Pre               NA
## BHS,IT_Anxiety_Pre           0.000(0,0.008)
## BHS,IT_Emotion_Pre           NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

```
## Now need to divide both of these by commonality score from first one to get them
on the % Total metric
```

```
resultdep2_5_lcippercent <- resultdep2_5$lowerCIaps$Commonality[1:3] /
regrOutdep2_5$APSRelatedMetrics$Commonality[8]
```

```

resultdep2_5_hcipercent <- resultdep2_5$upperCIaps$Commonality[1:3] /
regrOutdep2_5$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep2_5_est_r2 <- regrOutdep2_5$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhope_bsidep2_5)$r.squared

resultdep2_5_lci_r2 <- resultdep2_5_lcipercent * summary(emwhope_bsidep2_5)$r.squared

resultdep2_5_uci_r2 <- resultdep2_5_hcipercent * summary(emwhope_bsidep2_5)$r.squared

```

Symptom 8 - Feeling blue/down

```

## Study 1
## For symptom 8, Feeling blue/down
## 56.7% for Hopelessness, CI does not contain 0
## 0.3% for Anxiety Theories, CI contains 0
## 0.2% for Emotion Theories, CI contains 0

emwhope_bsidep1_8 <- lm(BSI18_8 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsidep1_8)

##
## Call:
## lm(formula = BSI18_8 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.9580 -0.4628 -0.2869  0.5813  3.2754
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.12927    0.20065   5.628 6.24e-08 ***
## BHS           0.19995    0.02342   8.537 3.78e-15 ***
## IT_Anxiety    0.01259    0.02057   0.612  0.541
## IT_Emotion    0.01184    0.02401   0.493  0.622
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9464 on 196 degrees of freedom
## Multiple R-squared:  0.3963, Adjusted R-squared:  0.387
## F-statistic: 42.88 on 3 and 196 DF, p-value: < 2.2e-16

regrOutdep1_8 <- calc.yhat(emwhope_bsidep1_8)

regrOutdep1_8

## $PredictorMetrics
##              b Beta      r      rs    rs2 Unique Common CD:0  CD:1  CD:2
## BHS           0.200 0.576 0.625 0.993 0.987  0.224  0.167 0.391 0.247 0.224
## IT_Anxiety    0.013 0.052 0.395 0.627 0.393  0.001  0.155 0.156 0.017 0.001
## IT_Emotion    0.012 0.041 0.377 0.598 0.358  0.001  0.141 0.142 0.010 0.001

```



```
## Total      NA      NA      NA      NA 1.738  0.226  0.463 0.689 0.274 0.226
##           GenDom Pratt  RLW
## BHS        0.287 0.360 0.287
## IT_Anxiety 0.058 0.021 0.058
## IT_Emotion 0.051 0.016 0.051
## Total      0.396 0.397 0.396
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS        1     1 1 1 1       1       1     1     1     1     1     1     1
## IT_Anxiety 2     2 2 2 2       2       2     2     2     2     2     2     2
## IT_Emotion 3     3 3 3 3       3       3     3     3     3     3     3     3
##
## $PairedDominanceMetrics
##           Comp Cond Gen
## BHS>IT_Anxiety      1     1 1
## BHS>IT_Emotion      1     1 1
## IT_Anxiety>IT_Emotion 1     1 1
##
## $APSRRelatedMetrics
##           Commonality % Total R2 BHS.Inc
## BHS           0.224    0.567 0.391      NA
## IT_Anxiety     0.001    0.003 0.156    0.240
## IT_Emotion     0.001    0.002 0.142    0.253
## BHS,IT_Anxiety 0.029    0.073 0.396      NA
## BHS,IT_Emotion 0.015    0.039 0.395      NA
## IT_Anxiety,IT_Emotion 0.003    0.008 0.172    0.224
## BHS,IT_Anxiety,IT_Emotion 0.122    0.309 0.396      NA
## Total          0.396    1.000      NA      NA
##           IT_Anxiety.Inc IT_Emotion.Inc
## BHS           0.004          0.004
## IT_Anxiety     NA          0.016
## IT_Emotion     0.030          NA
## BHS,IT_Anxiety NA          0.001
## BHS,IT_Emotion 0.001          NA
## IT_Anxiety,IT_Emotion NA          NA
## BHS,IT_Anxiety,IT_Emotion NA          NA
## Total          NA          NA
```

```
boot.out1_8<-
```

```
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep1_8,regrou0=regrOutdep1_8)
```

```
resultdep1_8<-booteval.yhat(regrOutdep1_8,boot.out1_8,bty="perc")
resultdep1_8$combCIaps
```

```
##           Commonality R2
## BHS           0.224(0.112,0.337) 0.391(0.268,0.532)
## IT_Anxiety     0.001(0.000,0.023) 0.156(0.069,0.274)
## IT_Emotion     0.001(0.000,0.019) 0.142(0.059,0.257)
## BHS,IT_Anxiety 0.029(-0.001,0.072) 0.396(0.276,0.536)
## BHS,IT_Emotion 0.015(-0.005,0.052) 0.395(0.276,0.534)
## IT_Anxiety,IT_Emotion 0.003(-0.007,0.022) 0.172(0.084,0.298)
## BHS,IT_Anxiety,IT_Emotion 0.122(0.055,0.210) 0.396(0.280,0.539)
##           BHS.Inc IT_Anxiety.Inc
## BHS           NA 0.004(0.000,0.036)
## IT_Anxiety     0.240(0.125,0.363)      NA
```

```

## IT_Emotion          0.253(0.136,0.371) 0.030(0.002,0.088)
## BHS,IT_Anxiety      NA              NA
## BHS,IT_Emotion      NA 0.001(0.000,0.023)
## IT_Anxiety,IT_Emotion 0.224(0.112,0.337)      NA
## BHS,IT_Anxiety,IT_Emotion NA              NA
##                      IT_Emotion.Inc
## BHS                  0.004(0,0.031)
## IT_Anxiety           0.016(0,0.066)
## IT_Emotion           NA
## BHS,IT_Anxiety       0.001(0,0.019)
## BHS,IT_Emotion       NA
## IT_Anxiety,IT_Emotion NA
## BHS,IT_Anxiety,IT_Emotion NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep1_8_lcipercent <- resultdep1_8$lowerCIaps$Commonality[1:3] /
regrOutdep1_8$APSRelatedMetrics$Commonality[8]

resultdep1_8_hcipercent <- resultdep1_8$upperCIaps$Commonality[1:3] /
regrOutdep1_8$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep1_8_est_r2 <- regrOutdep1_8$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhope_bsidep1_8)$r.squared

resultdep1_8_lci_r2 <- resultdep1_8_lcipercent * summary(emwhope_bsidep1_8)$r.squared

resultdep1_8_uci_r2 <- resultdep1_8_hcipercent * summary(emwhope_bsidep1_8)$r.squared

## Study 2
## For symptom 8, Feeling blue/down
## 63.4% for Hopelessness, CI does not contain 0
## 1.1% for Anxiety Theories, CI does not contain 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsidep2_8 <- lm(BSI18_8 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsidep2_8)

##
## Call:
## lm(formula = BSI18_8 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.4420 -0.5002 -0.2249  0.5335  3.6919
##
## Coefficients:

```

```
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.100398   0.128168   8.586  <2e-16 ***
## BHS            0.238065   0.014693  16.203  <2e-16 ***
## IT_Anxiety_Pre 0.025035   0.011899   2.104   0.036 *
## IT_Emotion_Pre 0.004062   0.015005   0.271   0.787
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8781 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.4937, Adjusted R-squared:  0.4901
## F-statistic: 138.1 on 3 and 425 DF, p-value: < 2.2e-16

regrOutdep2_8<-calc.yhat(emwhope_bsidep2_8)

regrOutdep2_8

## $PredictorMetrics
##               b Beta      r    rs    rs2 Unique Common  CD:0  CD:1
## BHS            0.238 0.638 0.695 0.989 0.978  0.313  0.170 0.483 0.348
## IT_Anxiety_Pre 0.025 0.108 0.423 0.602 0.363  0.005  0.174 0.179 0.042
## IT_Emotion_Pre 0.004 0.013 0.328 0.466 0.217  0.000  0.107 0.107 0.004
## Total          NA    NA    NA    NA 1.558  0.318  0.451 0.769 0.394
##               CD:2 GenDom Pratt   RLW
## BHS            0.313  0.381 0.444 0.383
## IT_Anxiety_Pre 0.005  0.076 0.046 0.074
## IT_Emotion_Pre 0.000  0.037 0.004 0.037
## Total          0.318  0.494 0.494 0.494
##
## $OrderedPredictorMetrics
##               b Beta r rs rs2 Unique Common  CD:0  CD:1  CD:2 GenDom Pratt
## BHS            1   1 1 1 1      1      2    1    1    1      1    1
## IT_Anxiety_Pre 2   2 2 2 2      2      1    2    2    2      2    2
## IT_Emotion_Pre 3   3 3 3 3      3      3    3    3    3      3    3
##               RLW
## BHS            1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##               Comp Cond Gen
## BHS>IT_Anxiety_Pre      1  1  1
## BHS>IT_Emotion_Pre      1  1  1
## IT_Anxiety_Pre>IT_Emotion_Pre 1  1  1
##
## $APSRRelatedMetrics
##               Commonality % Total    R2 BHS.Inc
## BHS            0.313    0.634 0.483    NA
## IT_Anxiety_Pre 0.005    0.011 0.179    0.314
## IT_Emotion_Pre 0.000    0.000 0.107    0.381
## BHS,IT_Anxiety_Pre 0.068    0.138 0.494    NA
## BHS,IT_Emotion_Pre 0.002    0.003 0.488    NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.005    0.011 0.181    0.313
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.100    0.203 0.494    NA
## Total          0.494    1.000    NA    NA
##               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
```

```
## BHS 0.011 0.005
## IT_Anxiety_Pre NA 0.002
## IT_Emotion_Pre 0.074 NA
## BHS,IT_Anxiety_Pre NA 0.000
## BHS,IT_Emotion_Pre 0.005 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total NA NA
```

```
boot.out2_8<-
```

```
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2_8,regrou0=regrOutdep2_8)
```

```
resultdep2_8<-booteval.yhat(regrOutdep2_8,boot.out2_8,bty="perc")
```

```
resultdep2_8$combCIaps
```

```
## Commonality R2
## BHS 0.313(0.229,0.394) 0.483(0.396,0.566)
## IT_Anxiety_Pre 0.005(0.000,0.017) 0.179(0.114,0.264)
## IT_Emotion_Pre 0.000(0.000,0.006) 0.107(0.059,0.171)
## BHS,IT_Anxiety_Pre 0.068(0.030,0.114) 0.494(0.407,0.576)
## BHS,IT_Emotion_Pre 0.002(-0.002,0.013) 0.488(0.402,0.570)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.005(-0.001,0.015) 0.181(0.116,0.266)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.100(0.058,0.151) 0.494(0.408,0.576)
## BHS.Inc IT_Anxiety_Pre.Inc
## BHS NA 0.011(0.001,0.027)
## IT_Anxiety_Pre 0.314(0.229,0.398) NA
## IT_Emotion_Pre 0.381(0.289,0.467) 0.074(0.030,0.127)
## BHS,IT_Anxiety_Pre NA NA
## BHS,IT_Emotion_Pre NA 0.005(0.000,0.017)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.313(0.229,0.394) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.005(0,0.018)
## IT_Anxiety_Pre 0.002(0,0.017)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.000(0,0.006)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

```
## Now need to divide both of these by commonality score from first one to get them
on the % Total metric
```

```
resultdep2_8_lcipercent <- resultdep2_8$lowerCIaps$Commonality[1:3] /
regrOutdep2_8$APSRelatedMetrics$Commonality[8]
```

```
resultdep2_8_hcipercent <- resultdep2_8$upperCIaps$Commonality[1:3] /
regrOutdep2_8$APSRelatedMetrics$Commonality[8]
```

```
## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)
```

```
resultdep2_8_est_r2 <- regrOutdep2_8$APSRelatedMetrics$` % Total `[1:3] *
summary(emwhope_bsidep2_8)$r.squared
```

```
resultdep2_8_lci_r2 <- resultdep2_8_lcipercent * summary(emwhope_bsidep2_8)$r.squared
resultdep2_8_uci_r2 <- resultdep2_8_hcipercent * summary(emwhope_bsidep2_8)$r.squared
```

Symptom 11 - Worthlessness

```
## Study 1
## 61.3% for Hopelessness, CI does not contain 0
## For symptom 11, Worthlessness
## 0.1% for Anxiety Theories, CI contains 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsidep1_11 <- lm(BSI18_11 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsidep1_11)

##
## Call:
## lm(formula = BSI18_11 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -3.14984 -0.18774 -0.06935  0.18108  2.40518
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.930921   0.162589   5.726 3.82e-08 ***
## BHS          0.243644   0.018978  12.838 < 2e-16 ***
## IT_Anxiety   0.007869   0.016671   0.472   0.637
## IT_Emotion   0.009188   0.019460   0.472   0.637
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.7669 on 196 degrees of freedom
## Multiple R-squared:  0.5784, Adjusted R-squared:  0.572
## F-statistic: 89.64 on 3 and 196 DF, p-value: < 2.2e-16

regrOutdep1_11 <- calc.yhat(emwhope_bsidep1_11)

regrOutdep1_11

## $PredictorMetrics
##              b Beta      r    rs   rs2 Unique Common  CD:0  CD:1  CD:2
## BHS          0.244 0.723 0.759 0.998 0.995  0.355  0.221 0.576 0.384 0.355
## IT_Anxiety   0.008 0.034 0.450 0.592 0.350  0.000  0.202 0.202 0.020 0.000
## IT_Emotion   0.009 0.033 0.431 0.566 0.321  0.000  0.185 0.185 0.012 0.000
## Total        NA    NA    NA    NA 1.666  0.355  0.608 0.963 0.416 0.355
##              GenDom Pratt  RLW
## BHS          0.438 0.549 0.436
## IT_Anxiety   0.074 0.015 0.075
## IT_Emotion   0.066 0.014 0.067
## Total        0.578 0.578 0.578
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS          1   1 1 1 1 1 1 1 1 1 1 1 1
## IT_Anxiety   3   2 2 2 2 2 2 2 2 2 2 2 2
```

```
## IT_Emotion 2      3 3 3 3      3      3      3      3      3      3      3 3
##
```

```
## $PairedDominanceMetrics
```

```
##                               Comp Cond Gen
## BHS>IT_Anxiety                1.0  1.0  1
## BHS>IT_Emotion                1.0  1.0  1
## IT_Anxiety>IT_Emotion        0.5  0.5  1
##
```

```
## $APSRRelatedMetrics
```

```
##                               Commonality % Total      R2 BHS.Inc
## BHS                          0.355      0.613 0.576      NA
## IT_Anxiety                   0.000      0.001 0.202      0.375
## IT_Emotion                   0.000      0.001 0.185      0.392
## BHS,IT_Anxiety               0.038      0.066 0.578      NA
## BHS,IT_Emotion               0.021      0.036 0.578      NA
## IT_Anxiety,IT_Emotion        0.002      0.003 0.224      0.355
## BHS,IT_Anxiety,IT_Emotion    0.162      0.281 0.578      NA
## Total                        0.578      1.000      NA      NA
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.002              0.002
## IT_Anxiety                   NA              0.021
## IT_Emotion                   0.038              NA
## BHS,IT_Anxiety               NA              0.000
## BHS,IT_Emotion               0.000              NA
## IT_Anxiety,IT_Emotion        NA              NA
## BHS,IT_Anxiety,IT_Emotion    NA              NA
## Total                        NA              NA
```

```
boot.out1_11<-
```

```
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep1_11,regrou0=regrOutdep1_11)
```

```
resultdep1_11<-booteval.yhat(regrOutdep1_11,boot.out1_11,bty="perc")
```

```
resultdep1_11$combCIaps
```

```
##                               Commonality      R2
## BHS                          0.355(0.233,0.477) 0.576(0.458,0.693)
## IT_Anxiety                   0.000(0.000,0.010) 0.202(0.113,0.321)
## IT_Emotion                   0.000(0.000,0.010) 0.185(0.093,0.302)
## BHS,IT_Anxiety               0.038(0.003,0.095) 0.578(0.459,0.696)
## BHS,IT_Emotion               0.021(-0.001,0.063) 0.578(0.463,0.694)
## IT_Anxiety,IT_Emotion        0.002(-0.004,0.008) 0.224(0.131,0.349)
## BHS,IT_Anxiety,IT_Emotion    0.162(0.084,0.258) 0.578(0.463,0.698)
##                               BHS.Inc      IT_Anxiety.Inc
## BHS                          NA      0.002(0.000,0.014)
## IT_Anxiety                   0.375(0.258,0.503)      NA
## IT_Emotion                   0.392(0.271,0.511) 0.038(0.005,0.097)
## BHS,IT_Anxiety               NA      NA
## BHS,IT_Emotion               NA      0.000(0.000,0.010)
## IT_Anxiety,IT_Emotion        0.355(0.233,0.477)      NA
## BHS,IT_Anxiety,IT_Emotion    NA      NA
##                               IT_Emotion.Inc
## BHS                          0.002(0.000,0.015)
## IT_Anxiety                   0.021(0.001,0.069)
## IT_Emotion                   NA
## BHS,IT_Anxiety               0.000(0.000,0.010)
## BHS,IT_Emotion               NA
```

```

## IT_Anxiety,IT_Emotion          NA
## BHS,IT_Anxiety,IT_Emotion      NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep1_11_lcipercent <- resultdep1_11$lowerCIaps$Commonality[1:3] /
regrOutdep1_11$APSRelatedMetrics$Commonality[8]

resultdep1_11_hcipercent <- resultdep1_11$upperCIaps$Commonality[1:3] /
regrOutdep1_11$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep1_11_est_r2 <- regrOutdep1_11$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhope_bsidep1_11)$r.squared

resultdep1_11_lci_r2 <- resultdep1_11_lcipercent *
summary(emwhope_bsidep1_11)$r.squared

resultdep1_11_uci_r2 <- resultdep1_11_hcipercent *
summary(emwhope_bsidep1_11)$r.squared


## Study 2
## For symptom 11, Worthlessness
## 56.8% for Hopelessness, CI does not contain 0
## 3.5% for Anxiety Theories, CI does not contain 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsidep2_11 <- lm(BSI18_11 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsidep2_11)

##
## Call:
## lm(formula = BSI18_11 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.6164 -0.4461 -0.1101  0.4106  3.3049
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.83347    0.12639   6.594 1.27e-10 ***
## BHS             0.23138    0.01449  15.969 < 2e-16 ***
## IT_Anxiety_Pre  0.04669    0.01173   3.979 8.14e-05 ***
## IT_Emotion_Pre -0.01076    0.01480  -0.727  0.467
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8659 on 425 degrees of freedom

```

```
## (1 observation deleted due to missingness)
## Multiple R-squared: 0.5139, Adjusted R-squared: 0.5105
## F-statistic: 149.8 on 3 and 425 DF, p-value: < 2.2e-16

regrOutdep2_11<-calc.yhat(emwhope_bsidep2_11)

regrOutdep2_11

## $PredictorMetrics
##          b      Beta      r      rs      rs2 Unique Common CD:0 CD:1
## BHS      0.231 0.616 0.699 0.976 0.952 0.292 0.198 0.489 0.337
## IT_Anxiety_Pre 0.047 0.200 0.471 0.658 0.432 0.018 0.204 0.222 0.067
## IT_Emotion_Pre -0.011 -0.035 0.336 0.469 0.220 0.001 0.113 0.113 0.003
## Total      NA      NA      NA      NA 1.604 0.311 0.515 0.824 0.407
##          CD:2 GenDom Pratt RLW
## BHS      0.292 0.373 0.431 0.376
## IT_Anxiety_Pre 0.018 0.102 0.094 0.100
## IT_Emotion_Pre 0.001 0.039 -0.012 0.038
## Total      0.311 0.514 0.513 0.514
##
## $OrderedPredictorMetrics
##          b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS      1 1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2 2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3 3 3 3 3 3 3 3 3 3 3 3
##          RLW
## BHS      1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##          Comp Cond Gen
## BHS>IT_Anxiety_Pre 1 1 1
## BHS>IT_Emotion_Pre 1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
##          Commonality % Total R2 BHS.Inc
## BHS      0.292 0.568 0.489 NA
## IT_Anxiety_Pre 0.018 0.035 0.222 0.291
## IT_Emotion_Pre 0.001 0.001 0.113 0.383
## BHS,IT_Anxiety_Pre 0.091 0.177 0.513 NA
## BHS,IT_Emotion_Pre -0.001 -0.001 0.496 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.006 0.012 0.222 0.292
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.107 0.209 0.514 NA
## Total      0.514 1.000 NA NA
##          IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS      0.024 0.007
## IT_Anxiety_Pre NA 0.000
## IT_Emotion_Pre 0.109 NA
## BHS,IT_Anxiety_Pre NA 0.001
## BHS,IT_Emotion_Pre 0.018 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total      NA NA
```



```

boot.out2_11<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2_11,regrout0=regrOutdep2_11)

resultdep2_11<-booteval.yhat(regrOutdep2_11,boot.out2_11,bty="perc")
resultdep2_11$combCIaps

##                               Commonality                               R2
## BHS                        0.292(0.209,0.376) 0.489(0.402,0.573)
## IT_Anxiety_Pre             0.018(0.003,0.046) 0.222(0.150,0.301)
## IT_Emotion_Pre             0.001(0.000,0.010) 0.113(0.060,0.180)
## BHS,IT_Anxiety_Pre         0.091(0.050,0.143) 0.513(0.432,0.594)
## BHS,IT_Emotion_Pre        -0.001(-0.006,0.007) 0.496(0.413,0.580)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.006(-0.008,0.019) 0.222(0.152,0.304)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.107(0.057,0.160) 0.514(0.435,0.598)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.024(0.006,0.053)
## IT_Anxiety_Pre                   0.291(0.210,0.375) NA
## IT_Emotion_Pre                   0.383(0.296,0.463) 0.109(0.058,0.172)
## BHS,IT_Anxiety_Pre               NA NA
## BHS,IT_Emotion_Pre               NA 0.018(0.003,0.046)
## IT_Anxiety_Pre,IT_Emotion_Pre    0.292(0.209,0.376) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
##                               IT_Emotion_Pre.Inc
## BHS                               0.007(0,0.02)
## IT_Anxiety_Pre                   0.000(0,0.01)
## IT_Emotion_Pre                   NA
## BHS,IT_Anxiety_Pre               0.001(0,0.01)
## BHS,IT_Emotion_Pre               NA
## IT_Anxiety_Pre,IT_Emotion_Pre    NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep2_11_lcipercent <- resultdep2_11$lowerCIaps$Commonality[1:3] /
regrOutdep2_11$APSRelatedMetrics$Commonality[8]

resultdep2_11_hcipercent <- resultdep2_11$upperCIaps$Commonality[1:3] /
regrOutdep2_11$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep2_11_est_r2 <- regrOutdep2_11$APSRelatedMetrics$`% Total`[1:3] *
summary(emwhope_bsidep2_11)$r.squared

resultdep2_11_lci_r2 <- resultdep2_11_lcipercent *
summary(emwhope_bsidep2_11)$r.squared

resultdep2_11_uci_r2 <- resultdep2_11_hcipercent *
summary(emwhope_bsidep2_11)$r.squared

```

Symptom 14 - Pessimism

```
## Study 1
## For symptom 14, Pessimism
## 47.9% for Hopelessness, CI does not contain 0
## 5.5% for Anxiety Theories, CI does not contain 0
## 0.8% for Emotion Theories, CI contains 0

emwhope_bsidep1_14 <- lm(BSI18_14 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsidep1_14)

##
## Call:
## lm(formula = BSI18_14 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.33702 -0.37759 -0.09728  0.32820  2.28585
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.86112     0.17279   4.984 1.37e-06 ***
## BHS          0.20687     0.02017  10.257 < 2e-16 ***
## IT_Anxiety   0.06184     0.01772   3.490 0.000596 ***
## IT_Emotion  -0.02698     0.02068  -1.305 0.193587
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.815 on 196 degrees of freedom
## Multiple R-squared:  0.5287, Adjusted R-squared:  0.5214
## F-statistic: 73.28 on 3 and 196 DF, p-value: < 2.2e-16

regrOutdep1_14 <- calc.yhat(emwhope_bsidep1_14)

regrOutdep1_14

## $PredictorMetrics
##              b   Beta    r    rs   rs2 Unique Common  CD:0  CD:1  CD:2
## BHS           0.207 0.611 0.704 0.969 0.938  0.253  0.243 0.496 0.290 0.253
## IT_Anxiety    0.062 0.264 0.524 0.720 0.519  0.029  0.245 0.274 0.067 0.029
## IT_Emotion   -0.027 -0.097 0.413 0.567 0.322  0.004  0.166 0.170 0.002 0.004
## Total         NA    NA    NA    NA 1.779  0.286  0.654 0.940 0.359 0.286
##              GenDom Pratt  RLW
## BHS           0.346 0.430 0.348
## IT_Anxiety    0.123 0.138 0.124
## IT_Emotion    0.059 -0.040 0.057
## Total         0.528 0.528 0.529
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common  CD:0  CD:1  CD:2 GenDom Pratt RLW
## BHS           1  1 1 1 1      1      2  1  1  1      1  1  1
## IT_Anxiety    2  2 2 2 2      2      1  2  2  2      2  2  2
## IT_Emotion    3  3 3 3 3      3      3  3  3  3      3  3  3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
```

```
## BHS>IT_Anxiety      1      1      1
## BHS>IT_Emotion      1      1      1
## IT_Anxiety>IT_Emotion 1      1      1
##
## $APSRRelatedMetrics
##
## Commonality % Total R2 BHS.Inc
## BHS 0.253 0.479 0.496 NA
## IT_Anxiety 0.029 0.055 0.274 0.250
## IT_Emotion 0.004 0.008 0.170 0.329
## BHS,IT_Anxiety 0.076 0.144 0.525 NA
## BHS,IT_Emotion -0.003 -0.005 0.499 NA
## IT_Anxiety,IT_Emotion -0.001 -0.001 0.276 0.253
## BHS,IT_Anxiety,IT_Emotion 0.169 0.320 0.529 NA
## Total 0.529 1.000 NA NA
##
## IT_Anxiety.Inc IT_Emotion.Inc
## BHS 0.029 0.003
## IT_Anxiety NA 0.002
## IT_Emotion 0.105 NA
## BHS,IT_Anxiety NA 0.004
## BHS,IT_Emotion 0.029 NA
## IT_Anxiety,IT_Emotion NA NA
## BHS,IT_Anxiety,IT_Emotion NA NA
## Total NA NA

boot.out1_14<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsidep1_14,regrou0=regrOutdep1_14)

resultdep1_14<-booteval.yhat(regrOutdep1_14,boot.out1_14,bty="perc")
resultdep1_14$combCIaps

## Commonality R2
## BHS 0.253(0.148,0.371) 0.496(0.373,0.613)
## IT_Anxiety 0.029(0.004,0.071) 0.274(0.166,0.391)
## IT_Emotion 0.004(0.000,0.022) 0.170(0.087,0.269)
## BHS,IT_Anxiety 0.076(0.027,0.137) 0.525(0.416,0.634)
## BHS,IT_Emotion -0.003(-0.019,0.019) 0.499(0.385,0.619)
## IT_Anxiety,IT_Emotion -0.001(-0.021,0.022) 0.276(0.171,0.396)
## BHS,IT_Anxiety,IT_Emotion 0.169(0.095,0.248) 0.529(0.421,0.637)
## BHS.Inc IT_Anxiety.Inc
## BHS NA 0.029(0.004,0.074)
## IT_Anxiety 0.250(0.144,0.374) NA
## IT_Emotion 0.329(0.216,0.448) 0.105(0.042,0.186)
## BHS,IT_Anxiety NA NA
## BHS,IT_Emotion NA 0.029(0.004,0.071)
## IT_Anxiety,IT_Emotion 0.253(0.148,0.371) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
## IT_Emotion.Inc
## BHS 0.003(0,0.023)
## IT_Anxiety 0.002(0,0.020)
## IT_Emotion NA
## BHS,IT_Anxiety 0.004(0,0.022)
## BHS,IT_Emotion NA
## IT_Anxiety,IT_Emotion NA
## BHS,IT_Anxiety,IT_Emotion NA
```

```

## Now need to divide both of these by commonality score from first one to get them
on the % Total metric

resultdep1_14_lcipercent <- resultdep1_14$lowerCIaps$Commonality[1:3] /
regrOutdep1_14$APSRelatedMetrics$Commonality[8]

resultdep1_14_hcipercent <- resultdep1_14$upperCIaps$Commonality[1:3] /
regrOutdep1_14$APSRelatedMetrics$Commonality[8]

## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)

resultdep1_14_est_r2 <- regrOutdep1_14$APSRelatedMetrics$` % Total`[1:3] *
summary(emwhoep_bsidep1_14)$r.squared

resultdep1_14_lci_r2 <- resultdep1_14_lcipercent *
summary(emwhoep_bsidep1_14)$r.squared

resultdep1_14_uci_r2 <- resultdep1_14_hcipercent *
summary(emwhoep_bsidep1_14)$r.squared

## Study 2
## For symptom 14, Pessimism
## 65.5% for Hopelessness, CI does not contain 0
## 1.8% for Anxiety Theories, CI does not contain 0
## 0.3% for Emotion Theories, CI contains 0

emwhoep_bsidep2_14 <- lm(BSI18_14 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre, data =
emhop2)
summary(emwhoep_bsidep2_14)

##
## Call:
## lm(formula = BSI18_14 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.7778 -0.3883 -0.1098  0.3234  3.9188
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.01315    0.11659   8.690 < 2e-16 ***
## BHS              0.27073    0.01337  20.256 < 2e-16 ***
## IT_Anxiety_Pre  0.03682    0.01082   3.401 0.000734 ***
## IT_Emotion_Pre -0.01979    0.01365  -1.450 0.147786
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.7988 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.5959, Adjusted R-squared:  0.593
## F-statistic: 208.9 on 3 and 425 DF, p-value: < 2.2e-16

```

```
regrOutdep2_14<-calc.yhat(emwhope_bsidep2_14)
```

```
regrOutdep2_14
```

```
## $PredictorMetrics
##           b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           0.271  0.713 0.764 0.990 0.980  0.390  0.194 0.584 0.438
## IT_Anxiety_Pre 0.037  0.156 0.453 0.587 0.345  0.011  0.195 0.206 0.059
## IT_Emotion_Pre -0.020 -0.063 0.313 0.405 0.164  0.002  0.096 0.098 0.000
## Total          NA      NA      NA      NA 1.489  0.403  0.485 0.888 0.497
##           CD:2 GenDom Pratt  RLW
## BHS           0.390  0.471  0.545 0.472
## IT_Anxiety_Pre 0.011  0.092  0.071 0.091
## IT_Emotion_Pre 0.002  0.033 -0.020 0.033
## Total          0.403  0.596  0.596 0.596
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2  2 2 2 2 2 1 2 2 2 2 2 2
## IT_Emotion_Pre 3  3 3 3 3 3 3 3 3 3 3 3 3
##           RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1  1 1
## BHS>IT_Emotion_Pre           1  1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1  1 1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                               0.390  0.655 0.584  NA
## IT_Anxiety_Pre                     0.011  0.018 0.206  0.388
## IT_Emotion_Pre                     0.002  0.003 0.098  0.487
## BHS,IT_Anxiety_Pre                 0.097  0.162 0.594  NA
## BHS,IT_Emotion_Pre                -0.002 -0.003 0.585  NA
## IT_Anxiety_Pre,IT_Emotion_Pre      -0.001 -0.002 0.206  0.390
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  0.099  0.166 0.596  NA
## Total                             0.596  1.000  NA  NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.010  0.001
## IT_Anxiety_Pre                     NA  0.000
## IT_Emotion_Pre                     0.108  NA
## BHS,IT_Anxiety_Pre                 NA  0.002
## BHS,IT_Emotion_Pre                 0.011  NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA  NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA  NA
## Total                             NA  NA
```

```
boot.out2_14<-
```

```
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsidep2_14,regROUT0=regrOutdep2_14)
```

```
resultdep2_14<-booteval.yhat(regrOutdep2_14,boot.out2_14,bty="perc")
resultdep2_14$combCIaps
```

```
##                               Commonality                               R2
## BHS                        0.390(0.307,0.479) 0.584(0.494,0.668)
## IT_Anxiety_Pre            0.011(0.001,0.031) 0.206(0.132,0.287)
## IT_Emotion_Pre           0.002(0.000,0.013) 0.098(0.047,0.163)
## BHS,IT_Anxiety_Pre        0.097(0.051,0.153) 0.594(0.504,0.678)
## BHS,IT_Emotion_Pre       -0.002(-0.008,0.008) 0.585(0.497,0.669)
## IT_Anxiety_Pre,IT_Emotion_Pre -0.001(-0.012,0.008) 0.206(0.135,0.291)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.099(0.049,0.155) 0.596(0.511,0.685)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.010(0.001,0.027)
## IT_Anxiety_Pre                   0.388(0.310,0.476) NA
## IT_Emotion_Pre                   0.487(0.400,0.572) 0.108(0.055,0.177)
## BHS,IT_Anxiety_Pre               NA NA
## BHS,IT_Emotion_Pre               NA 0.011(0.001,0.031)
## IT_Anxiety_Pre,IT_Emotion_Pre    0.390(0.307,0.479) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
##                               IT_Emotion_Pre.Inc
## BHS                               0.001(0,0.008)
## IT_Anxiety_Pre                   0.000(0,0.012)
## IT_Emotion_Pre                   NA
## BHS,IT_Anxiety_Pre               0.002(0,0.013)
## BHS,IT_Emotion_Pre               NA
## IT_Anxiety_Pre,IT_Emotion_Pre    NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

```
## Now need to divide both of these by commonality score from first one to get them
on the % Total metric
```

```
resultdep2_14_lcipercent <- resultdep2_14$lowerCIaps$Commonality[1:3] /
regrOutdep2_14$APSRelatedMetrics$Commonality[8]
```

```
resultdep2_14_hcipercent <- resultdep2_14$upperCIaps$Commonality[1:3] /
regrOutdep2_14$APSRelatedMetrics$Commonality[8]
```

```
## After that need to multiply all values by the total r squared value of the
regression model (Gets it out of relative variance and into absolute variance)
```

```
resultdep2_14_est_r2 <- regrOutdep2_14$APSRelatedMetrics$`% Total`[1:3] *
summary(emwhoep_bsidep2_14)$r.squared
```

```
resultdep2_14_lci_r2 <- resultdep2_14_lcipercent *
summary(emwhoep_bsidep2_14)$r.squared
```

```
resultdep2_14_uci_r2 <- resultdep2_14_hcipercent *
summary(emwhoep_bsidep2_14)$r.squared
```

Looking at Commonality Analysis of Individual Anxiety Symptoms in Both Samples

Symptom 3, Nervousness/Shakiness

```
## Study 1
## For symptom 3, Nervousness/Shakiness
## 53.9% for Hopelessness, CI does not contain 0
## 0.5% for Anxiety Theories, CI contains 0
## 0.2% for Emotion Theories, CI contains 0

emwhope_bsianx1_3 <- lm(BSI18_3 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsianx1_3)

##
## Call:
## lm(formula = BSI18_3 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.1974 -0.4254 -0.2665  0.5268  3.7672
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.09023     0.18245   5.976 1.06e-08 ***
## BHS           0.17058     0.02130   8.010 1.00e-13 ***
## IT_Anxiety    0.01502     0.01871   0.803   0.423
## IT_Emotion    0.01124     0.02184   0.515   0.607
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8605 on 196 degrees of freedom
## Multiple R-squared:  0.3781, Adjusted R-squared:  0.3685
## F-statistic: 39.71 on 3 and 196 DF, p-value: < 2.2e-16

regrOutanx1_3 <- calc.yhat(emwhope_bsianx1_3)
regrOutanx1_3

## $PredictorMetrics
##              b Beta      r    rs   rs2 Unique Common  CD:0  CD:1  CD:2
## BHS           0.171 0.548 0.609 0.990 0.980  0.204  0.167 0.370 0.226 0.204
## IT_Anxiety    0.015 0.070 0.399 0.649 0.421  0.002  0.157 0.159 0.019 0.002
## IT_Emotion    0.011 0.044 0.378 0.614 0.377  0.001  0.142 0.143 0.010 0.001
## Total         NA    NA    NA    NA 1.778  0.207  0.466 0.672 0.255 0.207
##              GenDom Pratt   RLW
## BHS           0.267 0.334 0.266
## IT_Anxiety    0.060 0.028 0.060
## IT_Emotion    0.051 0.017 0.052
## Total         0.378 0.379 0.378
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS           1  1 1 1 1 1 1 1 1 1 1 1 1
## IT_Anxiety    2  2 2 2 2 2 2 2 2 2 2 2 2
## IT_Emotion    3  3 3 3 3 3 3 3 3 3 3 3 3
```

```
##
## $PairedDominanceMetrics
##           Comp Cond Gen
## BHS>IT_Anxiety      1   1   1
## BHS>IT_Emotion      1   1   1
## IT_Anxiety>IT_Emotion 1   1   1
##
## $APSRRelatedMetrics
##           Commonality % Total R2 BHS.Inc
## BHS           0.204    0.539 0.370    NA
## IT_Anxiety     0.002    0.005 0.159    0.218
## IT_Emotion     0.001    0.002 0.143    0.233
## BHS,IT_Anxiety  0.030    0.079 0.377    NA
## BHS,IT_Emotion  0.014    0.038 0.376    NA
## IT_Anxiety,IT_Emotion 0.005    0.013 0.174    0.204
## BHS,IT_Anxiety,IT_Emotion 0.123    0.324 0.378    NA
## Total          0.378    1.000    NA    NA
##           IT_Anxiety.Inc IT_Emotion.Inc
## BHS           0.007          0.006
## IT_Anxiety     NA          0.015
## IT_Emotion     0.032          NA
## BHS,IT_Anxiety  NA          0.001
## BHS,IT_Emotion  0.002          NA
## IT_Anxiety,IT_Emotion NA          NA
## BHS,IT_Anxiety,IT_Emotion NA          NA
## Total          NA          NA

boot.out1_3<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_3,regrou0=regrou tanx1_3)

resultanx1_3<-booteval.yhat(regrou tanx1_3,boot.out1_3,bty="perc")
resultanx1_3$combCIaps

##           Commonality R2
## BHS           0.204(0.112,0.307) 0.370(0.247,0.514)
## IT_Anxiety     0.002(0.000,0.024) 0.159(0.071,0.275)
## IT_Emotion     0.001(0.000,0.021) 0.143(0.058,0.260)
## BHS,IT_Anxiety  0.030(0.000,0.079) 0.377(0.252,0.522)
## BHS,IT_Emotion  0.014(-0.007,0.051) 0.376(0.252,0.524)
## IT_Anxiety,IT_Emotion 0.005(-0.006,0.023) 0.174(0.084,0.300)
## BHS,IT_Anxiety,IT_Emotion 0.123(0.056,0.206) 0.378(0.254,0.531)
##           BHS.Inc IT_Anxiety.Inc
## BHS           NA 0.007(0.000,0.034)
## IT_Anxiety     0.218(0.121,0.328) NA
## IT_Emotion     0.233(0.140,0.338) 0.032(0.003,0.093)
## BHS,IT_Anxiety  NA NA
## BHS,IT_Emotion  NA 0.002(0.000,0.024)
## IT_Anxiety,IT_Emotion 0.204(0.112,0.307) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
##           IT_Emotion.Inc
## BHS           0.006(0,0.035)
## IT_Anxiety     0.015(0,0.067)
## IT_Emotion     NA
## BHS,IT_Anxiety  0.001(0,0.021)
## BHS,IT_Emotion  NA
```



```

## IT_Anxiety,IT_Emotion          NA
## BHS,IT_Anxiety,IT_Emotion      NA

## Study 2
## For symptom 3, Nervousness/Shakiness
## 32.2% for Hopelessness, CI does not contain 0
## 17.5% for Anxiety Theories, CI does not contain 0
## 1.3% for Emotion Theories, CI contains 0

emwhope_bsianx2_3 <- lm(BSI18_3 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsianx2_3)

##
## Call:
## lm(formula = BSI18_3 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.9839 -0.5198 -0.1698  0.3402  3.9537
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.83923    0.12766   6.574 1.44e-10 ***
## BHS             0.13328    0.01463   9.107 < 2e-16 ***
## IT_Anxiety_Pre  0.07957    0.01185   6.714 6.08e-11 ***
## IT_Emotion_Pre -0.02782    0.01495  -1.861  0.0634 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8746 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3771, Adjusted R-squared:  0.3727
## F-statistic: 85.76 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2_3<-calc.yhat(emwhope_bsianx2_3)

regrOutanx2_3

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           0.133  0.398 0.544 0.886 0.784  0.122  0.174 0.296 0.165
## IT_Anxiety_Pre 0.080  0.383 0.503 0.819 0.671  0.066  0.187 0.253 0.115
## IT_Emotion_Pre -0.028 -0.100 0.317 0.517 0.267  0.005  0.096 0.101 0.009
## Total          NA      NA      NA      NA 1.722  0.193  0.457 0.650 0.289
##              CD:2 GenDom  Pratt  RLW
## BHS           0.122  0.194  0.216 0.199
## IT_Anxiety_Pre 0.066  0.145  0.193 0.142
## IT_Emotion_Pre 0.005  0.038 -0.032 0.037
## Total          0.193  0.377  0.377 0.378
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1      1      2  1  1  1      1      1
## IT_Anxiety_Pre 2  2 2 2 2      2      1  2  2  2      2      2

```

```

## IT_Emotion_Pre 3 3 3 3 3 3 3 3 3 3 3
## RLW
## BHS 1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
## Comp Cond Gen
## BHS>IT_Anxiety_Pre 1 1 1
## BHS>IT_Emotion_Pre 1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
## Commonality % Total R2 BHS.Inc
## BHS 0.122 0.322 0.296 NA
## IT_Anxiety_Pre 0.066 0.175 0.253 0.119
## IT_Emotion_Pre 0.005 0.013 0.101 0.210
## BHS,IT_Anxiety_Pre 0.089 0.235 0.372 NA
## BHS,IT_Emotion_Pre -0.002 -0.007 0.311 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.010 0.027 0.256 0.122
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.088 0.233 0.377 NA
## Total 0.377 1.000 NA NA
## IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS 0.076 0.015
## IT_Anxiety_Pre NA 0.003
## IT_Emotion_Pre 0.155 NA
## BHS,IT_Anxiety_Pre NA 0.005
## BHS,IT_Emotion_Pre 0.066 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total NA NA

boot.out2_3<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsi anx2_3,regrou t0=regrOutanx2_3)

resultanx2_3<-booteval.yhat(regrOutanx2_3,boot.out2_3,bty="perc")
resultanx2_3$combCIaps

## Commonality R2
## BHS 0.122(0.062,0.189) 0.296(0.208,0.389)
## IT_Anxiety_Pre 0.066(0.028,0.116) 0.253(0.169,0.338)
## IT_Emotion_Pre 0.005(0.000,0.021) 0.101(0.051,0.161)
## BHS,IT_Anxiety_Pre 0.089(0.051,0.133) 0.372(0.289,0.467)
## BHS,IT_Emotion_Pre -0.002(-0.009,0.002) 0.311(0.229,0.407)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.010(-0.017,0.040) 0.256(0.173,0.345)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.088(0.049,0.132) 0.377(0.295,0.473)
## BHS.Inc IT_Anxiety_Pre.Inc
## BHS NA 0.076(0.037,0.129)
## IT_Anxiety_Pre 0.119(0.060,0.186) NA
## IT_Emotion_Pre 0.210(0.133,0.290) 0.155(0.093,0.224)
## BHS,IT_Anxiety_Pre NA NA
## BHS,IT_Emotion_Pre NA 0.066(0.028,0.116)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.122(0.062,0.189) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.015(0.002,0.040)

```

```
## IT_Anxiety_Pre          0.003(0.000,0.017)
## IT_Emotion_Pre          NA
## BHS,IT_Anxiety_Pre      0.005(0.000,0.021)
## BHS,IT_Emotion_Pre      NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre      NA
```

Symptom 6, Nervousness/Shakiness

```
## Study 1
## For symptom 6, Feeling tense/keyed up
## 47.3% for Hopelessness, CI does not contain 0
## 5.3% for Anxiety Theories, CI contains 0
## 0.6% for Emotion Theories, CI contains 0

emwhope_bsi18_6 <- lm(BSI18_6 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
summary(emwhope_bsi18_6)

##
## Call:
## lm(formula = BSI18_6 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.2105 -0.6471 -0.4089  0.4790  3.5083
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.37321    0.21580   6.363 1.37e-09 ***
## BHS           0.15090    0.02519   5.991 9.84e-09 ***
## IT_Anxiety    0.04444    0.02213   2.008  0.046 *
## IT_Emotion   -0.01729    0.02583  -0.669  0.504
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 1.018 on 196 degrees of freedom
## Multiple R-squared:  0.2789, Adjusted R-squared:  0.2678
## F-statistic: 25.27 on 3 and 196 DF, p-value: 7.297e-14

regrOutanx1_6 <- calc.yhat(emwhope_bsi18_6)
regrOutanx1_6

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0 CD:1 CD:2
## BHS           0.151  0.442 0.512 0.969 0.939  0.132  0.130 0.262 0.151 0.132
## IT_Anxiety    0.044  0.188 0.382 0.723 0.522  0.015  0.131 0.146 0.035 0.015
## IT_Emotion   -0.017 -0.061 0.304 0.577 0.332  0.002  0.091 0.093 0.002 0.002
## Total         NA      NA   NA      NA 1.793  0.149  0.352 0.501 0.188 0.149
##              GenDom Pratt  RLW
## BHS           0.182  0.226 0.183
## IT_Anxiety    0.065  0.072 0.065
## IT_Emotion    0.032 -0.019 0.031
## Total         0.279  0.279 0.279
##
## $OrderedPredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
```

```

## BHS      1      1 1 1 1      1      2      1      1      1      1      1 1
## IT_Anxiety 2      2 2 2 2      2      1      2      2      2      2      2 2
## IT_Emotion 3      3 3 3 3      3      3      3      3      3      3      3 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety              1      1 1
## BHS>IT_Emotion              1      1 1
## IT_Anxiety>IT_Emotion       1      1 1
##
## $APSRRelatedMetrics
##                               Commonality % Total      R2 BHS.Inc
## BHS                          0.132      0.473 0.262      NA
## IT_Anxiety                    0.015      0.053 0.146      0.132
## IT_Emotion                    0.002      0.006 0.093      0.171
## BHS,IT_Anxiety                0.039      0.141 0.277      NA
## BHS,IT_Emotion                0.000     -0.002 0.264      NA
## IT_Anxiety,IT_Emotion          0.001      0.002 0.147      0.132
## BHS,IT_Anxiety,IT_Emotion      0.091      0.326 0.279      NA
## Total                         0.279      1.000      NA      NA
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.015      0.002
## IT_Anxiety                    NA      0.001
## IT_Emotion                    0.054      NA
## BHS,IT_Anxiety                NA      0.002
## BHS,IT_Emotion                0.015      NA
## IT_Anxiety,IT_Emotion          NA      NA
## BHS,IT_Anxiety,IT_Emotion      NA      NA
## Total                         NA      NA

boot.out1_6<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_6,regrou t0=regrOut anx1_6)

result anx1_6<-booteval.yhat(regrOut anx1_6,boot.out1_6,bty="perc")
result anx1_6$combCIaps

##                               Commonality      R2
## BHS      0.132(0.062,0.223) 0.262(0.162,0.385)
## IT_Anxiety 0.015(0.000,0.053) 0.146(0.059,0.260)
## IT_Emotion 0.002(0.000,0.019) 0.093(0.025,0.191)
## BHS,IT_Anxiety 0.039(0.009,0.083) 0.277(0.170,0.408)
## BHS,IT_Emotion 0.000(-0.016,0.021) 0.264(0.164,0.397)
## IT_Anxiety,IT_Emotion 0.001(-0.017,0.022) 0.147(0.061,0.266)
## BHS,IT_Anxiety,IT_Emotion 0.091(0.030,0.163) 0.279(0.179,0.413)
##                               BHS.Inc      IT_Anxiety.Inc
## BHS      NA 0.015(0.000,0.056)
## IT_Anxiety 0.132(0.059,0.227) NA
## IT_Emotion 0.171(0.096,0.272) 0.054(0.011,0.127)
## BHS,IT_Anxiety NA NA
## BHS,IT_Emotion NA 0.015(0.000,0.053)
## IT_Anxiety,IT_Emotion 0.132(0.062,0.223) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
##                               IT_Emotion.Inc
## BHS      0.002(0,0.025)
## IT_Anxiety 0.001(0,0.026)
## IT_Emotion NA

```

```

## BHS,IT_Anxiety          0.002(0,0.019)
## BHS,IT_Emotion          NA
## IT_Anxiety,IT_Emotion   NA
## BHS,IT_Anxiety,IT_Emotion NA

## Study 2
## For symptom 6, Feeling tense/keyed up
## 44.9% for Hopelessness, CI does not contain 0
## 5.5% for Anxiety Theories, CI does not contain 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsianx2_6 <- lm(BSI18_6 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsianx2_6)

##
## Call:
## lm(formula = BSI18_6 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.6399 -0.5881 -0.1773  0.5875  2.9416
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.069082   0.139223   7.679 1.11e-13 ***
## BHS          0.165810   0.015960  10.389 < 2e-16 ***
## IT_Anxiety_Pre 0.046726   0.012926   3.615 0.000336 ***
## IT_Emotion_Pre 0.006468   0.016299   0.397 0.691707
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.9538 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3612, Adjusted R-squared:  0.3567
## F-statistic: 80.09 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2_6<-calc.yhat(emwhope_bsianx2_6)

regrOutanx2_6

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS          0.166 0.460 0.568 0.945 0.893  0.162  0.160 0.322 0.195
## IT_Anxiety_Pre 0.047 0.209 0.444 0.739 0.547  0.020  0.178 0.197 0.061
## IT_Emotion_Pre 0.006 0.022 0.340 0.566 0.320  0.000  0.115 0.116 0.010
## Total          NA    NA    NA    NA 1.760  0.182  0.453 0.635 0.266
##              CD:2 GenDom Pratt   RLW
## BHS          0.162  0.226 0.261 0.230
## IT_Anxiety_Pre 0.020  0.093 0.093 0.090
## IT_Emotion_Pre 0.000  0.042 0.007 0.042
## Total          0.182  0.361 0.361 0.362
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt

```

```

## BHS      1      1 1 1 1      1      2      1      1      1      1      1
## IT_Anxiety_Pre 2      2 2 2 2      2      1      2      2      2      2      2
## IT_Emotion_Pre 3      3 3 3 3      3      3      3      3      3      3      3
##          RLW
## BHS      1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1      1      1
## BHS>IT_Emotion_Pre           1      1      1
## IT_Anxiety_Pre>IT_Emotion_Pre 1      1      1
##
## $APSRRelatedMetrics
##                               Commonality % Total      R2 BHS.Inc
## BHS                          0.162      0.449 0.322      NA
## IT_Anxiety_Pre                0.020      0.054 0.197      0.164
## IT_Emotion_Pre                0.000      0.001 0.116      0.226
## BHS,IT_Anxiety_Pre            0.064      0.176 0.361      NA
## BHS,IT_Emotion_Pre            0.001      0.004 0.342      NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.019      0.052 0.199      0.162
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.095      0.264 0.361      NA
## Total                         0.361      1.000      NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                                0.039                        0.019
## IT_Anxiety_Pre                     NA                        0.002
## IT_Emotion_Pre                     0.083                        NA
## BHS,IT_Anxiety_Pre                 NA                        0.000
## BHS,IT_Emotion_Pre                 0.020                        NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA                        NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA                        NA
## Total                             NA                        NA

boot.out2_6<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsi anx2_6,regrou0=regrOutanx2_6)

resultanx2_6<-booteval.yhat(regrOutanx2_6,boot.out2_6,bty="perc")
resultanx2_6$combCIaps

##                               Commonality      R2
## BHS                          0.162(0.097,0.238) 0.322(0.241,0.409)
## IT_Anxiety_Pre                0.020(0.003,0.052) 0.197(0.124,0.279)
## IT_Emotion_Pre                0.000(0.000,0.009) 0.116(0.064,0.181)
## BHS,IT_Anxiety_Pre            0.064(0.029,0.107) 0.361(0.285,0.445)
## BHS,IT_Emotion_Pre            0.001(-0.002,0.010) 0.342(0.264,0.427)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.019(0.002,0.042) 0.199(0.128,0.282)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.095(0.055,0.138) 0.361(0.286,0.447)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                                NA 0.039(0.013,0.078)
## IT_Anxiety_Pre                    0.164(0.099,0.240)      NA
## IT_Emotion_Pre                    0.226(0.148,0.307) 0.083(0.038,0.146)
## BHS,IT_Anxiety_Pre                 NA      NA
## BHS,IT_Emotion_Pre                 NA 0.020(0.003,0.052)
## IT_Anxiety_Pre,IT_Emotion_Pre      0.162(0.097,0.238)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA      NA

```

```
## IT_Emotion_Pre.Inc
## BHS 0.019(0.004,0.047)
## IT_Anxiety_Pre 0.002(0.000,0.016)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.000(0.000,0.009)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

Symptom 9, Suddenly scared for no reason

```
## Study 1
## For symptom 9, Suddenly scared for no reason
## 54.8% for Hopelessness, CI does not contain 0
## 0.9% for Anxiety Theories, CI contains 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsi18_9 <- lm(BSI18_9 ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsi18_9)

##
## Call:
## lm(formula = BSI18_9 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.70857 -0.26448 -0.03689  0.07570  2.66287
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.81532     0.18335   4.447 1.46e-05 ***
## BHS          0.20522     0.02140   9.589 < 2e-16 ***
## IT_Anxiety   0.02364     0.01880   1.257    0.21
## IT_Emotion   0.00361     0.02194   0.164    0.87
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8648 on 196 degrees of freedom
## Multiple R-squared:  0.4611, Adjusted R-squared:  0.4529
## F-statistic: 55.91 on 3 and 196 DF, p-value: < 2.2e-16

regrOutanx1_9<-calc.yhat(emwhope_bsi18_9)
regrOutanx1_9

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common CD:0 CD:1 CD:2
## BHS          0.205 0.611 0.673 0.991 0.981  0.253  0.200 0.453 0.280 0.253
## IT_Anxiety   0.024 0.102 0.442 0.651 0.424  0.004  0.191 0.195 0.027 0.004
## IT_Emotion   0.004 0.013 0.403 0.593 0.352  0.000  0.162 0.162 0.009 0.000
## Total        NA    NA    NA    NA  1.757  0.257  0.553 0.810 0.316 0.257
##              GenDom Pratt   RLW
## BHS          0.328 0.411 0.328
## IT_Anxiety   0.076 0.045 0.076
## IT_Emotion   0.057 0.005 0.057
## Total        0.461 0.461 0.461
##
```

```

## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS           1    1 1 1 1      1      1    1    1    1      1    1    1
## IT_Anxiety  2    2 2 2 2      2      2    2    2    2      2    2    2
## IT_Emotion  3    3 3 3 3      3      3    3    3    3      3    3    3
##
## $PairedDominanceMetrics
##           Comp Cond Gen
## BHS>IT_Anxiety      1    1 1
## BHS>IT_Emotion      1    1 1
## IT_Anxiety>IT_Emotion 1    1 1
##
## $APSRRelatedMetrics
##           Commonality % Total R2 BHS.Inc
## BHS           0.253    0.548 0.453    NA
## IT_Anxiety     0.004    0.009 0.195    0.266
## IT_Emotion     0.000    0.000 0.162    0.295
## BHS,IT_Anxiety  0.042    0.091 0.461    NA
## BHS,IT_Emotion  0.013    0.028 0.457    NA
## IT_Anxiety,IT_Emotion 0.004    0.009 0.208    0.253
## BHS,IT_Anxiety,IT_Emotion 0.145    0.314 0.461    NA
## Total          0.461    1.000    NA    NA
##           IT_Anxiety.Inc IT_Emotion.Inc
## BHS           0.009      0.004
## IT_Anxiety     NA      0.013
## IT_Emotion     0.046      NA
## BHS,IT_Anxiety  NA      0.000
## BHS,IT_Emotion  0.004      NA
## IT_Anxiety,IT_Emotion NA      NA
## BHS,IT_Anxiety,IT_Emotion NA      NA
## Total          NA      NA

boot.out1_9<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_9,regrou t0=regrOut anx1_9)

resultanx1_9<-booteval.yhat(regrOut anx1_9,boot.out1_9,bty="perc")
resultanx1_9$combCIaps

##           Commonality R2
## BHS           0.253(0.142,0.382) 0.453(0.327,0.588)
## IT_Anxiety     0.004(0.000,0.041) 0.195(0.106,0.315)
## IT_Emotion     0.000(0.000,0.019) 0.162(0.076,0.271)
## BHS,IT_Anxiety  0.042(0.002,0.103) 0.461(0.349,0.600)
## BHS,IT_Emotion  0.013(-0.011,0.047) 0.457(0.339,0.593)
## IT_Anxiety,IT_Emotion 0.004(-0.010,0.024) 0.208(0.121,0.326)
## BHS,IT_Anxiety,IT_Emotion 0.145(0.076,0.226) 0.461(0.353,0.600)
##           BHS.Inc IT_Anxiety.Inc
## BHS           NA 0.009(0.000,0.046)
## IT_Anxiety     0.266(0.149,0.397) NA
## IT_Emotion     0.295(0.175,0.431) 0.046(0.005,0.133)
## BHS,IT_Anxiety  NA NA
## BHS,IT_Emotion  NA 0.004(0.000,0.041)
## IT_Anxiety,IT_Emotion 0.253(0.142,0.382) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
##           IT_Emotion.Inc
## BHS           0.004(0,0.031)

```



```

## IT_Anxiety          0.013(0,0.059)
## IT_Emotion          NA
## BHS,IT_Anxiety      0.000(0,0.019)
## BHS,IT_Emotion      NA
## IT_Anxiety,IT_Emotion NA
## BHS,IT_Anxiety,IT_Emotion NA

## Study 2
## For symptom 9, Suddenly scared for no reason
## 56.9% for Hopelessness, CI does not contain 0
## 4.0% for Anxiety Theories, CI contains 0
## 0.3% for Emotion Theories, CI contains 0

emwhope_bsianx2_9 <- lm(BSI18_9 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsianx2_9)

##
## Call:
## lm(formula = BSI18_9 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.1345 -0.4497 -0.1254  0.3098  3.2996
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.95973    0.12528   7.661 1.26e-13 ***
## BHS            0.14661    0.01436  10.209 < 2e-16 ***
## IT_Anxiety_Pre 0.03153    0.01163   2.711 0.00698 **
## IT_Emotion_Pre -0.01082    0.01467  -0.738 0.46115
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8583 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3013, Adjusted R-squared:  0.2964
## F-statistic: 61.09 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2_9<-calc.yhat(emwhope_bsianx2_9)

regrOutanx2_9

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           0.147   0.472 0.535 0.975 0.950   0.171   0.115 0.286 0.199
## IT_Anxiety_Pre 0.032   0.164 0.360 0.657 0.431   0.012   0.118 0.130 0.041
## IT_Emotion_Pre -0.011  -0.042 0.249 0.454 0.206   0.001   0.061 0.062 0.001
## Total          NA      NA    NA    NA  1.587   0.184   0.294 0.478 0.241
##              CD:2 GenDom  Pratt  RLW
## BHS           0.171   0.219  0.253 0.221
## IT_Anxiety_Pre 0.012   0.061  0.059 0.060
## IT_Emotion_Pre 0.001   0.022 -0.011 0.021
## Total          0.184   0.302  0.301 0.302
##

```

```
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1    1 1 1 1      1      2    1    1    1      1      1
## IT_Anxiety_Pre 2    2 2 2 2      2      1    2    2    2      2      2
## IT_Emotion_Pre 3    3 3 3 3      3      3    3    3    3      3      3
##           RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1    1    1
## BHS>IT_Emotion_Pre           1    1    1
## IT_Anxiety_Pre>IT_Emotion_Pre 1    1    1
##
## $APSRRelatedMetrics
##                               Commonality % Total    R2 BHS.Inc
## BHS                               0.171    0.569 0.286      NA
## IT_Anxiety_Pre                     0.012    0.040 0.130    0.170
## IT_Emotion_Pre                     0.001    0.003 0.062    0.227
## BHS,IT_Anxiety_Pre                 0.056    0.185 0.300      NA
## BHS,IT_Emotion_Pre                -0.001   -0.003 0.289      NA
## IT_Anxiety_Pre,IT_Emotion_Pre      0.002    0.007 0.130    0.171
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  0.060    0.200 0.301      NA
## Total                             0.301    1.000    NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.014              0.003
## IT_Anxiety_Pre                     NA              0.000
## IT_Emotion_Pre                     0.068              NA
## BHS,IT_Anxiety_Pre                 NA              0.001
## BHS,IT_Emotion_Pre                 0.012              NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA              NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA              NA
## Total                             NA              NA

boot.out<-boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsi anx2_9,regROUT0=regROUTanx2_9)

resultanx2_9<-booteval.yhat(regROUTanx2_9,boot.out,bty="perc")
resultanx2_9$combCIaps

##                               Commonality                               R2
## BHS                      0.171(0.099,0.249) 0.286(0.203,0.378)
## IT_Anxiety_Pre           0.012(0.001,0.039) 0.130(0.073,0.197)
## IT_Emotion_Pre           0.001(0.000,0.012) 0.062(0.028,0.113)
## BHS,IT_Anxiety_Pre       0.056(0.024,0.094) 0.300(0.220,0.395)
## BHS,IT_Emotion_Pre      -0.001(-0.006,0.006) 0.289(0.209,0.381)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.002(-0.012,0.016) 0.130(0.074,0.202)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.060(0.029,0.099) 0.301(0.221,0.401)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.014(0.001,0.040)
## IT_Anxiety_Pre                   0.170(0.099,0.250) NA
## IT_Emotion_Pre                   0.227(0.149,0.317) 0.068(0.027,0.123)
## BHS,IT_Anxiety_Pre               NA NA
## BHS,IT_Emotion_Pre               NA 0.012(0.001,0.039)
## IT_Anxiety_Pre,IT_Emotion_Pre    0.171(0.099,0.249) NA
```

```
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre      NA      NA
##                                     IT_Emotion_Pre.Inc
## BHS                                0.003(0,0.017)
## IT_Anxiety_Pre                    0.000(0,0.012)
## IT_Emotion_Pre                     NA
## BHS,IT_Anxiety_Pre                0.001(0,0.012)
## BHS,IT_Emotion_Pre                NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA
```

Symptom 12, Spells of terror or panic

```
## Study 1
## For symptom 12, Spells of terror or panic
## 53.9% for Hopelessness, CI does not contain 0
## 0.9% for Anxiety Theories, CI contains 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsianx1_12 <- lm(BSI18_12 ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsianx1_12)

##
## Call:
## lm(formula = BSI18_12 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.4029 -0.3041 -0.1075  0.0119  3.9805
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.887488   0.190090   4.669 5.61e-06 ***
## BHS          0.170346   0.022189   7.677 7.53e-13 ***
## IT_Anxiety   0.018823   0.019491   0.966  0.335
## IT_Emotion   0.006322   0.022751   0.278  0.781
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8966 on 196 degrees of freedom
## Multiple R-squared:  0.3583, Adjusted R-squared:  0.3484
## F-statistic: 36.47 on 3 and 196 DF, p-value: < 2.2e-16

regrOutanx1_12<-calc.yhat(emwhope_bsianx1_12)
regrOutanx1_12

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common CD:0 CD:1 CD:2
## BHS          0.170 0.534 0.592 0.990 0.979  0.193  0.158 0.351 0.214 0.193
## IT_Anxiety   0.019 0.085 0.392 0.655 0.429  0.003  0.151 0.154 0.021 0.003
## IT_Emotion   0.006 0.024 0.362 0.604 0.365  0.000  0.131 0.131 0.008 0.000
## Total        NA    NA    NA    NA  1.773  0.196  0.440 0.636 0.243 0.196
##              GenDom Pratt  RLW
## BHS          0.253 0.316 0.253
## IT_Anxiety   0.059 0.033 0.059
## IT_Emotion   0.046 0.009 0.046
## Total        0.358 0.358 0.358
```

```
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS           1    1 1 1 1      1      1    1    1    1      1    1    1
## IT_Anxiety    2    2 2 2 2      2      2    2    2    2      2    2    2
## IT_Emotion    3    3 3 3 3      3      3    3    3    3      3    3    3
##
## $PairedDominanceMetrics
##           Comp Cond Gen
## BHS>IT_Anxiety      1    1 1
## BHS>IT_Emotion      1    1 1
## IT_Anxiety>IT_Emotion 1    1 1
##
## $APSRRelatedMetrics
##           Commonality % Total R2 BHS.Inc
## BHS           0.193    0.539 0.351      NA
## IT_Anxiety     0.003    0.009 0.154    0.204
## IT_Emotion     0.000    0.001 0.131    0.224
## BHS,IT_Anxiety  0.031    0.087 0.358      NA
## BHS,IT_Emotion  0.011    0.032 0.355      NA
## IT_Anxiety,IT_Emotion 0.004    0.012 0.165    0.193
## BHS,IT_Anxiety,IT_Emotion 0.115    0.321 0.358      NA
## Total          0.358    1.000      NA      NA
##           IT_Anxiety.Inc IT_Emotion.Inc
## BHS           0.007          0.004
## IT_Anxiety     NA          0.012
## IT_Emotion     0.034          NA
## BHS,IT_Anxiety  NA          0.000
## BHS,IT_Emotion  0.003          NA
## IT_Anxiety,IT_Emotion NA          NA
## BHS,IT_Anxiety,IT_Emotion NA          NA
## Total          NA          NA

boot.out1_12<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_12,regrou t0=regrOut anx1_12)

resultanx1_12<-booteval.yhat(regrOut anx1_12,boot.out1_12,bty="perc")
resultanx1_12$combCIaps

##           Commonality R2
## BHS           0.193(0.107,0.299) 0.351(0.234,0.486)
## IT_Anxiety     0.003(0.000,0.029) 0.154(0.069,0.265)
## IT_Emotion     0.000(0.000,0.020) 0.131(0.048,0.247)
## BHS,IT_Anxiety  0.031(0.003,0.071) 0.358(0.242,0.497)
## BHS,IT_Emotion  0.011(-0.010,0.038) 0.355(0.239,0.495)
## IT_Anxiety,IT_Emotion 0.004(-0.010,0.024) 0.165(0.075,0.284)
## BHS,IT_Anxiety,IT_Emotion 0.115(0.047,0.195) 0.358(0.246,0.500)
##           BHS.Inc IT_Anxiety.Inc
## BHS           NA 0.007(0.000,0.040)
## IT_Anxiety     0.204(0.118,0.309) NA
## IT_Emotion     0.224(0.129,0.340) 0.034(0.005,0.092)
## BHS,IT_Anxiety  NA NA
## BHS,IT_Emotion  NA 0.003(0.000,0.029)
## IT_Anxiety,IT_Emotion 0.193(0.107,0.299) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
##           IT_Emotion.Inc
```

```
## BHS 0.004(0,0.036)
## IT_Anxiety 0.012(0,0.053)
## IT_Emotion NA
## BHS,IT_Anxiety 0.000(0,0.020)
## BHS,IT_Emotion NA
## IT_Anxiety,IT_Emotion NA
## BHS,IT_Anxiety,IT_Emotion NA

## Study 2
## For symptom 12, Spells of terror or panic
## 53.4% for Hopelessness, CI does not contain 0
## 6.1% for Anxiety Theories, CI does not contains 0
## 0.7% for Emotion Theories, CI contains 0

emwhope_bsianx2_12 <- lm(BSI18_12 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsianx2_12)

##
## Call:
## lm(formula = BSI18_12 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
## data = emhop2)
##
## Residuals:
## Min 1Q Median 3Q Max
## -2.0819 -0.4382 -0.1096 0.1886 3.1948
##
## Coefficients:
## Estimate Std. Error t value Pr(>|t|)
## (Intercept) 0.91654 0.11976 7.653 1.33e-13 ***
## BHS 0.14429 0.01373 10.510 < 2e-16 ***
## IT_Anxiety_Pre 0.03933 0.01112 3.538 0.000448 ***
## IT_Emotion_Pre -0.01737 0.01402 -1.239 0.215946
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8205 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared: 0.3272, Adjusted R-squared: 0.3224
## F-statistic: 68.89 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2_12<-calc.yhat(emwhope_bsianx2_12)

regrOutanx2_12

## $PredictorMetrics
## b Beta r rs rs2 Unique Common CD:0 CD:1
## BHS 0.144 0.477 0.552 0.965 0.930 0.175 0.130 0.304 0.207
## IT_Anxiety_Pre 0.039 0.210 0.389 0.681 0.464 0.020 0.132 0.152 0.053
## IT_Emotion_Pre -0.017 -0.069 0.256 0.448 0.201 0.002 0.063 0.066 0.002
## Total NA NA NA NA 1.595 0.197 0.325 0.522 0.262
## CD:2 GenDom Pratt RLW
## BHS 0.175 0.229 0.263 0.231
## IT_Anxiety_Pre 0.020 0.075 0.082 0.074
## IT_Emotion_Pre 0.002 0.023 -0.018 0.022
## Total 0.197 0.327 0.327 0.327
```

```
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1    1 1 1 1      1      2    1    1    1      1      1
## IT_Anxiety_Pre 2    2 2 2 2      2      1    2    2    2      2      2
## IT_Emotion_Pre 3    3 3 3 3      3      3    3    3    3      3      3
##           RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1    1    1
## BHS>IT_Emotion_Pre           1    1    1
## IT_Anxiety_Pre>IT_Emotion_Pre 1    1    1
##
## $APSRRelatedMetrics
##                               Commonality % Total    R2 BHS.Inc
## BHS                               0.175    0.534 0.304      NA
## IT_Anxiety_Pre                     0.020    0.061 0.152    0.173
## IT_Emotion_Pre                     0.002    0.007 0.066    0.242
## BHS,IT_Anxiety_Pre                 0.067    0.204 0.325      NA
## BHS,IT_Emotion_Pre                -0.002   -0.006 0.307      NA
## IT_Anxiety_Pre,IT_Emotion_Pre      0.000    0.002 0.152    0.175
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  0.065    0.197 0.327      NA
## Total                             0.327    1.000    NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.020              0.003
## IT_Anxiety_Pre                     NA              0.001
## IT_Emotion_Pre                     0.087              NA
## BHS,IT_Anxiety_Pre                 NA              0.002
## BHS,IT_Emotion_Pre                 0.020              NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA              NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre  NA              NA
## Total                             NA              NA

boot.out2_12<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsi anx2_12,regrou t0=regrOutanx2_12)

resultanx2_12<-booteval.yhat(regrOutanx2_12,boot.out2_12,bty="perc")
resultanx2_12$combCIaps

##                               Commonality                               R2
## BHS                      0.175(0.099,0.262) 0.304(0.211,0.404)
## IT_Anxiety_Pre           0.020(0.002,0.057) 0.152(0.090,0.223)
## IT_Emotion_Pre           0.002(0.000,0.017) 0.066(0.029,0.113)
## BHS,IT_Anxiety_Pre       0.067(0.032,0.108) 0.325(0.235,0.421)
## BHS,IT_Emotion_Pre      -0.002(-0.008,0.004) 0.307(0.216,0.407)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.000(-0.016,0.014) 0.152(0.092,0.226)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.065(0.030,0.103) 0.327(0.236,0.427)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.020(0.003,0.051)
## IT_Anxiety_Pre                   0.173(0.098,0.261)      NA
## IT_Emotion_Pre                   0.242(0.154,0.338) 0.087(0.038,0.145)
## BHS,IT_Anxiety_Pre                               NA      NA
```

```
## BHS,IT_Emotion_Pre NA 0.020(0.002,0.057)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.175(0.099,0.262) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.003(0,0.015)
## IT_Anxiety_Pre 0.001(0,0.012)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.002(0,0.017)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

Symptom 15, Feeling restless

```
## Study 1
## For symptom 15, Feeling restless
## 69.4% for Hopelessness, CI does not contain 0
## 0.6% for Anxiety Theories, CI contains 0
## 1.0% for Emotion Theories, CI contains 0

emwhope_bsi anx1_15 <- lm(BSI18_15 ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsi anx1_15)

##
## Call:
## lm(formula = BSI18_15 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.0374 -0.2356 -0.1776  0.2124  2.9148
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  1.25113     0.18167   6.887 7.57e-11 ***
## BHS          0.17020     0.02121   8.026 9.06e-14 ***
## IT_Anxiety   0.01333     0.01863   0.716  0.475
## IT_Emotion  -0.02136     0.02174  -0.982  0.327
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8569 on 196 degrees of freedom
## Multiple R-squared:  0.3214, Adjusted R-squared:  0.3111
## F-statistic: 30.95 on 3 and 196 DF, p-value: < 2.2e-16

regrOut anx1_15 <- calc.yhat(emwhope_bsi anx1_15)
regrOut anx1_15

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0 CD:1 CD:2
## BHS          0.170  0.574 0.564 0.995 0.989  0.223  0.095 0.318 0.238 0.223
## IT_Anxiety   0.013  0.065 0.311 0.549 0.301  0.002  0.095 0.097 0.016 0.002
## IT_Emotion  -0.021 -0.087 0.256 0.452 0.204  0.003  0.062 0.066 0.002 0.003
## Total        NA      NA      NA      NA 1.494  0.228  0.252 0.481 0.256 0.228
##              GenDom Pratt  RLW
## BHS          0.260  0.324 0.257
## IT_Anxiety   0.038  0.020 0.041
```

```
## IT_Emotion 0.023 -0.022 0.024
## Total      0.321 0.322 0.322
##
## $OrderedPredictorMetrics
##           b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS       1    1 1 1 1    1    1    1    1    1    1    1    1
## IT_Anxiety 3    3 2 2 2    3    2    2    2    3    2    3    2
## IT_Emotion 2    2 3 3 3    2    3    3    3    2    3    2    3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety              1.0 1.0 1
## BHS>IT_Emotion              1.0 1.0 1
## IT_Anxiety>IT_Emotion      0.5 0.5 1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                          0.223 0.694 0.318 NA
## IT_Anxiety                    0.002 0.006 0.097 0.221
## IT_Emotion                    0.003 0.010 0.066 0.254
## BHS,IT_Anxiety                0.031 0.097 0.318 NA
## BHS,IT_Emotion                -0.002 -0.006 0.320 NA
## IT_Anxiety,IT_Emotion          -0.002 -0.005 0.098 0.223
## BHS,IT_Anxiety,IT_Emotion      0.066 0.204 0.321 NA
## Total                         0.321 1.000 NA NA
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.000 0.002
## IT_Anxiety                    NA 0.002
## IT_Emotion                    0.033 NA
## BHS,IT_Anxiety                NA 0.003
## BHS,IT_Emotion                0.002 NA
## IT_Anxiety,IT_Emotion          NA NA
## BHS,IT_Anxiety,IT_Emotion      NA NA
## Total                         NA NA

boot.out1_15<-
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_15,regrou t0=regrOutanx1_15)

resultanx1_15<-booteval.yhat(regrOutanx1_15,boot.out1_15,bty="perc")
resultanx1_15$combCIaps

##                               Commonality R2
## BHS 0.223(0.141,0.326) 0.318(0.214,0.447)
## IT_Anxiety 0.002(0.000,0.032) 0.097(0.032,0.188)
## IT_Emotion 0.003(0.000,0.035) 0.066(0.015,0.149)
## BHS,IT_Anxiety 0.031(-0.009,0.089) 0.318(0.217,0.449)
## BHS,IT_Emotion -0.002(-0.026,0.029) 0.320(0.218,0.448)
## IT_Anxiety,IT_Emotion -0.002(-0.020,0.009) 0.098(0.038,0.197)
## BHS,IT_Anxiety,IT_Emotion 0.066(0.010,0.128) 0.321(0.223,0.455)
##                               BHS.Inc IT_Anxiety.Inc
## BHS NA 0.000(0.000,0.023)
## IT_Anxiety 0.221(0.132,0.329) NA
## IT_Emotion 0.254(0.166,0.366) 0.033(0.001,0.112)
## BHS,IT_Anxiety NA NA
## BHS,IT_Emotion NA 0.002(0.000,0.032)
## IT_Anxiety,IT_Emotion 0.223(0.141,0.326) NA
```



```

## BHS,IT_Anxiety,IT_Emotion          NA          NA
##                               IT_Emotion.Inc
## BHS                               0.002(0,0.025)
## IT_Anxiety                       0.002(0,0.035)
## IT_Emotion                       NA
## BHS,IT_Anxiety                   0.003(0,0.035)
## BHS,IT_Emotion                   NA
## IT_Anxiety,IT_Emotion            NA
## BHS,IT_Anxiety,IT_Emotion        NA

## Study 2
## For symptom 15, Feeling restless
## 45.0% for Hopelessness, CI does not contain 0
## 4.6% for Anxiety Theories, CI does not contain 0
## 0.2% for Emotion Theories, CI contains 0

emwhope_bsi anx2_15 <- lm(BSI18_15 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsi anx2_15)

##
## Call:
## lm(formula = BSI18_15 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.0162 -0.4887 -0.1727  0.3938  3.9898
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.847754   0.128548   6.595 1.27e-10 ***
## BHS            0.121656   0.014736   8.256 1.93e-15 ***
## IT_Anxiety_Pre 0.031629   0.011935   2.650 0.00834 **
## IT_Emotion_Pre 0.008993   0.015050   0.598 0.55044
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8807 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.2626, Adjusted R-squared:  0.2573
## F-statistic: 50.44 on 3 and 425 DF, p-value: < 2.2e-16

regrOutanx2_15<-calc.yhat(emwhope_bsi anx2_15)

regrOutanx2_15

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS            0.122 0.392 0.484 0.945 0.894  0.118  0.116 0.235 0.141
## IT_Anxiety_Pre 0.032 0.164 0.377 0.736 0.542  0.012  0.130 0.142 0.042
## IT_Emotion_Pre 0.009 0.035 0.297 0.580 0.337  0.001  0.088 0.088 0.009
## Total              NA      NA      NA      NA 1.773  0.131  0.334 0.465 0.192
##              CD:2 GenDom Pratt  RLW
## BHS            0.118  0.165 0.190 0.167
## IT_Anxiety_Pre 0.012  0.065 0.062 0.063

```

```
## IT_Emotion_Pre 0.001 0.033 0.010 0.032
## Total 0.131 0.263 0.262 0.262
##
## $OrderedPredictorMetrics
##          b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS      1 1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2 2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3 3 3 3 3 3 3 3 3 3 3 3
##          RLW
## BHS      1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre          1 1 1
## BHS>IT_Emotion_Pre          1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                          0.118 0.450 0.235 NA
## IT_Anxiety_Pre                0.012 0.046 0.142 0.120
## IT_Emotion_Pre                0.001 0.002 0.088 0.162
## BHS,IT_Anxiety_Pre            0.044 0.167 0.262 NA
## BHS,IT_Emotion_Pre            0.001 0.005 0.250 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.015 0.058 0.144 0.118
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.071 0.271 0.263 NA
## Total                        0.263 1.000 NA NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                          0.027 0.016
## IT_Anxiety_Pre                NA 0.002
## IT_Emotion_Pre                0.056 NA
## BHS,IT_Anxiety_Pre            NA 0.001
## BHS,IT_Emotion_Pre            0.012 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total                        NA NA
```

```
boot.out2_15<-
```

```
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsi anx2_15,regrou0=regrOutanx2_15)
```

```
resultanx2_15<-booteval.yhat(regrOutanx2_15,boot.out2_15,bty="perc")
```

```
resultanx2_15$combCIaps
```

```
##                               Commonality R2
## BHS 0.118(0.063,0.179) 0.235(0.144,0.323)
## IT_Anxiety_Pre 0.012(0.001,0.036) 0.142(0.078,0.214)
## IT_Emotion_Pre 0.001(0.000,0.011) 0.088(0.041,0.150)
## BHS,IT_Anxiety_Pre 0.044(0.019,0.074) 0.262(0.165,0.355)
## BHS,IT_Emotion_Pre 0.001(-0.002,0.008) 0.250(0.156,0.341)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.015(-0.001,0.037) 0.144(0.080,0.219)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.071(0.036,0.111) 0.263(0.166,0.357)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS NA 0.027(0.006,0.058)
## IT_Anxiety_Pre 0.120(0.064,0.180) NA
```

```
## IT_Emotion_Pre          0.162(0.094,0.231) 0.056(0.021,0.102)
## BHS,IT_Anxiety_Pre      NA                      NA
## BHS,IT_Emotion_Pre      NA 0.012(0.001,0.036)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.118(0.063,0.179)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA                      NA
## IT_Emotion_Pre.Inc
## BHS                    0.016(0.002,0.045)
## IT_Anxiety_Pre         0.002(0.000,0.017)
## IT_Emotion_Pre         NA
## BHS,IT_Anxiety_Pre     0.001(0.000,0.011)
## BHS,IT_Emotion_Pre     NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

Symptom 17, Feeling fearful

```
## Study 1
## For symptom 17, Feeling fearful
## 53.5% for Hopelessness, CI does not contain 0
## 1.5% for Anxiety Theories, CI contains 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsi anx1_17 <- lm(BSI18_17 ~ BHS + IT_Anxiety + IT_Emotion,data = emhop1)
summary(emwhope_bsi anx1_17)

##
## Call:
## lm(formula = BSI18_17 ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.2452 -0.3343 -0.1511  0.2513  3.9249
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.942747   0.182083   5.178 5.55e-07 ***
## BHS          0.188369   0.021254   8.863 4.77e-16 ***
## IT_Anxiety   0.027698   0.018670   1.484  0.140
## IT_Emotion  -0.001015   0.021793  -0.047  0.963
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8588 on 196 degrees of freedom
## Multiple R-squared:  0.4283, Adjusted R-squared:  0.4196
## F-statistic: 48.96 on 3 and 196 DF, p-value: < 2.2e-16

regrOut anx1_17 <- calc.yhat(emwhope_bsi anx1_17)
regrOut anx1_17

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0  CD:1  CD:2
## BHS          0.188  0.582 0.647 0.988 0.976  0.229  0.189 0.418 0.255 0.229
## IT_Anxiety   0.028  0.123 0.436 0.666 0.443  0.006  0.183 0.190 0.030 0.006
## IT_Emotion -0.001 -0.004 0.387 0.591 0.349  0.000  0.150 0.150 0.007 0.000
## Total        NA      NA      NA      NA 1.768  0.235  0.522 0.758 0.292 0.235
##              GenDom Pratt  RLW
```

```
## BHS          0.301  0.376 0.301
## IT_Anxiety   0.075  0.054 0.076
## IT_Emotion   0.052 -0.001 0.052
## Total        0.428  0.429 0.429
##
## $OrderedPredictorMetrics
##          b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS      1    1 1 1 1      1      1    1    1    1      1    1    1
## IT_Anxiety 2    2 2 2 2      2      2    2    2    2      2    2    2
## IT_Emotion 3    3 3 3 3      3      3    3    3    3      3    3    3
##
## $PairedDominanceMetrics
##          Comp Cond Gen
## BHS>IT_Anxiety      1    1 1
## BHS>IT_Emotion      1    1 1
## IT_Anxiety>IT_Emotion 1    1 1
##
## $APSRRelatedMetrics
##          Commonality % Total R2 BHS.Inc
## BHS          0.229    0.535 0.418    NA
## IT_Anxiety    0.006    0.015 0.190    0.239
## IT_Emotion    0.000    0.000 0.150    0.272
## BHS,IT_Anxiety 0.043    0.101 0.428    NA
## BHS,IT_Emotion 0.009    0.022 0.422    NA
## IT_Anxiety,IT_Emotion 0.004    0.009 0.199    0.229
## BHS,IT_Anxiety,IT_Emotion 0.136    0.318 0.428    NA
## Total          0.428    1.000    NA    NA
##          IT_Anxiety.Inc IT_Emotion.Inc
## BHS          0.010    0.004
## IT_Anxiety    NA    0.009
## IT_Emotion    0.050    NA
## BHS,IT_Anxiety    NA    0.000
## BHS,IT_Emotion    0.006    NA
## IT_Anxiety,IT_Emotion    NA    NA
## BHS,IT_Anxiety,IT_Emotion    NA    NA
## Total          NA    NA
```

```
boot.out1_17<-
```

```
boot(emhop1,boot.yhat,1000,lmOut=emwhope_bsi anx1_17,regrou0=regrOutanx1_17)
```

```
resultanx1_17<-booteval.yhat(regrOutanx1_17,boot.out1_17,bty="perc")
```

```
resultanx1_17$combCIaps
```

```
##          Commonality R2
## BHS          0.229(0.125,0.346) 0.418(0.289,0.558)
## IT_Anxiety    0.006(0.000,0.036) 0.190(0.093,0.320)
## IT_Emotion    0.000(0.000,0.017) 0.150(0.060,0.268)
## BHS,IT_Anxiety 0.043(0.008,0.101) 0.428(0.302,0.567)
## BHS,IT_Emotion 0.009(-0.014,0.040) 0.422(0.295,0.567)
## IT_Anxiety,IT_Emotion 0.004(-0.013,0.028) 0.199(0.102,0.335)
## BHS,IT_Anxiety,IT_Emotion 0.136(0.062,0.226) 0.428(0.306,0.572)
##          BHS.Inc IT_Anxiety.Inc
## BHS          NA 0.010(0.000,0.048)
## IT_Anxiety    0.239(0.132,0.360) NA
## IT_Emotion    0.272(0.163,0.398) 0.050(0.009,0.124)
## BHS,IT_Anxiety    NA NA
```

```

## BHS,IT_Emotion NA 0.006(0.000,0.036)
## IT_Anxiety,IT_Emotion 0.229(0.125,0.346) NA
## BHS,IT_Anxiety,IT_Emotion NA NA
## IT_Emotion.Inc
## BHS 0.004(0,0.035)
## IT_Anxiety 0.009(0,0.048)
## IT_Emotion NA
## BHS,IT_Anxiety 0.000(0,0.017)
## BHS,IT_Emotion NA
## IT_Anxiety,IT_Emotion NA
## BHS,IT_Anxiety,IT_Emotion NA

## Study 2
## For symptom 17, Feeling fearful
## 50.7% for Hopelessness, CI does not contain 0
## 3.6% for Anxiety Theories, CI does not contain 0
## 0.1% for Emotion Theories, CI contains 0

emwhope_bsi anx2_17 <- lm(BSI18_17 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,data =
emhop2)
summary(emwhope_bsi anx2_17)

##
## Call:
## lm(formula = BSI18_17 ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
## data = emhop2)
##
## Residuals:
## Min 1Q Median 3Q Max
## -2.4347 -0.5198 -0.1812 0.3764 3.9480
##
## Coefficients:
## Estimate Std. Error t value Pr(>|t|)
## (Intercept) 0.887920 0.130379 6.810 3.34e-11 ***
## BHS 0.161390 0.014946 10.798 < 2e-16 ***
## IT_Anxiety_Pre 0.034903 0.012104 2.883 0.00413 **
## IT_Emotion_Pre 0.006116 0.015264 0.401 0.68885
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.8932 on 425 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared: 0.3511, Adjusted R-squared: 0.3465
## F-statistic: 76.66 on 3 and 425 DF, p-value: < 2.2e-16

regrOut anx2_17 <- calc.yhat(emwhope_bsi anx2_17)

regrOut anx2_17

## $PredictorMetrics
## b Beta r rs rs2 Unique Common CD:0 CD:1
## BHS 0.161 0.482 0.570 0.962 0.926 0.178 0.147 0.325 0.208
## IT_Anxiety_Pre 0.035 0.168 0.414 0.699 0.488 0.013 0.159 0.171 0.048
## IT_Emotion_Pre 0.006 0.022 0.320 0.540 0.291 0.000 0.102 0.102 0.007
## Total NA NA NA NA 1.705 0.191 0.408 0.598 0.263
## CD:2 GenDom Pratt RLW

```

```
## BHS 0.178 0.237 0.275 0.240
## IT_Anxiety_Pre 0.013 0.077 0.070 0.075
## IT_Emotion_Pre 0.000 0.037 0.007 0.036
## Total 0.191 0.351 0.352 0.351
##
## $OrderedPredictorMetrics
## b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS 1 1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2 2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3 3 3 3 3 3 3 3 3 3 3 3
## RLW
## BHS 1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
## Comp Cond Gen
## BHS>IT_Anxiety_Pre 1 1 1
## BHS>IT_Emotion_Pre 1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
## Commonality % Total R2 BHS.Inc
## BHS 0.178 0.507 0.325 NA
## IT_Anxiety_Pre 0.013 0.036 0.171 0.179
## IT_Emotion_Pre 0.000 0.001 0.102 0.236
## BHS,IT_Anxiety_Pre 0.058 0.165 0.351 NA
## BHS,IT_Emotion_Pre 0.001 0.004 0.338 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.013 0.037 0.173 0.178
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.088 0.250 0.351 NA
## Total 0.351 1.000 NA NA
## IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS 0.026 0.013
## IT_Anxiety_Pre NA 0.002
## IT_Emotion_Pre 0.071 NA
## BHS,IT_Anxiety_Pre NA 0.000
## BHS,IT_Emotion_Pre 0.013 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total NA NA
boot.out2_17<-
boot(emhop2,boot.yhat,1000,lmOut=emwhope_bsianx2_17,regrou0=regrOutanx2_17)
resultanx2_17<-booteval.yhat(regrOutanx2_17,boot.out2_17,bty="perc")
resultanx2_17$combCIaps
## Commonality R2
## BHS 0.178(0.111,0.252) 0.325(0.241,0.418)
## IT_Anxiety_Pre 0.013(0.001,0.038) 0.171(0.100,0.252)
## IT_Emotion_Pre 0.000(0.000,0.010) 0.102(0.049,0.171)
## BHS,IT_Anxiety_Pre 0.058(0.026,0.096) 0.351(0.263,0.444)
## BHS,IT_Emotion_Pre 0.001(-0.003,0.009) 0.338(0.251,0.437)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.013(-0.002,0.034) 0.173(0.102,0.257)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.088(0.046,0.135) 0.351(0.266,0.446)
## BHS.Inc IT_Anxiety_Pre.Inc
```

```
## BHS NA 0.026(0.006,0.059)
## IT_Anxiety_Pre 0.179(0.113,0.254) NA
## IT_Emotion_Pre 0.236(0.164,0.320) 0.071(0.030,0.125)
## BHS,IT_Anxiety_Pre NA NA
## BHS,IT_Emotion_Pre NA 0.013(0.001,0.038)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.178(0.111,0.252) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.013(0.001,0.040)
## IT_Anxiety_Pre 0.002(0.000,0.015)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.000(0.000,0.010)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

Visualizing Individual Depression Symptoms From Study 1

```
## Visualizing Individual Depression Symptoms From Study 1
## Take all the values, make category repeat the number of times per symptom, create
a new variable that repeats 3 times per symptom so it gets the point estimate, the
low CI, and the high CI
```

```
indiv_dep_study1_r2 <- c(resultdep1_2_est_r2, resultdep1_5_est_r2,
resultdep1_8_est_r2,
                        resultdep1_11_est_r2, resultdep1_14_est_r2)
indiv_dep_study1_lci_r2 <- c(resultdep1_2_lci_r2, resultdep1_5_lci_r2,
resultdep1_8_lci_r2,resultdep1_11_lci_r2,
resultdep1_14_lci_r2)
indiv_dep_study1_uci_r2 <- c(resultdep1_2_uci_r2, resultdep1_5_uci_r2,
resultdep1_8_uci_r2,resultdep1_11_uci_r2,
resultdep1_14_uci_r2)
symptom <- c(rep("Anhedonia", 3),rep("Loneliness", 3), rep("Feeling Down", 3),
rep("Worthlessness", 3), rep("Pessimism", 3))

category_indiv <- rep(category, 5)

dfdep1_indiv <- data.frame(category_indiv,
symptom,
indiv_dep_study1_r2,
indiv_dep_study1_lci_r2,
indiv_dep_study1_uci_r2)

## Plot Depression Individual Symptoms Study 1

ggplot(dfdep1_indiv, aes(x = category_indiv, y = indiv_dep_study1_r2)) +
  geom_point() +
  geom_errorbar(aes(ymax = indiv_dep_study1_uci_r2, ymin = indiv_dep_study1_lci_r2),
width = 0.2) +
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Individual Depression Symptoms in Study 1
(R2)", x = NULL) +
  theme_bw() +
  theme(panel.grid.major=element_blank(),
```

```

panel.grid.minor=element_blank(),
panel.border=element_blank(),
axis.line=element_line(),
text=element_text(family='Times'),
legend.title=element_blank()) +
geom_text(aes(label =
format(indiv_dep_study1_r2*100,
digits = 1, cex = 0.5),
y = indiv_dep_study1_uci_r2 + 0.1), position =
position_dodge(0.9),
vjust = 0) +
facet_wrap(~ symptom, nrow = 2)

```

Visualizing Individual Depression Symptoms From Study 2

Take all the values, make category repeat the number of times per symptom, create a new variable that repeats 3 times per symptom so it gets the point estimate, the low CI, and the high CI

```

indiv_dep_study1_r2 <- c(resultdep1_2_est_r2, resultdep1_5_est_r2,
resultdep1_8_est_r2,
resultdep1_11_est_r2, resultdep1_14_est_r2)
indiv_dep_study1_lci_r2 <- c(resultdep1_2_lci_r2, resultdep1_5_lci_r2,
resultdep1_8_lci_r2, resultdep1_11_lci_r2,
resultdep1_14_lci_r2)

```



```

indiv_dep_study1_uci_r2 <- c(resultdep1_2_uci_r2, resultdep1_5_uci_r2,
                           resultdep1_8_uci_r2, resultdep1_11_uci_r2,
                           resultdep1_14_uci_r2)
symptom <- c(rep("Anhedonia", 3), rep("Loneliness", 3), rep("Feeling Down", 3),
             rep("Worthlessness", 3), rep("Pessimism", 3))

category_indiv <- rep(category, 5)

dfdep1_indiv <- data.frame(category_indiv,
                           symptom,
                           indiv_dep_study1_r2,
                           indiv_dep_study1_lci_r2,
                           indiv_dep_study1_uci_r2)

## Plot Depression Individual Symptoms Study 2

ggplot(dfdep1_indiv, aes(x = category_indiv, y = indiv_dep_study1_r2)) +
  geom_point() +
  geom_errorbar(aes(ymax = indiv_dep_study1_uci_r2, ymin = indiv_dep_study1_lci_r2),
width = 0.2) +
  coord_flip() +
  labs(y = "Absolute Variance Predicted in Individual Depression Symptoms in Study 1
(R2)", x = NULL) +
  theme_bw() +
  theme(panel.grid.major=element_blank(),
        panel.grid.minor=element_blank(),
        panel.border=element_blank(),
        axis.line=element_line(),
        text=element_text(family='Times'),
        legend.title=element_blank()) +
  geom_text(aes(label =
format(dfdep1_indiv$indiv_dep_study1_r2*100,
      digits = 1, cex = 0.5),
      y = indiv_dep_study1_uci_r2 + 0.1), position =
position_dodge(0.9),
      vjust = 0) +
  facet_wrap(~ symptom, nrow = 2)

```

This Pattern Holds Up When Breaking Down The Sample By Whether the Participant Has Received Treatment in the Past

Regardless of whether the participant had received treatment in the past, the pattern of results discussed above holds.

```
##### Study 1 #####
```

```
## What about after splitting by treatment history?
```

```
emhop1treat <- subset(emhop1, RecdTxx == 1)
emhop1notreat <- subset(emhop1, RecdTxx == 2)
```

```
## What about after splitting by treatment history for Study 2?
```

```
emhop2treat <- subset(emhop2, RecdTxx == 1)
emhop2notreat <- subset(emhop2, RecdTxx == 2)
```

```
## For people who have received treatment, sum score depression Study 1
## 6.8% for Anxiety Theories, CI contains 0
## 0.1% for Emotion Theories, CI contains 0
```

```

emwhope_bsideptreat <- lm(BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1treat)
summary(emwhope_bsideptreat)

##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1treat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.656 -2.311 -0.507  2.354 10.207
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.49481    1.52840   0.324   0.7473
## BHS          0.81831    0.17794   4.599 2.25e-05 ***
## IT_Anxiety   0.31047    0.14283   2.174  0.0337 *
## IT_Emotion  -0.04232    0.15196  -0.279  0.7816
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.887 on 60 degrees of freedom
## Multiple R-squared:  0.5349, Adjusted R-squared:  0.5116
## F-statistic:    23 on 3 and 60 DF,  p-value: 4.93e-10

regrOutdep1treat<-calc.yhat(emwhope_bsideptreat)

regrOutdep1treat

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1  CD:2
## BHS          0.818  0.542  0.702  0.959  0.920  0.164  0.328  0.492  0.226  0.164
## IT_Anxiety   0.310  0.283  0.603  0.825  0.680  0.037  0.327  0.364  0.098  0.037
## IT_Emotion  -0.042 -0.034  0.466  0.637  0.406  0.001  0.217  0.217  0.006  0.001
## Total        NA      NA      NA      NA  2.006  0.202  0.872  1.073  0.330  0.202
##              GenDom  Pratt  RLW
## BHS          0.294  0.380  0.295
## IT_Anxiety   0.166  0.170  0.167
## IT_Emotion   0.075 -0.016  0.074
## Total        0.535  0.534  0.536
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS          1  1 1 1 1 1 1 1 1 1 1 1 1 1
## IT_Anxiety   2  2 2 2 2 2 2 2 2 2 2 2 2 2
## IT_Emotion   3  3 3 3 3 3 3 3 3 3 3 3 3 3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety      1  1 1
## BHS>IT_Emotion      1  1 1
## IT_Anxiety>IT_Emotion 1  1 1
##
## $APSRRelatedMetrics
##              Commonality % Total  R2 BHS.Inc
## BHS          0.164  0.306 0.492  NA
## IT_Anxiety   0.037  0.068 0.364  0.170

```

```
## IT_Emotion          0.001      0.001 0.217      0.281
## BHS,IT_Anxiety      0.117      0.219 0.534      NA
## BHS,IT_Emotion      0.006      0.012 0.498      NA
## IT_Anxiety,IT_Emotion 0.005      0.010 0.371      0.164
## BHS,IT_Anxiety,IT_Emotion 0.205      0.383 0.535      NA
## Total              0.535      1.000      NA      NA
##
##              IT_Anxiety.Inc IT_Emotion.Inc
## BHS              0.042              0.006
## IT_Anxiety              NA              0.007
## IT_Emotion          0.154              NA
## BHS,IT_Anxiety              NA              0.001
## BHS,IT_Emotion          0.037              NA
## IT_Anxiety,IT_Emotion              NA              NA
## BHS,IT_Anxiety,IT_Emotion              NA              NA
## Total              NA              NA
```

```
boot.outdep1treat<-boot(emhop1treat,boot.yhat,1000,lmOut=emwhope_bsideptreat,
  regrout0=regrOutdep1treat)
```

```
resultdep1treat<-booteval.yhat(regrOutdep1treat,boot.outdep1treat,bty="perc")
resultdep1treat$combCIaps
```

```
##              Commonality              R2
## BHS          0.164(0.052,0.342) 0.492(0.275,0.687)
## IT_Anxiety    0.037(0.000,0.145) 0.364(0.154,0.588)
## IT_Emotion    0.001(0.000,0.031) 0.217(0.056,0.427)
## BHS,IT_Anxiety 0.117(0.014,0.238) 0.534(0.356,0.724)
## BHS,IT_Emotion 0.006(-0.022,0.062) 0.498(0.314,0.695)
## IT_Anxiety,IT_Emotion 0.005(-0.018,0.070) 0.371(0.172,0.601)
## BHS,IT_Anxiety,IT_Emotion 0.205(0.053,0.364) 0.535(0.362,0.727)
##
##              BHS.Inc      IT_Anxiety.Inc
## BHS              NA 0.042(0.000,0.182)
## IT_Anxiety      0.170(0.054,0.353)      NA
## IT_Emotion      0.281(0.113,0.491) 0.154(0.033,0.308)
## BHS,IT_Anxiety              NA      NA
## BHS,IT_Emotion              NA 0.037(0.000,0.145)
## IT_Anxiety,IT_Emotion 0.164(0.052,0.342)      NA
## BHS,IT_Anxiety,IT_Emotion              NA      NA
##
##              IT_Emotion.Inc
## BHS          0.006(0,0.075)
## IT_Anxiety    0.007(0,0.069)
## IT_Emotion      NA
## BHS,IT_Anxiety 0.001(0,0.031)
## BHS,IT_Emotion      NA
## IT_Anxiety,IT_Emotion      NA
## BHS,IT_Anxiety,IT_Emotion      NA
```

```
## For people who haven't received treatment, sum score depression Study 1
## 0.1% for Anxiety Theories, CI contains 0
## 0.3% for Emotion Theories, CI contains 0
```

```
emwhope_bsidepnotreat <- lm(BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion,data =
emhop1notreat)
summary(emwhope_bsideptreat)
```

```
##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety + IT_Emotion, data = emhop1treat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.656 -2.311 -0.507  2.354 10.207
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.49481    1.52840   0.324  0.7473
## BHS          0.81831    0.17794   4.599 2.25e-05 ***
## IT_Anxiety   0.31047    0.14283   2.174  0.0337 *
## IT_Emotion  -0.04232    0.15196  -0.279  0.7816
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.887 on 60 degrees of freedom
## Multiple R-squared:  0.5349, Adjusted R-squared:  0.5116
## F-statistic:    23 on 3 and 60 DF,  p-value: 4.93e-10

regrOutdep1notreat<-calc.yhat(emwhope_bsidepnotreat)

regrOutdep1notreat

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common  CD:0  CD:1  CD:2
## BHS          0.977 0.735 0.780 0.995 0.990  0.404  0.204 0.609 0.428 0.404
## IT_Anxiety   0.025 0.029 0.432 0.551 0.303  0.000  0.186 0.187 0.015 0.000
## IT_Emotion   0.071 0.067 0.431 0.550 0.302  0.002  0.184 0.186 0.015 0.002
## Total        NA    NA    NA    NA 1.595  0.406  0.574 0.982 0.458 0.406
##              GenDom Pratt  RLW
## BHS          0.480 0.573 0.480
## IT_Anxiety   0.067 0.013 0.067
## IT_Emotion   0.068 0.029 0.068
## Total        0.615 0.615 0.615
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt RLW
## BHS          1    1 1 1 1      1      1  1  1  1      1    1  1
## IT_Anxiety   3    3 2 2 2      3      2  2  2  3      3    3  3
## IT_Emotion   2    2 3 3 3      2      3  3  3  2      2    2  2
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety      1.0 1.0  1
## BHS>IT_Emotion      1.0 1.0  1
## IT_Anxiety>IT_Emotion 0.5 0.5  0
##
## $APSRRelatedMetrics
##              Commonality % Total      R2 BHS.Inc
## BHS              0.404    0.657 0.609      NA
## IT_Anxiety        0.000    0.001 0.187    0.427
## IT_Emotion         0.002    0.003 0.186    0.429
## BHS,IT_Anxiety     0.024    0.040 0.613      NA
## BHS,IT_Emotion     0.022    0.036 0.615      NA
```

```
## IT_Anxiety,IT_Emotion      0.004      0.007 0.211      0.404
## BHS,IT_Anxiety,IT_Emotion  0.158      0.256 0.615      NA
## Total                      0.615      1.000      NA      NA
##                               IT_Anxiety.Inc IT_Emotion.Inc
## BHS                          0.005          0.006
## IT_Anxiety                    NA          0.024
## IT_Emotion                    0.025          NA
## BHS,IT_Anxiety                NA          0.002
## BHS,IT_Emotion                0.000          NA
## IT_Anxiety,IT_Emotion          NA          NA
## BHS,IT_Anxiety,IT_Emotion      NA          NA
## Total                         NA          NA
```

```
boot.outdep1notreat<-boot(emhop1treat,boot.yhat,1000,lmOut=emwhope_bsidepnotreat,
  regrout0=regrOutdep1notreat)
```

```
resultdep1notreat<-booteval.yhat(regrOutdep1notreat,boot.outdep1notreat,bty="perc")
resultdep1notreat$combCIaps
```

```
##                               Commonality      R2
## BHS                        0.404(0.052,0.339) 0.609(0.283,0.699)
## IT_Anxiety                  0.000(0.000,0.142) 0.187(0.148,0.600)
## IT_Emotion                  0.002(0.000,0.034) 0.186(0.055,0.427)
## BHS,IT_Anxiety              0.024(0.019,0.258) 0.613(0.347,0.717)
## BHS,IT_Emotion              0.022(-0.022,0.059) 0.615(0.308,0.701)
## IT_Anxiety,IT_Emotion       0.004(-0.020,0.066) 0.211(0.161,0.610)
## BHS,IT_Anxiety,IT_Emotion   0.158(0.054,0.375) 0.615(0.354,0.724)
##                               BHS.Inc      IT_Anxiety.Inc
## BHS                          NA 0.005(0.000,0.179)
## IT_Anxiety                    0.427(0.056,0.345)      NA
## IT_Emotion                    0.429(0.119,0.487) 0.025(0.039,0.332)
## BHS,IT_Anxiety                NA      NA
## BHS,IT_Emotion                NA 0.000(0.000,0.142)
## IT_Anxiety,IT_Emotion         0.404(0.052,0.339)      NA
## BHS,IT_Anxiety,IT_Emotion      NA      NA
##                               IT_Emotion.Inc
## BHS                          0.006(0,0.077)
## IT_Anxiety                    0.024(0,0.066)
## IT_Emotion                    NA
## BHS,IT_Anxiety                0.002(0,0.034)
## BHS,IT_Emotion                NA
## IT_Anxiety,IT_Emotion          NA
## BHS,IT_Anxiety,IT_Emotion      NA
```

```
## For people who have received treatment, sum score anxiety Study 2
## 8.3% for Anxiety Theories, CI does not contain 0
## 0.3% for Emotion Theories, CI contains 0
```

```
emwhope_bsi anx2treat <- lm(BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
  data = emhop2treat)
summary(emwhope_bsi anx2treat)
```

```
##
## Call:
## lm(formula = BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2treat)
```

```
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -12.135  -2.753  -0.599   2.923  12.696
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.01276    1.14111   0.888  0.37607
## BHS             0.74107    0.11219   6.606 5.06e-10 ***
## IT_Anxiety_Pre  0.29221    0.09887   2.956  0.00357 **
## IT_Emotion_Pre -0.07282    0.13231  -0.550  0.58280
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.411 on 167 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3872, Adjusted R-squared:  0.3762
## F-statistic: 35.17 on 3 and 167 DF, p-value: < 2.2e-16

regrOutanx2treat<-calc.yhat(emwhope_bsxianx2treat)

regrOutanx2treat

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS             0.741  0.466 0.586 0.941 0.886  0.160  0.183 0.343 0.197
## IT_Anxiety_Pre  0.292  0.275 0.476 0.766 0.586  0.032  0.195 0.227 0.075
## IT_Emotion_Pre -0.073 -0.049 0.346 0.556 0.309  0.001  0.119 0.120 0.006
## Total           NA      NA      NA      NA 1.781  0.193  0.497 0.690 0.278
##              CD:2 GenDom Pratt  RLW
## BHS             0.160  0.233  0.273 0.237
## IT_Anxiety_Pre  0.032  0.111  0.131 0.109
## IT_Emotion_Pre  0.001  0.042 -0.017 0.041
## Total           0.193  0.386  0.387 0.387
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS             1  1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre  2  2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre  3  3 3 3 3 3 3 3 3 3 3 3
##              RLW
## BHS             1
## IT_Anxiety_Pre  2
## IT_Emotion_Pre  3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety_Pre 1 1 1
## BHS>IT_Emotion_Pre 1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
##              Commonality % Total R2 BHS.Inc
## BHS             0.160  0.414 0.343 NA
## IT_Anxiety_Pre  0.032  0.083 0.227 0.159
## IT_Emotion_Pre  0.001  0.003 0.120 0.235
```

```

## BHS,IT_Anxiety_Pre          0.075    0.194 0.386      NA
## BHS,IT_Emotion_Pre         -0.001   -0.003 0.355      NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.011    0.029 0.227    0.160
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.109    0.281 0.387      NA
## Total                      0.387    1.000    NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                               0.043          0.012
## IT_Anxiety_Pre                     NA          0.000
## IT_Emotion_Pre                     0.107          NA
## BHS,IT_Anxiety_Pre                     NA          0.001
## BHS,IT_Emotion_Pre                     0.032          NA
## IT_Anxiety_Pre,IT_Emotion_Pre                     NA          NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre                     NA          NA
## Total                               NA          NA

boot.ouanx2treat<-boot(emhop2treat,boot.yhat,1000,lmOut=emwhope_bsi anx2treat,
                      regrout0=regrOutanx2treat)

resultanx2treat<-booteval.yhat(regrOutanx2treat,boot.ouanx2treat,bty="perc")
resultanx2treat$combCIaps

##                               Commonality                               R2
## BHS                      0.160(0.060,0.293) 0.343(0.220,0.489)
## IT_Anxiety_Pre           0.032(0.002,0.088) 0.227(0.122,0.347)
## IT_Emotion_Pre           0.001(0.000,0.029) 0.120(0.043,0.231)
## BHS,IT_Anxiety_Pre       0.075(0.028,0.146) 0.386(0.273,0.523)
## BHS,IT_Emotion_Pre      -0.001(-0.013,0.018) 0.355(0.244,0.497)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.011(-0.025,0.053) 0.227(0.127,0.354)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.109(0.043,0.185) 0.387(0.275,0.533)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                               NA 0.043(0.006,0.104)
## IT_Anxiety_Pre                   0.159(0.062,0.295)      NA
## IT_Emotion_Pre                   0.235(0.117,0.378) 0.107(0.037,0.206)
## BHS,IT_Anxiety_Pre                     NA      NA
## BHS,IT_Emotion_Pre                     NA 0.032(0.002,0.088)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.160(0.060,0.293)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre      NA      NA
##                               IT_Emotion_Pre.Inc
## BHS                      0.012(0,0.057)
## IT_Anxiety_Pre           0.000(0,0.030)
## IT_Emotion_Pre           NA
## BHS,IT_Anxiety_Pre       0.001(0,0.029)
## BHS,IT_Emotion_Pre       NA
## IT_Anxiety_Pre,IT_Emotion_Pre      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre    NA

## For people who haven't received treatment, sum score anxiety Study 2
## 5.5% for Anxiety Theories, CI does not contain 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsi anx2notreat <- lm(BSI_An x ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
                             data = emhop2notreat)
summary(emwhope_bsi anx2notreat)

##
## Call:

```



```
## lm(formula = BSI_Anxiety ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2notreat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -8.7442 -1.6207 -0.3622  1.0845 11.7948
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -0.94089    0.57120  -1.647 0.100753
## BHS           0.89044    0.07468  11.923 < 2e-16 ***
## IT_Anxiety_Pre 0.20775    0.05549   3.744 0.000224 ***
## IT_Emotion_Pre 0.00572    0.06707   0.085 0.932106
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.216 on 254 degrees of freedom
## Multiple R-squared:  0.5005, Adjusted R-squared:  0.4946
## F-statistic: 84.84 on 3 and 254 DF,  p-value: < 2.2e-16

regrOutanx2notreat<-calc.yhat(emwhoep_bsi anx2notreat)

regrOutanx2notreat

## $PredictorMetrics
##              b Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           0.890 0.577 0.672 0.951 0.904  0.280  0.173 0.452 0.317
## IT_Anxiety_Pre 0.208 0.236 0.469 0.662 0.439  0.028  0.192 0.220 0.074
## IT_Emotion_Pre 0.006 0.005 0.347 0.490 0.240  0.000  0.120 0.120 0.011
## Total          NA    NA    NA    NA 1.583  0.308  0.485 0.792 0.402
##              CD:2 GenDom Pratt   RLW
## BHS           0.280  0.349 0.388 0.353
## IT_Anxiety_Pre 0.028  0.107 0.111 0.104
## IT_Emotion_Pre 0.000  0.044 0.002 0.043
## Total          0.308  0.500 0.501 0.500
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2  2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3  3 3 3 3 3 3 3 3 3 3 3
##              RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety_Pre 1 1 1
## BHS>IT_Emotion_Pre 1 1 1
## IT_Anxiety_Pre>IT_Emotion_Pre 1 1 1
##
## $APSRRelatedMetrics
##              Commonality % Total R2 BHS.Inc
## BHS           0.280  0.559 0.452  NA
## IT_Anxiety_Pre 0.028  0.055 0.220  0.281
```

```
## IT_Emotion_Pre          0.000    0.000 0.120    0.353
## BHS,IT_Anxiety_Pre      0.073    0.146 0.500     NA
## BHS,IT_Emotion_Pre      0.001    0.003 0.473     NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.021    0.041 0.221    0.280
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.098    0.196 0.500     NA
## Total                  0.500    1.000    NA     NA
##
##                      IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                      0.048          0.021
## IT_Anxiety_Pre           NA          0.001
## IT_Emotion_Pre          0.101          NA
## BHS,IT_Anxiety_Pre       NA          0.000
## BHS,IT_Emotion_Pre      0.028          NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA          NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA          NA
## Total                   NA          NA
```

```
boot.ouanx2notreat<-boot(emhop2notreat,boot.yhat,1000,lmOut=emwhope_bsi anx2notreat,
  regrout0=regrOutanx2notreat)
```

```
resultanx2notreat<-booteval.yhat(regrOutanx2notreat,boot.ouanx2notreat,bty="perc")
resultanx2notreat$combCIaps
```

```
##                      Commonality                      R2
## BHS                  0.280(0.171,0.388) 0.452(0.334,0.564)
## IT_Anxiety_Pre       0.028(0.005,0.065) 0.220(0.128,0.333)
## IT_Emotion_Pre       0.000(0.000,0.010) 0.120(0.061,0.191)
## BHS,IT_Anxiety_Pre   0.073(0.026,0.139) 0.500(0.397,0.606)
## BHS,IT_Emotion_Pre   0.001(-0.004,0.014) 0.473(0.368,0.579)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.021(-0.001,0.051) 0.221(0.131,0.335)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.098(0.048,0.151) 0.500(0.398,0.608)
##                      BHS.Inc IT_Anxiety_Pre.Inc
## BHS                      NA 0.048(0.016,0.098)
## IT_Anxiety_Pre          0.281(0.174,0.391)      NA
## IT_Emotion_Pre          0.353(0.239,0.464) 0.101(0.038,0.190)
## BHS,IT_Anxiety_Pre      NA      NA
## BHS,IT_Emotion_Pre      NA 0.028(0.005,0.065)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.280(0.171,0.388)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
##                      IT_Emotion_Pre.Inc
## BHS                  0.021(0.003,0.056)
## IT_Anxiety_Pre       0.001(0.000,0.019)
## IT_Emotion_Pre       NA
## BHS,IT_Anxiety_Pre   0.000(0.000,0.010)
## BHS,IT_Emotion_Pre   NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```

```
##### Study 2 #####
```

```
## For people who have received treatment, sum score depression Study 2
## 0.6% for Anxiety Theories, CI contains 0
## 0.2% for Emotion Theories, CI contains 0
```

```
emwhope_bsidep2treat <- lm(BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
```

```

                                data = emhop2treat)
summary(emwhope_bsidep2treat)

##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2treat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -8.5544 -2.2542  0.1729  2.1263 12.1398
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.29512    0.91371   1.417   0.158
## BHS           1.09236    0.08983  12.160 <2e-16 ***
## IT_Anxiety_Pre 0.09413    0.07917   1.189   0.236
## IT_Emotion_Pre 0.07688    0.10595   0.726   0.469
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.532 on 167 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.5966, Adjusted R-squared:  0.5893
## F-statistic: 82.32 on 3 and 167 DF, p-value: < 2.2e-16

regrOutdep2treat<-calc.yhat(emwhope_bsidep2treat)

regrOutdep2treat

## $PredictorMetrics
##              b Beta      r    rs    rs2 Unique Common  CD:0  CD:1
## BHS           1.092 0.697 0.764 0.989 0.978  0.357  0.226 0.584 0.395
## IT_Anxiety_Pre 0.094 0.090 0.481 0.623 0.388  0.003  0.228 0.232 0.042
## IT_Emotion_Pre 0.077 0.052 0.409 0.530 0.281  0.001  0.166 0.167 0.009
## Total          NA    NA    NA    NA 1.647  0.361  0.620 0.983 0.446
##              CD:2 GenDom Pratt    RLW
## BHS           0.357  0.445 0.532 0.447
## IT_Anxiety_Pre 0.003  0.092 0.043 0.090
## IT_Emotion_Pre 0.001  0.059 0.021 0.060
## Total          0.361  0.596 0.596 0.597
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common  CD:0  CD:1  CD:2 GenDom Pratt
## BHS           1   1 1 1 1      1      2    1    1    1      1    1
## IT_Anxiety_Pre 2   2 2 2 2      2      1    2    2    2      2    2
## IT_Emotion_Pre 3   3 3 3 3      3      3    3    3    3      3    3
##              RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety_Pre      1   1   1
## BHS>IT_Emotion_Pre      1   1   1

```

```
## IT_Anxiety_Pre>IT_Emotion_Pre    1    1    1
##
## $APSRRelatedMetrics
##
## Commonality % Total R2 BHS.Inc
## BHS 0.357 0.599 0.584 NA
## IT_Anxiety_Pre 0.003 0.006 0.232 0.364
## IT_Emotion_Pre 0.001 0.002 0.167 0.426
## BHS,IT_Anxiety_Pre 0.069 0.115 0.595 NA
## BHS,IT_Emotion_Pre 0.006 0.011 0.593 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.008 0.014 0.239 0.357
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.151 0.254 0.597 NA
## Total 0.597 1.000 NA NA
##
## IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS 0.012 0.010
## IT_Anxiety_Pre NA 0.008
## IT_Emotion_Pre 0.072 NA
## BHS,IT_Anxiety_Pre NA 0.001
## BHS,IT_Emotion_Pre 0.003 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total NA NA

boot.outdep2treat<-boot(emhop2treat,boot.yhat,1000,lmOut=emwhope_bsidep2treat,
  regrout0=regrOutdep2treat)

resultdep2treat<-booteval.yhat(regrOutdep2treat,boot.outdep2treat,bty="perc")
resultdep2treat$combCIaps

## Commonality R2
## BHS 0.357(0.229,0.487) 0.584(0.458,0.695)
## IT_Anxiety_Pre 0.003(0.000,0.022) 0.232(0.127,0.358)
## IT_Emotion_Pre 0.001(0.000,0.018) 0.167(0.065,0.295)
## BHS,IT_Anxiety_Pre 0.069(0.020,0.137) 0.595(0.472,0.702)
## BHS,IT_Emotion_Pre 0.006(-0.003,0.039) 0.593(0.476,0.701)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.008(-0.003,0.030) 0.239(0.135,0.377)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.151(0.061,0.246) 0.597(0.481,0.705)
## BHS.Inc IT_Anxiety_Pre.Inc
## BHS NA 0.012(0.000,0.046)
## IT_Anxiety_Pre 0.364(0.247,0.489) NA
## IT_Emotion_Pre 0.426(0.288,0.572) 0.072(0.021,0.151)
## BHS,IT_Anxiety_Pre NA NA
## BHS,IT_Emotion_Pre NA 0.003(0.000,0.022)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.357(0.229,0.487) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.010(0,0.041)
## IT_Anxiety_Pre 0.008(0,0.052)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.001(0,0.018)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA

## For people who haven't received treatment, sum score depression Study 2
## 3.0% for Anxiety Theories, CI does not contain 0
## 0.2% for Emotion Theories, CI contains 0
```

```

emwhope_bsidep2notreat <- lm(BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
                             data = emhop2notreat)
summary(emwhope_bsidep2notreat)

##
## Call:
## lm(formula = BSI_Dep ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2notreat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -7.5925 -1.3734 -0.4368  1.1360  8.4774
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -0.03151    0.46358  -0.068  0.945868
## BHS           1.10176    0.06061  18.177 < 2e-16 ***
## IT_Anxiety_Pre 0.17182    0.04504   3.815 0.000171 ***
## IT_Emotion_Pre -0.05474    0.05443  -1.006 0.315564
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.61 on 254 degrees of freedom
## Multiple R-squared:  0.6554, Adjusted R-squared:  0.6513
## F-statistic: 161 on 3 and 254 DF, p-value: < 2.2e-16

regrOutdep2notreat<-calc.yhat(emwhope_bsidep2notreat)

regrOutdep2notreat

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common  CD:0  CD:1
## BHS           1.102  0.731 0.794 0.981 0.963  0.448  0.183 0.631 0.492
## IT_Anxiety_Pre 0.172  0.200 0.455 0.562 0.316  0.020  0.187 0.207 0.066
## IT_Emotion_Pre -0.055 -0.051 0.314 0.388 0.151  0.001  0.097 0.099 0.002
## Total          NA      NA      NA      NA 1.430  0.469  0.467 0.937 0.560
##              CD:2 GenDom  Pratt  RLW
## BHS           0.448  0.524  0.580 0.526
## IT_Anxiety_Pre 0.020  0.098  0.091 0.096
## IT_Emotion_Pre 0.001  0.034 -0.016 0.033
## Total          0.469  0.656  0.655 0.655
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1      1      2  1  1  1      1      1
## IT_Anxiety_Pre 2  2 2 2 2      2      1  2  2  2      2      2
## IT_Emotion_Pre 3  3 3 3 3      3      3  3  3  3      3      3
##              RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##
## $PairedDominanceMetrics
##              Comp Cond Gen
## BHS>IT_Anxiety_Pre      1  1  1

```

```
## BHS>IT_Emotion_Pre      1      1      1
## IT_Anxiety_Pre>IT_Emotion_Pre  1      1      1
##
## $APSRRelatedMetrics
##
## Commonality % Total R2 BHS.Inc
## BHS 0.448 0.684 0.631 NA
## IT_Anxiety_Pre 0.020 0.030 0.207 0.447
## IT_Emotion_Pre 0.001 0.002 0.099 0.537
## BHS,IT_Anxiety_Pre 0.089 0.135 0.654 NA
## BHS,IT_Emotion_Pre -0.001 -0.002 0.636 NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.003 0.005 0.207 0.448
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.095 0.145 0.655 NA
## Total 0.655 1.000 NA NA
##
## IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS 0.023 0.005
## IT_Anxiety_Pre NA 0.000
## IT_Emotion_Pre 0.108 NA
## BHS,IT_Anxiety_Pre NA 0.001
## BHS,IT_Emotion_Pre 0.020 NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## Total NA NA

boot.outdep2notreat<-boot(emhop2notreat,boot.yhat,1000,lmOut=emwhope_bsidep2notreat,
regrou0=regrOutdep2notreat)

resultdep2notreat<-booteval.yhat(regrOutdep2notreat,boot.outdep2notreat,bty="perc")
resultdep2notreat$combCIaps

## Commonality R2
## BHS 0.448(0.337,0.563) 0.631(0.544,0.711)
## IT_Anxiety_Pre 0.020(0.003,0.052) 0.207(0.111,0.309)
## IT_Emotion_Pre 0.001(0.000,0.013) 0.099(0.041,0.172)
## BHS,IT_Anxiety_Pre 0.089(0.027,0.160) 0.654(0.572,0.726)
## BHS,IT_Emotion_Pre -0.001(-0.010,0.013) 0.636(0.549,0.719)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.003(-0.013,0.017) 0.207(0.115,0.313)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.095(0.037,0.157) 0.655(0.582,0.728)
## BHS.Inc IT_Anxiety_Pre.Inc
## BHS NA 0.023(0.005,0.051)
## IT_Anxiety_Pre 0.447(0.334,0.568) NA
## IT_Emotion_Pre 0.537(0.449,0.618) 0.108(0.036,0.201)
## BHS,IT_Anxiety_Pre NA NA
## BHS,IT_Emotion_Pre NA 0.020(0.003,0.052)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.448(0.337,0.563) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
## IT_Emotion_Pre.Inc
## BHS 0.005(0,0.018)
## IT_Anxiety_Pre 0.000(0,0.017)
## IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre 0.001(0,0.013)
## BHS,IT_Emotion_Pre NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA

## For people who have received treatment, sum score anxiety Study 2
## 8.3% for Anxiety Theories, CI does not contain 0
```

```
## 0.3% for Emotion Theories, CI contains 0

emwhope_bsi anx2treat <- lm(BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
                           data = emhop2treat)
summary(emwhope_bsi anx2treat)

##
## Call:
## lm(formula = BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2treat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -12.135  -2.753  -0.599   2.923  12.696
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.01276    1.14111   0.888  0.37607
## BHS             0.74107    0.11219   6.606 5.06e-10 ***
## IT_Anxiety_Pre  0.29221    0.09887   2.956 0.00357 **
## IT_Emotion_Pre -0.07282    0.13231  -0.550 0.58280
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.411 on 167 degrees of freedom
## (1 observation deleted due to missingness)
## Multiple R-squared:  0.3872, Adjusted R-squared:  0.3762
## F-statistic: 35.17 on 3 and 167 DF,  p-value: < 2.2e-16

regrOutanx2treat<-calc.yhat(emwhope_bsi anx2treat)

regrOutanx2treat

## $PredictorMetrics
##              b      Beta      r      rs      rs2 Unique Common CD:0 CD:1
## BHS             0.741  0.466 0.586 0.941 0.886  0.160  0.183 0.343 0.197
## IT_Anxiety_Pre  0.292  0.275 0.476 0.766 0.586  0.032  0.195 0.227 0.075
## IT_Emotion_Pre -0.073 -0.049 0.346 0.556 0.309  0.001  0.119 0.120 0.006
## Total           NA      NA      NA      NA 1.781  0.193  0.497 0.690 0.278
##              CD:2 GenDom Pratt  RLW
## BHS             0.160  0.233  0.273 0.237
## IT_Anxiety_Pre  0.032  0.111  0.131 0.109
## IT_Emotion_Pre  0.001  0.042 -0.017 0.041
## Total           0.193  0.386  0.387 0.387
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS             1  1 1 1 1      1      2  1  1  1      1  1
## IT_Anxiety_Pre  2  2 2 2 2      2      1  2  2  2      2  2
## IT_Emotion_Pre  3  3 3 3 3      3      3  3  3  3      3  3
##              RLW
## BHS             1
## IT_Anxiety_Pre  2
## IT_Emotion_Pre  3
##
## $PairedDominanceMetrics
```

```
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1      1      1
## BHS>IT_Emotion_Pre           1      1      1
## IT_Anxiety_Pre>IT_Emotion_Pre 1      1      1
##
## $APSRRelatedMetrics
##                               Commonality % Total    R2 BHS.Inc
## BHS                          0.160      0.414 0.343      NA
## IT_Anxiety_Pre                0.032      0.083 0.227      0.159
## IT_Emotion_Pre                0.001      0.003 0.120      0.235
## BHS,IT_Anxiety_Pre            0.075      0.194 0.386      NA
## BHS,IT_Emotion_Pre           -0.001     -0.003 0.355      NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.011      0.029 0.227      0.160
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.109      0.281 0.387      NA
## Total                         0.387      1.000      NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                          0.043              0.012
## IT_Anxiety_Pre               NA              0.000
## IT_Emotion_Pre               0.107              NA
## BHS,IT_Anxiety_Pre           NA              0.001
## BHS,IT_Emotion_Pre           0.032              NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA              NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA              NA
## Total                       NA              NA

boot.ouanx2treat<-boot(emhop2treat,boot.yhat,1000,lmOut=emwhope_bsi anx2treat,
  regrout0=regrOutanx2treat)

resultanx2treat<-booteval.yhat(regrOutanx2treat,boot.ouanx2treat,bty="perc")
resultanx2treat$combCIaps

##                               Commonality                               R2
## BHS                          0.160(0.067,0.293) 0.343(0.214,0.482)
## IT_Anxiety_Pre                0.032(0.004,0.088) 0.227(0.121,0.346)
## IT_Emotion_Pre                0.001(0.000,0.025) 0.120(0.042,0.232)
## BHS,IT_Anxiety_Pre            0.075(0.029,0.136) 0.386(0.267,0.522)
## BHS,IT_Emotion_Pre           -0.001(-0.012,0.015) 0.355(0.235,0.500)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.011(-0.023,0.051) 0.227(0.125,0.352)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.109(0.039,0.186) 0.387(0.271,0.527)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                          NA 0.043(0.006,0.113)
## IT_Anxiety_Pre              0.159(0.067,0.292)      NA
## IT_Emotion_Pre              0.235(0.112,0.384) 0.107(0.042,0.200)
## BHS,IT_Anxiety_Pre          NA      NA
## BHS,IT_Emotion_Pre          NA 0.032(0.004,0.088)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.160(0.067,0.293)      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
##                               IT_Emotion_Pre.Inc
## BHS                          0.012(0,0.058)
## IT_Anxiety_Pre              0.000(0,0.025)
## IT_Emotion_Pre              NA
## BHS,IT_Anxiety_Pre          0.001(0,0.025)
## BHS,IT_Emotion_Pre          NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```



```

## For people who haven't received treatment, sum score anxiety Study 2
## 5.5% for Anxiety Theories, CI does not contain 0
## 0.0% for Emotion Theories, CI contains 0

emwhope_bsi anx2notreat <- lm(BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
                             data = emhop2notreat)
summary(emwhope_bsi anx2notreat)

##
## Call:
## lm(formula = BSI_Anx ~ BHS + IT_Anxiety_Pre + IT_Emotion_Pre,
##     data = emhop2notreat)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -8.7442 -1.6207 -0.3622  1.0845 11.7948
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -0.94089    0.57120  -1.647 0.100753
## BHS           0.89044    0.07468  11.923 < 2e-16 ***
## IT_Anxiety_Pre 0.20775    0.05549   3.744 0.000224 ***
## IT_Emotion_Pre 0.00572    0.06707   0.085 0.932106
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.216 on 254 degrees of freedom
## Multiple R-squared:  0.5005, Adjusted R-squared:  0.4946
## F-statistic: 84.84 on 3 and 254 DF, p-value: < 2.2e-16

regrOut anx2notreat <- calc.yhat(emwhope_bsi anx2notreat)

regrOut anx2notreat

## $PredictorMetrics
##              b Beta      r    rs   rs2 Unique Common  CD:0  CD:1
## BHS           0.890 0.577 0.672 0.951 0.904  0.280  0.173 0.452 0.317
## IT_Anxiety_Pre 0.208 0.236 0.469 0.662 0.439  0.028  0.192 0.220 0.074
## IT_Emotion_Pre 0.006 0.005 0.347 0.490 0.240  0.000  0.120 0.120 0.011
## Total          NA    NA    NA    NA 1.583  0.308  0.485 0.792 0.402
##              CD:2 GenDom Pratt   RLW
## BHS           0.280  0.349 0.388 0.353
## IT_Anxiety_Pre 0.028  0.107 0.111 0.104
## IT_Emotion_Pre 0.000  0.044 0.002 0.043
## Total          0.308  0.500 0.501 0.500
##
## $OrderedPredictorMetrics
##              b Beta r rs rs2 Unique Common CD:0 CD:1 CD:2 GenDom Pratt
## BHS           1  1 1 1 1 1 2 1 1 1 1 1
## IT_Anxiety_Pre 2  2 2 2 2 2 1 2 2 2 2 2
## IT_Emotion_Pre 3  3 3 3 3 3 3 3 3 3 3 3
##              RLW
## BHS           1
## IT_Anxiety_Pre 2
## IT_Emotion_Pre 3
##

```

```
## $PairedDominanceMetrics
##                               Comp Cond Gen
## BHS>IT_Anxiety_Pre           1     1     1
## BHS>IT_Emotion_Pre           1     1     1
## IT_Anxiety_Pre>IT_Emotion_Pre 1     1     1
##
## $APSRRelatedMetrics
##                               Commonality % Total R2 BHS.Inc
## BHS                          0.280      0.559 0.452      NA
## IT_Anxiety_Pre                0.028      0.055 0.220     0.281
## IT_Emotion_Pre                0.000      0.000 0.120     0.353
## BHS,IT_Anxiety_Pre            0.073      0.146 0.500      NA
## BHS,IT_Emotion_Pre            0.001      0.003 0.473      NA
## IT_Anxiety_Pre,IT_Emotion_Pre 0.021      0.041 0.221     0.280
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.098      0.196 0.500      NA
## Total                         0.500      1.000      NA      NA
##                               IT_Anxiety_Pre.Inc IT_Emotion_Pre.Inc
## BHS                          0.048      0.021
## IT_Anxiety_Pre                NA      0.001
## IT_Emotion_Pre                0.101      NA
## BHS,IT_Anxiety_Pre            NA      0.000
## BHS,IT_Emotion_Pre            0.028      NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA      NA
## Total                         NA      NA

boot.outanx2notreat<-boot(emhop2notreat,boot.yhat,1000,lmOut=emwhope_bsi anx2notreat,
  regrou0=regrouanx2notreat)

resultanx2notreat<-booteval.yhat(regrouanx2notreat,boot.ou tanx2notreat,bty="perc")
resultanx2notreat$combCIaps

##                               Commonality R2
## BHS                          0.280(0.169,0.399) 0.452(0.337,0.556)
## IT_Anxiety_Pre                0.028(0.005,0.066) 0.220(0.125,0.331)
## IT_Emotion_Pre                0.000(0.000,0.010) 0.120(0.059,0.195)
## BHS,IT_Anxiety_Pre            0.073(0.023,0.136) 0.500(0.401,0.593)
## BHS,IT_Emotion_Pre            0.001(-0.004,0.013) 0.473(0.365,0.574)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.021(-0.001,0.050) 0.221(0.129,0.333)
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre 0.098(0.050,0.154) 0.500(0.403,0.594)
##                               BHS.Inc IT_Anxiety_Pre.Inc
## BHS                          NA 0.048(0.014,0.096)
## IT_Anxiety_Pre                0.281(0.171,0.402) NA
## IT_Emotion_Pre                0.353(0.241,0.466) 0.101(0.035,0.188)
## BHS,IT_Anxiety_Pre            NA NA
## BHS,IT_Emotion_Pre            NA 0.028(0.005,0.066)
## IT_Anxiety_Pre,IT_Emotion_Pre 0.280(0.169,0.399) NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA NA
##                               IT_Emotion_Pre.Inc
## BHS                          0.021(0.003,0.054)
## IT_Anxiety_Pre                0.001(0.000,0.018)
## IT_Emotion_Pre                NA
## BHS,IT_Anxiety_Pre            0.000(0.000,0.010)
## BHS,IT_Emotion_Pre            NA
## IT_Anxiety_Pre,IT_Emotion_Pre NA
## BHS,IT_Anxiety_Pre,IT_Emotion_Pre NA
```