**Evaluating the influence of anxiety and depression on academic performance
in high school students**

Waleed Ahmed Shahzad
International School Lahore

September 5th, 2021

Abstract

The purpose of this study was to evaluate whether anxiety and depression have a negative effect on academic performance. This small-scale study assessed the relationship between these factors. A cross-sectional questionnaire survey was carried out. A randomized sample of 52 high school students based in various schools across Lahore participated in the survey. Of the participants, 32 were males and 20 were females. As a measure of anxiety and depression 14 questions from the DASS-21 were utilized (The 7 questions pertaining to the measure of stress were not included in this study). Based on the DASS-21 score obtained by the respondents they were classified under categories of normal, mild, moderate, severe and extremely severe levels of anxiety and depression. As a measure of academic performance, the Grade Point Average (GPA) of the students was obtained via the survey. The mean average GPA was calculated for all the students falling under the aforementioned categories pertaining to anxiety and depression separately and these averages were compared. It was found that the mean average GPA was highest in students falling under the categories of normal and mild levels of anxiety and depression. Whereas, mean average GPA was lower in students suffering from severe levels of anxiety and depression. These findings suggest the need to come up with methods to combat anxiety and depression in high school students as these factors impede academic performance.

Keywords: Anxiety, Depression, Academic Performance, Grade Point Average, Mean Average.

Introduction

Anxiety and depression are mental health disorders that affect a large proportion of the world's population. The severity of these disorders increases if the onset is at a younger age (Vos et al., 2012). These disorders not only affect the day to day lives of the very individuals suffering from them, but also have a direct impact on their family and social environment. Comorbidity is also very common within these disorders. Many individuals who suffer from depression also have anxiety and vice versa, thus making it important to analyze the effects of both of these disorders together.

Mental health issues and stress associated with high school education is already substantial. However, those enrolled in A level or IB programs (Ones the students in the study were enrolled in) perceive significantly more stress (Suldo et al., 2008). These students are forced to face high levels of stress from the first years of their studies. They deal with stress not only on a personal level but also at the academic level (e.g., Memorizing large amounts of information in short periods of time) and at the social level (e.g., sacrificing time spent with loved ones, abuse, racism or sexual harassment). All of these stress factors result in a plethora of consequences which can include depression, anxiety and suicidal thoughts (Stroud et al., 2008).

It is important to note that academic performance is a very important parameter because it has both practical and theoretical applications. It is generally proportional to the Grade Point Average (GPA) which is the most used numerical value for quantifying academic performance (Kuncel et al., 2005). Stress, as mentioned previously has a strong link to anxiety and depression.

Therefore, it is important to understand that stress and academic performance also have different aspects. On one hand, stress acts as a motivator for the achievement of better grades. Whereas on the other hand, there are findings that reveal that stress has a negative impact on academic performance, likely due to the presence of higher levels of anxiety and depression resulting from different stress factors among high school students.

Objectives

The null hypothesis of this study is that students who suffer from anxiety and depression have same or higher academic performance than those that do not suffer from anxiety and depression.

Methodology

Data was collected using a cross-sectional online survey. These surveys were sent online along with consent forms being sent via email. The consent forms provided the participants the details of the study, notified them of any risk involved, informed them about the confidentiality of their responses and provided contact information of the author. A total of 153 surveys were sent out and the response rate was 33.9% with 52 students completing the survey. The survey was formulated using Google forms and included two demographic questions: gender and age. The results from the demographic data are mentioned in Table 1.

Table 1. *Demographic data of the students included in the study.*

Variable	Category	%
Gender	Male	61.5
	Female	38.5
Age	15	29.1
	16	21.7
	17	25.3
	18	18.6
	19	5.3

Anxiety and Depression

14 questions were included in the survey from the DASS-21 (see Appendix A) as a measure of levels of anxiety and depression and the students were categorized based on their DASS-21 scores into normal, mild, moderate, severe and extremely severe levels of anxiety. The DASS-21 is a shorter version of the original 42-item self-report measure of depression, anxiety and stress called the DASS. Each question is rated using a 4-point scale ranging from 0 to 3. With 0 representing “did not apply to me at all” and 3 representing “applied to me very much”. For scoring, all the response numbers (0-3) for a relevant section (e.g., depression related questions) must be added and then multiplied by 2. These final scores can be used to indicate normal, mild, moderate, severe or extremely severe levels of anxiety and depression (see Appendix A).

The reliability for the DASS-21 using Cronbach’s alpha was found to be .81 for the depression scale and .73 for the anxiety scale (Tonsing, 2014). This shows that the DASS-21 can accurately be used to distinguish between anxiety and depression relative to other measuring techniques. It is also more concise which is ideal for participants with less time or limited attention spans.

Anxiety

Anxiety was measured using 7 questions from the DASS-21. The sum of the response numbers (0-3) of these questions was used to measure levels of anxiety as normal (0-7), mild (8-9), moderate (10-14), severe (15-19), and extremely severe (20+). The data of the anxiety sums can be seen in Table 2.

Table 2. *Data of the anxiety sums of the students included in the study.*

Level of anxiety	Number of students	%
Normal (0-7)	18	34.6
Mild (8-9)	21	40.4
Moderate (10-14)	12	23.1
Severe (15-19)	1	1.9
Extremely Severe (20+)	0	0

Depression

Depression was measured using the same method utilized to measure anxiety but the questions pertaining to depression in the DASS-21 were used instead. The sum of the response numbers (0-3) of these questions was used to measure levels of depression as normal (0-9), mild (10-13), moderate (14-20), severe (21-27), and extremely severe (28+). Data on depression sums in the sample can be seen in Table 3.

Table 3. *Data of the depression sums of the students included in the study.*

Level of depression	Number of students	%
Normal (0-9)	28	53.8
Mild (10-13)	7	13.5
Moderate (14-20)	15	28.9
Severe (21-27)	2	3.8
Extremely Severe (28+)	0	0

Grade Point Average (GPA)

A level programs in Pakistan follow the British degree grading system where students are given grades that correspond to certain percentage of marks. These percentages can then be converted into the 4.0 GPA scale. For the purpose of this study the students were asked to provide their most recent letter grades as well as percent grades and this data was converted to the 4.0 GPA scale using the conversion table provided by the College Board (see Appendix B). After the conversion the data was split into 4 ranges of GPA as can be seen in Table 4. The mean GPA was found to be 2.65.

Table 4. *Student's performance expressed in grade point average (GPA).*

GPA Range	Number of students	%
3.3-4.0	8	15.4%
2.7-3.2	26	50%
1.1-2.6	15	28.8%
Below 1.0	3	5.8%

Results

The mean average GPA was compared for all students that fell into specific categories of anxiety and depression. The data for anxiety and depression was not combined but instead the mean GPAs for students falling under specific anxiety levels were compared separately and the same was done for depression. The reason behind this was because although as established earlier comorbidity is very common amongst the two mental health diseases, the levels of anxiety and depression varied amongst students. One student suffering from a specific level of anxiety (e.g., mild) did not necessarily suffer from the same level of depression. Due to this it would make the study inaccurate if the data was combined.

The null hypothesis of this study was tested to see whether or not people suffering from anxiety or depression had similar or better academic performance as compared to people who did not suffer from these issues. To test the effect of anxiety the mean average GPA of the students that fell under the 5 levels of anxiety (normal, mild, moderate, severe and extremely severe) was taken for each anxiety level separately. A graph was plotted with anxiety level on the x-axis and mean average GPA on the y-axis. The data for extremely severe levels of anxiety was not plotted as no student fell under that category. The results can be seen in Figure 1.

Figure 1. *Effect of anxiety on academic performance.*

It was found that the mean average GPA was highest amongst students that had normal levels of anxiety, whereas the mean GPA of students suffering from mild levels of anxiety was closest to the mean GPA of all the students included in the study, showing that the majority of students

participating in the study suffered from mild levels of anxiety. The mean GPA was lower in students that suffered from moderate and severe levels of anxiety. Students falling under specific levels of anxiety belonged to different ranges of GPA with the majority students suffering from normal and mild levels of anxiety falling under the higher GPA ranges (2.7-4.0), while the majority students suffering from moderate and severe levels of anxiety fell under the lower GPA ranges (Below 2.7). This suggests that anxiety was the likely cause of lower GPA and has an inverse relation with academic performance, proving the null hypothesis wrong.

To test the effect of depression the mean average GPA of the students that fell under the 5 levels of depression (normal, mild, moderate, severe and extremely severe) was taken for each depression level separately. A graph was plotted with depression level on the x-axis and mean average GPA on the y-axis. The data for extremely severe levels of depression was not plotted as no student fell under that category. The results can be seen in Figure 2.

Figure 2. *Effect of depression on academic performance.*

It was found that the mean average GPA was highest amongst students that had normal and mild levels of depression, whereas the mean GPA was lower in students that suffered from moderate and severe levels of depression. No specific value was close to the overall mean GPA and hence there was no clear indicator of what level of depression the majority of students suffered from. Students falling under specific levels of depression belonged to different ranges of GPA with the majority students suffering from normal and mild levels of depression falling under the higher GPA ranges (2.7-4.0), while the majority students suffering from moderate and severe levels of depression fell under the lower GPA ranges (Below 2.7). This suggests that depression was the

likely cause of lower GPA and has an inverse relation with academic performance, proving the null hypothesis wrong. However, it is important to note that depression did not have a major effect on the mean GPA as long as it was of a normal or mild level. The mean GPA only decreased substantially in students that suffered from moderate to severe levels of depression.

Discussion

This study on the influence of anxiety and depression on academic performance revealed that GPA is inversely proportional to both of these mental health diseases. In other words, the higher the level of anxiety or depression, the lower the GPA obtained by the student. These findings also suggest that if a different set of students were considered for this study (ones who had same levels of both anxiety and depression) then both of these factors would still have an inverse relation with academic performance and the students who suffered from severe anxiety as well as severe depression would have substantially lower GPA than other students. Gender or age did not prove to be an important factor in this study. It was also found that while GPA decreased for every higher level of anxiety, the mean GPAs were very similar for normal and mild levels of depression. The reason for this could be the fact that people suffering from anxiety have more physical symptoms such as fast heartbeat, breathlessness, hand tremors, chest pain, backpain as well as sleep disorders making them more vulnerable in problems related to focusing, memorizing and studying even at mild levels. It is possible that depression and anxiety raise concerns regarding examinations, which decreases academic performance (Owens et al., 2012). The fact that the effect of anxiety and depression is maintained irrespective of gender or age shows the importance of certain routine prevention measures in students against anxiety and depression.

This study however, also has limitations. Spearman's correlation's function and linear regression function were not utilized during the course of this study. The study neither took into account certain buffer factors against anxiety and depression (such as social support), nor were the coping mechanisms of students investigated. Some of these limitations may become future research directions.

Conclusion

In evaluating the influence of anxiety and depression on the academic performance of high school students it was noticed that academic performance decreases inversely proportional to levels of anxiety and depression. More specifically, it was noticed that academic performance was relatively similar in normal and mild levels of depression, whereas academic performance decreased at every higher level of anxiety. These results remained true irrespective of gender or age. These findings suggest the necessity of coming up with prophylactic methods to prevent emotional distress, anxiety and depression.

References

1. Vos, T., Flaxman, A.D., Naghavi, M., Lozano, R., Michaud, C., Ezzati, M., Memish, Z. a. (2012) – *Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010.*
2. Suldo, S., Shaunessy, E., & Hardetsy, R. (2008). *Relationships among stress, coping, and mental health in high-achieving high school students.*
3. Stroud, Catherine, Davila, Joanne, Moyer, & Anne. (2008). The relationship between stress and depression in first onsets versus recurrences: A meta-analytic review. *Journal Of Abnormal Psychology*, 117, 206-213
4. Kuncel, N., Credé, M., & Thomas, L. (2005). The Validity of Self-Reported Grade Point Averages, Class Ranks, and Test Scores: A Meta-Analysis and Review of the Literature. *Review Of Educational Research*, 75(1), 63-82.
5. Tonsing, K. N. (2014). Psychometric properties and validation of Nepali version of the depression anxiety stress scales (DASS-21). *Asian Journal of Psychiatry*, 863- 866.
6. Owens, M., Stevenson, J., Hadwin, J.A., & Norgate, R. (2012) - Anxiety and depression in academic performance: An exploration of the mediating factors of worry and working memory. *School Psychology International*, 33(4), 433–449.

Appendix A

Depression, Anxiety and Stress Scale 21

1. I was aware of dryness of my mouth	0 1 2 3
2. I couldn't seem to experience any positive feeling at all	0 1 2 3
3. I experienced breathing difficulty (e.g., excessively rapid breathing, breathlessness in the absence of physical exertion)	0 1 2 3
4. I found it difficult to work up the initiative to do things	0 1 2 3
5. I experienced trembling (e.g., in the hands)	0 1 2 3
6. I was worried about situations in which I might panic and make a fool of myself	0 1 2 3
7. I felt that I had nothing to look forward to	0 1 2 3
8. I felt down-hearted and blue	0 1 2 3
9. I felt I was close to panic	0 1 2 3
10. I was unable to become enthusiastic about anything	0 1 2 3
11. I felt I wasn't worth much as a person	0 1 2 3
12. I was aware of the action of my heart in the absence of physical exertion (e.g., sense of heart rate increase, heart missing a beat)	0 1 2 3
13. I felt scared without any good reason	0 1 2 3
14. I felt that life was meaningless	0 1 2 3

0-Did not apply to me at all

1-Applied to me to some degree or some of the time

2-Applied to me a considerable degree or a good part of the time

3-Applied to me very much or most of the time

NB Scores on the DASS-21 will need to be multiplied by 2 to calculate the final score.

	Depression	Anxiety	Stress
Normal	0-9	0-7	0-14
Mild	10-13	8-9	15-18
Moderate	14-20	10-14	19-25
Severe	21-27	15-19	26-33
Extremely Severe	28+	20+	34+

Appendix B

Letter Grade	Percent Grade	4.0 Scale
A+	97-100	4.0
A	93-96	4.0
A-	90-92	3.7
B+	87-89	3.3
B	83-86	3.0
B-	80-82	2.7
C+	77-79	2.3
C	73-76	2.0
C-	70-72	1.7
D+	67-69	1.3
D	65-66	1.0
E/F	Below 65	0.0