Caring Cards to and from Veterans

A Treatment Manual

Blaire C. Ehret, Ph.D.

Introduction

Veteran suicide is a national problem; social disconnection is an important contributor to suicide risk (Van Orden et al., 2010). Developed by Schembari (maiden name of Blaire Ehret, Ph.D.) and Perivoliotis (2018), Caring Cards (CC) is an innovative peer-centered intervention that aims to reduce suicide risk by promoting social recovery among Veterans. Inspired by caring contacts for suicide prevention (Motto & Bostrom, 2001) and the recovery model (Davidson et al., 1997; Ramon et al., 2007), CC employs a novel approach to social recovery by leveraging Veterans' lived experience with mental health conditions.

In CC, Veterans share messages of hope and unity by handmaking one-of-a-kind cards that are sent to their peers. CC benefits both Veteran card-makers and recipients by providing card-makers with a safe, creative space to connect with other for a common purpose, helping their fellow Veteran, and card-recipients with inspiring cards, leading them to feel cared for and connected to others with similar experiences. As such, CC is designed to increase social connectedness and purpose in among both makers and recipients, which may decrease suicide risk.

CC directly benefits Veterans and contributes to the quality of services provided by VA by creating a safe, creative space for Veterans with lived experience related to suicide risk to join together to provide messages of hope, community, and resilience to their peers at risk for suicide. Helping Veterans support one another provides a bridge for social connection and a sense of purpose, which may help prevent Veteran suicide. CC may also improve Veterans' satisfaction with VA healthcare and engagement with mental health treatment.

Empirical Underpinnings

As noted above, CC integrates two evidence-based practices—caring contacts for suicide prevention and peer support.

Caring Contacts for Suicide Prevention: As a means of suicide prevention, caring contacts are messages (e.g., letters) composed by hospital/research staff that express well wishes and are sent to patients following psychiatric hospitalization (Motto & Bostrom, 2001). Empirical studies of caring contacts for suicide prevention have demonstrated reductions in suicide rates and re-hospitalization (Falcone et al., 2017), as well as expenses associated with suicide (Denchev et al., 2018). The approach has been investigated across various settings and populations, including VA/Veterans (Luxton et al., 2014), and taken many forms, including letters (Luxton et al., 2012), postcards (Denchev et al., 2018), emails (Luxton et al., 2014), and text messages (Larsen et al., 2017). Caring contacts are typically sent by hospital/research staff and, to date, only two studies have used peers to create these contacts, one using a nonclinical sample of Veteran peers (Carter, 2019) and the other by the developer of CC (under her maiden name) (Schembari & Perivoliotis, 2018). Across both studies, feedback from peer letter/card writers suggested their involvement was both purposeful and personally helpful. Initial feedback from card-recipients yielded positive results, indicating they find receiving cards from their peers to be supportive and meaningful (Schembari & Perivoliotis, 2018).

Peers in Recovery: There is empirical support for the use of the peers (persons with lived mental health experience) in mental health recovery (Repper & Carter, 2011). Peer involvement has demonstrated significant reductions in mental health relapse (Forchuk et al., 2005), isolation (Yanos, Primavera, & Knight, 2001), and self-stigma (Ochocka, Nelson, Janzen, & Trainor, 2006), as well as increases in hope (Davidson, Chinman, Sells & Rowe, 2006), empowerment (Corrigan, 2006; Resnick & Rosenheck, 2008) and involvement in and satisfaction with mental healthcare (Chinman et al., 1999; Hodges et al., 2003). Using their lived experience with mental health concerns, peers challenge stigmas, help patients integrate into their communities, and become more active participants in their own care (Chinman et al., 2015). Studies examining the use of peers in VHA emphasize their role in the facilitation of mental health services (e.g., recovery groups, adjunctive support to mental healthcare) (Allicock et al., 2013; Jain, McLean, & Rosen, 2012; Resnick & Rosenheck, 2008) and as members of intensive case management teams (Chinman et al., 2015). Provided the widespread integration of peers in VHA, increased opportunities for peer volunteers in mental healthcare is needed.

Empirical Support for Caring Cards

Initial Feasibility Trial: In 2018, as part of her postdoctoral fellowship dissemination project, Dr. Ehret developed and piloted CC as a clinical service within the VASDHS' Psychosocial Rehabilitation and Recovery Center (PRRC). In a weekly group consisting of 10 Veterans diagnosed with severe mental illness, meeting from February 2018 to the present, Veterans created a total of 300+ cards for peers recently discharged from the VASDHS' inpatient psychiatry unit, who were identified as high risk for suicide at the time of admission (Schembari & Perivoliotis, 2018). To date, 50 cards have been mailed to 50 high-risk Veterans one-week post-discharge.

Preliminary Acceptability for Card-Makers: Veteran card-makers reported high satisfaction (i.e., 100% recommended this group to other Veterans and said this group positively impacted their life); themes such as socializing, helping others, and seeing progress in their own recovery were identified as helpful aspects of participating in CC. Socialization was also observed to increase, as members reported spending time together outside of the group/clinic. Card-makers stated, "[CC] brings Veterans closer"; "I get to socialize"; "By focusing on the cards, it's helping me see I didn't make a mistake when I came for help"; "[the cards] illustrate where you've been and how far you've come"; "[I am able to] help someone else."

Preliminary Acceptability for Card-Recipients: Veteran card-recipients were contacted by phone 10 days after their card was mailed; their satisfaction with receiving the card and its impact on their recovery were assessed. Of 25 contacted to date, we have gathered 18 responses (72% response rate), and 100% were positive. Card-recipients stated, "It made me feel like I'm not alone"; "It helped me with my recovery. Like having brothers or being a part of a group. At times I don't feel like a Veteran, because I never deployed, [the card] made me feel accepted"; "Great job, and great service. I'm alive because of you." Most reported the card made them feel as though someone cared, were less alone, part of a community, and inspired physical activation. Solicitation of remaining feedback is in progress.

CC was also launched on the VASDHS' inpatient psychiatry unit and residential domiciliary and has received strong positive feedback from its members.

Media and Popular Press

National Public Radio. VA struggles to unlock the reasons behind high suicide rates among older Veterans.

<https://www.npr.org/2019/03/11/702251738/va-struggles-to-unlock-the-reasons-behind-high-suicide-rates-among-older-veteran>

VA San Diego Healthcare System. Supporting Veterans Through the Caring Cards Group.

https://www.sandiego.va.gov/SANDIEGO/features/caring_cards.asp

Caring Cards website created and maintained by a former group participant. Not affiliated with VASDHS.

<https://caringcardsforvets.com>

Caring Cards Group Protocol

Although CC was developed with Veterans, this intervention may be useful for non-Veteran populations.

Getting Started

CC groups typically consist of 5-10 Veterans and meet at least weekly for 60-120 minutes. A group room with a large table or multiple tables may be used. Space should be able to accommodate art supplies and multiple Veterans working simultaneously. Groups can be facilitated by a provider with any level of educational.

Supplies Needed

CC is a relatively low-cost and maintenance group. A set of art supplies (suggested items: colored pencils, thick and thin tipped markers, oil pastels, pencils, pens, and erasers) and blank cards (please see Cover Design Option below) are needed. Listening to music during the group has been a critical part to the CC atmosphere. If possible, access to a device (e.g., computer, Bluetooth speaker) that can play music in the group room is strongly recommended.

Who is CC Best Suited For?

CC is a peer-centered intervention focused on using group members' lived-experience to help other Veterans. This group is best suited for Veterans who have some foundational coping skills and are willing to share positive messages to others. CC is not contraindicated for specific diagnoses or populations; however, facilitators should monitor group members' participation and the content of all cards created, as some messages of hopelessness may emerge, requiring additional clinical support.

Initial Group

Upon the initial meeting, group members are introduced to the facilitator(s), supervisor (if applicable), and one another. They will also review group rules (e.g., limits of confidentiality), format, and purpose, and general rules for making cards (i.e., content of cards should be hope inspiring and neutral to sex, military branch, age, religion, or political affiliation; no profanity).

Veterans should be instructed to focus on using their lived experience to communicate positive messages. To help elicit this, the facilitator(s) may ask Veterans to "think of a difficult time you experienced, what message would you have wanted to see that would have been helpful to you at that time?"

Although a facilitator is present, CC is peer-centered and group participants are the creative decision-makers.

Cover Design (Optional)

If you choose to have your Veterans design their own card covers, please review this section. If you choose to forego this option, Dr. Ehret will happily provide you with a set of blank cards, with established covers designed by the Veterans in the outpatient group. Please see contact information at the end of this section.

After the first meeting, during the first four weeks of their group meetings, card-makers focus on determining how many different card covers to create and designing these covers (example on cover of manual). Decisions will be determined via group member-only vote. In the event of a split decision, the facilitator may serve as a tie breaker.

Once designed, the cards will be printed on cardstock; the statement “Designed and Created for a Veteran by a Veteran” will appear at the bottom of the right inside page. A list of local (VA and non-VA) resources for suicide prevention and mental health crises will be printed on the back. Please connect with Dr. Ehret for information on the printing process.

Once printed, the groups will begin creating caring cards.

Subsequent Group Meetings

During each group session, art supplies and blank cards will be provided; a rotating Veteran will be selected to choose music (if available in group room) for that day’s group session. Participants will be encouraged to assist one another with ideas for various card content and artwork, as well as collaborate on card designs; the facilitator(s) will be available to help. At the end of each session, group members should assist the facilitator(s) with clean up, as well as collecting and organizing the cards.

Veteran FAQs

Who do these cards go to? Currently, the cards made in the groups are being collected and stored for future sending. As noted above, we have sent cards to Veterans who recently discharged VASDHS’ psychiatric inpatient unit. Please see the above Empirical Support section for more information. You may choose to give the completed cards to Dr. Ehret to be sent out at a future date, or send them to your own population of choice. If you choose to do this and collect data on recipients’ experience receiving the cards, please refer to the Future Research Considerations section.

Can I sign my name to the cards I make? To ensure privacy, this is not encouraged; however, if a Veteran chooses to share their name on their work, that is up to them. Please discuss as a clinical team and determine what would be most appropriate.

What if I can’t draw or think of good messages to write? The creative process can take time. Inform Veterans that they don’t have to make cards to be part of this group. In fact, just their presence in the group can be inspiring to others. In addition, they may be interested in coloring others’ drawings, collaborating with others on a card, or helping organize completed cards. There are many roles for Veterans in the group besides making cards. This group should be fun and pressure-free!

Potential Issues and Proposed Solutions

Veteran communicates an inappropriate message (writing or drawing): Please remind the Veteran about the general card making rules (see above) and encourage them to run their ideas by the other Veterans in the group before composing a card.

Veteran has trouble making a card: Remind the Veteran that the creative process can take time; allow them space to think and remind them that they don’t have to make cards to be part of this group. Please see FAQs above for more details.

Quality Assurance

CC Group Members:

As part of quality assurance, please consider administering the Satisfaction Survey included in the Appendix at least quarterly. A summary of your anonymized results is encouraged to be shared with Dr. Ehret, as appropriate, so modifications to the group, if necessary, can be made.

CC Card-Recipients:

Please also consider collecting feedback from the Veterans you mail the caring cards to. Please consider using the Follow-Up Telephone or Postcard Surveys included in the Appendix. If you are sending a card to Veterans leaving a psychiatric inpatient unit, we recommend sending a card within the first week of discharge; this is consistent with caring contacts research and recommendations. If you are sending one to an outpatient, use

your clinical judgement on the appropriate time to send the card. You may also consider sending more than one card, over a designated period of time. Again, it is recommended you discuss these specifics with your clinical/research teams concerning what is appropriate and feasible for your program. A summary of your anonymized results is encouraged to be shared with Dr. Ehret, as appropriate, so modifications to the program, if necessary, can be made.

Future Research Considerations

Dr. Ehret recently submitted a grant application that, if funded, would consist of recruiting outpatient Veterans from the VASDHS to participate in CC groups. Veterans who have previous experience with CC will be excluded from this study. As such, please maintain a record of participation for your group members so Dr. Ehret can ensure former participants are not recruited as part of her future research trials. Please record if a Veteran has attended at least one group session; there is no need to record participation for multiple sessions.

In addition, if you and your site are interested in conducting research on CC, Dr. Ehret would simply ask that you cite her when using this manual and include her on any academic presentations/publications that may emerge. She strongly encourages and welcomes empirical collaboration.

Proposed Progress Note Language

Please see below for proposed progress note language Dr. Ehret uses for notes for her outpatient group. Please feel free to modify the language as needed for your clinic.

S: Based on principles of the recovery model, the goal of the Caring Cards (CC) group is to engage CORE Veterans in the design and creation of caring cards for Veterans recently discharged from the VASDHS' inpatient psychiatric unit.

Point of Contact

For any additional information or support in implementing CC, please contact Blaire C. Ehret, Ph.D. at blaire.ehret@va.gov or (619) 228-8080.

Appendix

Satisfaction Survey

Caring Cards Questionnaire for Group Members

1. Would you recommend this group to other Veterans?

Yes ____

No ____

Why or why not?

2. Has the group impacted your recovery process?

Yes ____

No ____

If yes, how so?

3. How long would you like to participate in this group?

Less than 1 month ____

1-3 months ____

4-6 months ____

More than 6 months ____

Other: _____

4. Do you believe this group should continue to be permanent offering at CORE*?

Yes ____

No ____

5. Please provide any specific feedback you have about the Caring Cards group.

*Please change to your clinic's name

Follow-Up Telephone Survey

Card-Recipients

- 1) Did you receive your card?
 - a. If yes, continue with the remaining questions.
 - b. If no, confirm mailing address on file and offer to send Veteran a card explaining the purpose/call to follow-up again.
- 2) What was your experience receiving the card?
- 3) Has receiving the card had any impact on your experience after being in the hospital and your recovery?
 - a. If yes/no answer is provided, please ask Veteran to elaborate.
- 4) Were there any positive/negative aspects of receiving this card?
 - a. If yes/no answer is provided, please ask Veteran to elaborate.
- 5) Do you have any suggestions for this card program?
- 6) This is a pilot project and we are just starting to test the impact of these cards. If we were to send more in the future, would you like to receive additional cards?
 - a. If so, ideally how many and over what length of time?
- 7) Would you recommend the VA* continue sending cards like this to other Veterans who discharge from the hospital?
- 8) Would you like to make cards like these for other Veterans?
- 9) Do we have permission to contact you in the future?
 - a. If yes, can we leave a detailed voice message?
- 10) Do you have any other feedback?

*Please change to your clinic's name

Follow-Up Postcard Survey

Card-Recipients

Front:

WE WANT TO HEAR
FROM YOU

Thank you!

PLEASE CALL US IF YOU
HAVE ADDITIONAL
FEEDBACK

BLAIRE EHRET, PH.D.
VA PSYCHOLOGIST

(619) 228-8080

Blaire Ehret, Ph.D.

VA San Diego Healthcare System

8989 Rio San Diego Drive, Ste. 360

San Diego, CA 92108

#

#

Back:

The Veterans who created this card appreciate your feedback.

PLEASE CIRCLE YOUR RESPONSE

Receiving this card made me feel...

Positive Negative Neutral

This card helped me stay out of the hospital.

Yes No

I would like to receive more cards like this in the future.

Yes No

Should we send cards like this to other Veterans?

Yes No

Do we have permission to contact you in the future?

Yes No

Additional comments:

References

- Allcock, M., Haynes-Maslow, L., Carr, C., Orr, M., Kahwati, L. C., Weiner, B. J., & Kinsinger, L. (2013). Peer Reviewed: Training Veterans to Provide Peer Support in a Weight-Management Program: MOVE!. *Preventing chronic disease*, 10.
- Carter S. Mating a difference: Caring letters from peers. Oral presentation at: American Association of Suicidology Annual Meeting; April, 2019; Denver, CO.
- Chinman MJ, Allende M, Weingarten R, Steiner J, Tworowski S, & Davidson L. On the road to collaborative treatment planning: Consumer and provider perspectives. *The journal of behavioral health services & research*. 1999;26(2):211-218.
- Chinman M, Oberman RS, Hanusa BH, et al. A cluster randomized trial of adding peer specialists to intensive case management teams in the Veterans Health Administration. *The journal of behavioral health services & research*. 2015;42(1):109-121.
- Corrigan PW. Impact of consumer-operated services on empowerment and recovery of people with psychiatric disabilities. *Psychiatric services*. 2006;7(10):1493-1496.
- Davidson L, Weingarten R, Steiner J, et al. Integrating prosumers into clinical settings. In: Mowbray, Moxley C, Jasper C, Howell LL, editors. *Consumers as Providers in Psychiatric Rehabilitation*. Columbia, MD: International Association of Psychosocial Rehabilitation Services. 1997; 437-455.
- Davidson, L, Chinman M, Sells D, Rowe M. Peer support among adults with serious mental illness: A report from the field. *Schizophrenia bulletin*. 2006;32(3):443-450.
- Denchev P, Pearson JL, Allen MH, et al. Modeling the cost-effectiveness of interventions to reduce suicide risk among hospital emergency department patients. *Psychiatric services*. 2018;69(1):23-31.
- Falcone G, Nardella A, Lamis DA, et al. 2017. Taking care of suicidal patients with new technologies and reaching-out means in the post-discharge period. *World journal of psychiatry*. 2017;7(3):163-176.
- Forchuk C, Martin ML, Chan YL, et al. Therapeutic relationships: From psychiatric hospital to community. *Journal of psychiatric and mental health nursing*. 2005;12(5):556-564.
- Hodges JQ, Markward M, Keele C, Evans CJ. Use of self-help services and consumer satisfaction with professional mental health services. *Psychiatric services*. 2003;54(8):1161-1163.
- Jain S, McLean C, Rosen CS. Is there a hole for peer support delivered interventions in the treatment of Veterans with post-traumatic stress disorder?. *Military medicine*. 2012;177(5):481-483.
- Larsen ME, Shand F, Morley K, et al. A mobile text message intervention to reduce repeat suicidal episodes: design and development of Reconnecting After a Suicide Attempt (RAFT). *JMIR mental health*. 2017;4(4):e56:1-9.
- Luxton DD, Kinn JT, June JD, et al. Caring letters project. *Crisis*. 2012;33(1):5-12.
- Luxton DD, Thomas EK, Chipps J, et al. Caring letters for suicide prevention: Implementation of a multi-site randomized clinical trial in the US military and veteran affairs healthcare systems. *Contemporary clinical trials*. 2014;37(2):252-260.
- Motto JA, Bostrom AG. A randomized controlled trial of postcrisis suicide prevention. *Psychiatric services*. 2001; 52:828–833.

Ochocka J, Nelson G, Janzen R, Trainor J. A longitudinal study of mental health consumer/survivor initiatives: Part 3—A qualitative study of impacts of participation on new members. *Journal of community psychology*. 2006;34(3): 273-283.
Ramon S, Healy B, Renouf N. Recovery from mental illness as an emergent concept and practice in Australia and the UK. *Int J Soc Psychiatry*. 2007;53:108-22.

Repper J, Carter T. A review of the literature on peer support in mental health services. *Journal of mental health*. 2011;20(4):392-411.

Resnick, SG, Rosenheck, RA. Integrating peer-provided services: a quasi-experimental study of recovery orientation, confidence, and empowerment. *Psychiatric services*. 2008;59(11):1307-1314. 37.

Schembari BC, Perivoliotis D. Leave no one behind: Caring cards to and from veterans. Poster presented at: The 41st Annual Wellness and Recovery Summit of the Psychiatric Rehabilitation Association; June, 2018; Denver, CO.

Van Orden, K. A., Witte, T. K., Cukrowicz, K. C., Braithwaite, S. R., Selby, E. A., & Joiner Jr, T. E. (2010). The interpersonal theory of suicide. *Psychological review*, 117(2), 575.

Yanos PT, Primavera LH, Knight EL. Consumer-run service participation, recovery of social functioning, and the mediating role of psychological factors. *Psychiatric services*. 2001;52(4):493-500.